


United States Department of the Interior
National Park Service

National Register of Historic Places Registration Form



This form is for use in nominating or requesting determinations for individual properties and districts. See NATIONAL PARK SERVICE to Complete the National Register of Historic Places Registration Form (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box or by entering the information requested. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classifications, materials and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

1. Name of Property

historic name Tarpley, Louis and Bessie, House
other names/site number _____

2. Location

street & number 2520 NW Westover Road not for publication
city or town Portland vicinity
state Oregon code OR county Multnomah code 051 zip code 97210

3. State/Federal Agency Certification

As the designated authority under the National Historic Preservation Act, as amended, I hereby certify that this X nomination request for determination of eligibility meets the documentation standards for registering properties in the National Register of Historic Places and meets the procedural and professional requirements set forth in 36 CFR Part 60. In my opinion, the property X meets does not meet the National Register criteria. I recommend that this property be considered significant nationally statewide X locally.

[Signature] _____ Date 7-6-07
Signature of certifying official/Title - Deputy SHPO

Oregon State Historic Preservation Office
State or Federal agency and bureau

4. National Park Service Certification

I hereby certify that the property is:
Action

- entered in the National Register
See continuation sheet.
- determined eligible for the National Register
See continuation sheet.
- determined not eligible for the National Register
- removed from the National Register
- other (explain): _____

[Signature] _____ Date of 8-23-07
Signature of the Keeper

Tarpley, Louis and Bessie, House
Name of Property

Multnomah Co., Oregon
County and State

5. Classification

Ownership of Property
(check as many as apply)

- private
- public - local
- public - state
- public - Federal

Category of Property
(check only one box)

- building(s)
- district
- site
- structure
- object

Number of Resources within Property
(Do not include previously listed resources in the count)

Contributing	Noncontributing	
1		buildings
		sites
		structures
		objects
1		Total

Name of related multiple property listing
(enter "N/A" if property is not part of a multiple property listing)

N/A

Number of contributing resources previously listed in the National Register

0

6. Function or Use

Historic Functions
(enter categories from instructions)

DOMESTIC: single dwelling

Current Functions
(Enter categories from instructions)

DOMESTIC: single dwelling

7. Description

Architectural Classification
(Enter categories from instructions)

LATE 19TH AND 20TH CENTURY REVIVALS:
Tudor Revival
Arts and Crafts (interior)

Materials
(Enter categories from instructions)

foundation: CONCRETE
walls: WOOD: Shingle
STUCCO
roof: ASPHALT
Other: _____

Narrative Description
(Describe the historic and current condition of the property on one or more continuation sheets)

See continuation sheets.

8. Statement of Significance

Applicable National Register Criteria
(Mark "x" in one or more boxes for the criteria qualifying the property for National Register listing).

Areas of Significance
(Enter categories from instructions)

- A Property is associated with events that have made a significant contribution to the broad patterns of our history.
- B Property is associated with the lives of persons significant in our past.
- C Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
- D Property has yielded, or is likely to yield, information important in prehistory or history.

ARCHITECTURE

Period of Significance

1907

Significant Dates

1907

Criteria Considerations
(Mark "x" in all the boxes that apply)

Property is:

Significant Person
(Complete if Criterion B is marked above)
N/A

- A owned by a religious institution or used for religious purposes
- B removed from its original location
- C a birthplace or grave
- D a cemetery
- E a reconstructed building, object, or structure
- F a commemorative property
- G less than 50 years of age or achieved significance Within the past 50 years

Cultural Affiliation

Architect/Builder
Lewis, David C. attributed architect
Oppenlander, Fred, builder

Narrative Statement of Significance
(Explain the significance of the property on one or more continuation sheets)

9. Major Bibliographical References

Bibliography (Cite books, articles, and other sources used in preparing the form on one or more continuation sheets) See continuation sheets

- Previous documentation on file (NPS):
- preliminary determination of individual listing (36CFR67) has been requested
 - previously listed in the National Register
 - previously determined eligible by the National Register
 - designated a National Historic Landmark
 - recorded by Historic American Buildings Survey
 - recorded by Historic American Engineering Record

- Primary location of additional data:
- State Historic Preservation Office
 - Other State agency
 - Federal agency
 - Local government
 - University
 - Other
- Name of repository: _____

Tarpley, Louis and Bessie, House
Name of Property

Multnomah Co., Oregon
County and State

10. Geographical Data

Acreage of Property .20 acres

UTM References

(Place additional UTM references on a continuation sheet)

1 10 523250 5041512
Zone Easting Northing
2 _____

3 _____
Zone Easting Northing
4 _____

Verbal Boundary Description

(Describe the boundaries of the property on a continuation sheet)

Boundary Justification

(Explain why the boundaries were selected on a continuation sheet)

11. Form Prepared By

name/title Marianne Kadas

organization Marianne Kadas Consulting date Nov. 2006; Rev. July 2007

street & number 3602 SE Alder telephone 503-238-9859

city or town Portland state Oregon zip code 97214

Additional Documentation

Submit the following items with the completed form:

Continuation sheets

Maps: A USGS map (7.5 or 15 minute series) indicating the property's location.

A sketch map for historic districts and properties having large acreage or numerous resources.

Photographs: Representative black and white photographs of the property.

Additional items (check with the SHPO or FPO for any additional items)

Property Owner

name Barbee Lyon and Joan Kruse

street & number 2520 NW Westover Road telephone 503-705-2033

city or town Portland state Oregon zip code 97210

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C.460 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief, Administrative Services Division, National Park Service, PO Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Project (1024-0018), Washington, DC 20503.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 7 Page 1

NARRATIVE DESCRIPTION

Summary

The Tudor Revival style Louis and Bessie Tarpley House located at 2520 NW Westover Road was completed in 1907. The house is significant under Criterion C as a well preserved and locally distinctive example of the Tudor Revival style with Arts and Crafts style elements. It is one of the oldest Tudor Revival style houses remaining in this residential district, and was built during one of Portland's great economic boom periods just after the celebration of the Lewis and Clark Exposition in 1905, which marked the 100th anniversary of their journey to the West. While its architect is not affirmatively known, it has many things in common with the houses of the period designed by noted Oregon architect David C. Lewis, and is attributed to Lewis by some authorities.

The front of the house is symmetrical while the rear of the house is less formally arranged with a garage addition accessed from the street above. The house plan is straightforward and Arts and Crafts influenced, with the central entry opening into a large entry hall, flanked by the living room on the south side and the dining room on the north side; a kitchen and a study complete the first floor. There are three bedrooms, two smaller rooms, and two bathrooms on the second floor. The third floor consists of three more bedrooms and one bathroom. The attic is unfinished. The basement is divided by concrete walls into work rooms and storage space. The house remains architecturally intact with its identifying features in excellent condition as originally designed.

Setting

The Tarpley House is located in the city of Portland, on NW Westover Road, formerly Melinda Avenue. At this point, Westover doubles back forming a V, the garage entrance is on the upper level of Westover. The two and one-half story house faces east on the steep hillside directly above the Nob Hill Commercial District and directly below Westover Heights. The house is on the west, or upper, side of NW Westover Road on a trapezoidal lot overlooking Portland and Mt. Hood to the east. The house occupies most of the north and south area of the lot, with the yard and garden occupying the east and west areas. A thick, well-trimmed box hedge lines the curved sidewalk leading to the house from the street. Stone steps access the front porch. Twin square brick columns form the base of the entry stairs, topped with concrete urns, and two larger urns rest on the ground directly to the east. Stone retaining walls of various heights divide the outdoor spaces on the sloping lot. A stone staircase adjacent to the rear of the house offers access to the garage on the upper level of the lot.

The neighborhood now consists of many century-old houses distinguished by fine design and craftsmanship. The Tarpley House is just to the west of the grid plan in NW Portland combining excellent views to the east, and convenient access to everyday services. The neighborhood was originally known as Nob Hill Terrace, but is now known as Hillside.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 7 Page 2

Exterior

The Tarpley House is a two and one-half story wood frame structure set on a concrete basement foundation. The house is rectangular in plan with the longer walls running north and south and the entry porch on the east elevation. The first floor is shingled with wood shingles. The upper stories are cantilevered, and this slight overhang accented by carved wooden brackets. Cladding on the upper stories is rough stucco with half-timbering. Windows are mainly double-hung, some with leaded lights. There are two brick chimneys.

East Facade (front)

The primary (east-facing) entrance fronts to NW Westover Road. The facade is symmetrical with a central one and one-half story porch covering about one-half of the central part of the house. The first floor porch has full height paneled posts and a low balustrade with arched cut-out balusters and a fir floor. A wide crown moulding finishes the porch interior. Above the low-pitched roof, the open second story level has shorter paneled posts and a plain balustrade with square wooden balusters. Both porches can accommodate several chairs and other outdoor seating.

The cantilevered second story has an overhang of approximately one foot, with a wide board trim and heavy carved brackets. Rough stucco covers the exterior on this level. This story is dominated by two large gables flanking a smaller gable which opens onto the third floor. The two large dormers form most of the second floor facade. They each feature a central full-length light flanked by double-hung windows. Half-timbering emphasizes the Tudor Revival style. The gable ends feature a wide horizontal board with evenly-spaced vertical boards in the upper half of the gable.

The third floor element on the front facade is a smaller gable in the center of the house. This gable window has a pair of double-hung lights. The window surround features half-timber trim and a wide casing with a wide horizontal member topping the window. A V-shaped trim board above the window along with the open eaves emphasizes the Tudor Revival style.

North Facade

The north facade is nearly on the property line and in keeping with the rest of the house has shingle siding on the first floor, and a cantilevered, stuccoed second floor with decorative half-timbering. Windows on the first level include a pair of double-hung lights with lead mullions. A wing of the house continues to the west with a storage area at the level of the house, and a garage on the upper level. Siding on this portion of the building consists of a lattice wall on the lower level and wood shingles on the upper level.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 7 Page 3

West Facade (rear)

The lower level of the west facade has shingle siding along with a lattice wall and shingles on the garage. The west wing has a one-story bay window with a large double-hung window on each of its three sides. The second story overhang is less pronounced than on the other facades, but has a stucco exterior with extensive half-timbering. There are double-hung windows and multi-light windows along with a large elaborately decorated tripartite leaded window on the stair landing. There is also a third floor gable addition with two double-hung lights. A large metal waterspout decorates the end of the garage wall. The garage has a sliding door and a modest chimney at its east end. A concrete walkway offers stairs to the basement and a stone stairway next to the house leads to the garage level. The outdoor garden space is also on this side of the house. Landscaping is of a natural order following several rock retaining walls on the steep lot. There also are several mature deciduous trees.

South Facade

The main feature of the south facade is the brick chimney. It is a substantial size, jutting out from the house several inches before disappearing into the second-floor overhang and reappearing on the roof with a corbelled top and three decorative flues each recalling a Gothic arch. The second floor is stucco along with the rest of the house and has extensive half-timber trim.

Interior

The main entrance opens into a spacious entry hall or vestibule. To the left is the living room, to the right is the dining room, and a small study-den is to the rear of the house, as is the kitchen. The staircase rises from the entry hall, with one stair landing. The staircase has both painted and varnished surfaces. The stair treads, railing, and newel post top member are varnished, while other surfaces are painted, including the major part of the square, paneled newel post. The entry hall has a box beam ceiling, with the wood painted white, as is all the woodwork in this room including the paneled wainscoting. The original light fixture is in place and features a large, round milk glass bowl held by four brass rods. There is a painted built-in bench adjacent to the front door. With the exception of the kitchen, the floors downstairs are oak.

Living Room, Dining Room, and Kitchen

The living room is accessed by six foot, paneled pocket doors. The fireplace is a focal point featuring a plain brick surround and hearth with a paneled mantel embellished with curved supports in a leaf pattern. There also is a built-in bookcase. There are windows on three sides of the room, and the east (front) windows have a large center light with two-over-two leaded side lights. The remaining windows are mainly one-over-one, double-hung plus some leaded windows. All the woodwork is painted. A centered light fixture is decorated milk glass held by three decorative brass rods and a decorated base.

**United States Department of the Interior
National Park Service**

National Register of Historic Places Continuation Sheet

Section number 7 Page 4

The dining room, on the north side of the entry hall, has a central window on the east, or front, side flanked by leaded two-over-two, double-hung lights. Both living room and dining room have simple egg-and-dart window trim. There is a built-in dish cupboard in the southeast corner of the room. The door has an arched leaded-light window with plain glass. There also is an elaborate, centered light fixture and two original wall sconces in this room. Both the living room and dining room have a low baseboard with an ogee trim and a narrow ceiling moulding. Woodwork trim is minimal with a narrow moulding and is painted. The four-panel door to the kitchen has one eye-height glass panel replacing the wood. The original brass light switch plates are also present.

A small study opens off the entry hall. This room faces west onto the back yard and is modestly decorated. Woodwork in this room is varnished fir, and the bay window looks out onto the back yard. All of the first floor rooms have nine-foot ceilings.

The kitchen is a large room facing north. An old cast iron wood cookstove, still operable, occupies a prominent place. The kitchen was remodeled in the 1950s and awaits another remodel. There is a back door opening onto the patio and yard in the rear of the house, and stairs to the basement.

A prominent feature of the house is a tripartite leaded window occupying the entire west wall of the stair landing. There are many leaded lights in the house, and all employ plain glass as opposed to stained glass. The stair landing windows have a large central panel flanked by two smaller lights. There are transom-height windows in the same pattern. The design consists of tall, narrow lights, with a simple border at the bottom and a more elaborate diamond-shaped element at the top. The center window is fixed, but the two side panels of the lower window are operable. The windows are in good condition.

Second Floor

The second floor consists of four bedrooms, an office, and two bathrooms plus a deck above the front porch. The master bedroom has a fireplace with a glazed tile surround and a simple mantel. Windows are two-over-two, double-hung with leaded lights. There are also paneled built-in window seats under some of the windows. Floors in all the main rooms are hardwood. Closets and built-in cabinets are large and numerous. The bathroom serving the master bedroom has dark red tile covering the walls and floor, the wall tile is two-inch square, the floor tile is six-inch square. The tub surround has four-inch tile and the shower has French hardware.

There is a wide hallway with paneled built-ins and original sconce lighting fixtures. A small office or study has a door opening onto the upper level of the front porch. The bedroom at the north end of the house has a half bath and built-in bookcases. All rooms have a low baseboard and narrow ceiling moulding. All woodwork and trim are painted. Light fixtures are a mix of original and replacement.

Tarpley, Louis and Bessie, House
Name of Property

Multnomah Co., Oregon
County and State

NPS Form 10-900-a

OMB Approval No. 1024-0018

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 7 Page 5

Third Floor

The third floor has three bedrooms and one bathroom with a claw foot tub. One bedroom has a corner sink. All rooms have sloping ceilings and some windows have a dormer arrangement to accommodate the ceiling height. All floors are hardwood. There also are several large closets.

Attic

The attic is accessible from a drop-down staircase, and is used for storage only.

Garage

A two-car garage is situated on the upper level of the lot and is accessed from NW Westover Road as it turns sharply up the hill. The garage is a later addition, and is attached to the house through a series of storage rooms and adjacent stairways. It is not visible from the front of the house.

Landscaping

The landscaping consists of small sections of lawn, many stone retaining walls, several large trees, and various types of shrubbery. There is a stone patio in the back of the house.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 8 Page 1

STATEMENT OF SIGNIFICANCE

Summary

The 1907 Louis and Bessie Tarpley House, located at 2520 NW Westover Road, is eligible for the National Register of Historic Places under Criterion C as a local and early example of the Tudor Revival style with Arts and Crafts influences. Early Tudor Revival style houses constructed in Portland reflected influences from two English styles: Arts and Crafts interior floor plans with Tudor Revival style exterior details. The Tarpley House differs from many Tudor Revival houses in that it is a transitional Tudor Revival, yet also an understated example of the style. Its clean lines, simplicity, and austere decoration set it apart as one interpretation in the large family of Tudor Revival representations. Unlike other Tudor Revival houses, the Tarpley House exemplifies a simplified, yet sophisticated concept of the Tudor Revival style, giving the impression of being a whole design, complete with an important central entrance, balanced, symmetrical bays, consistent trim in the form of the half-timbering, and two distinct types of exterior cladding for variety. Attributed to architect David C. Lewis, and constructed in 1907 for Bessie and Louis Tarpley by Fred G. Oppenlander, the house was designed and built during one of the boom eras of the city after the successful 1905 Lewis and Clark Exposition, on the lower bluffs of northwest Portland. It faces east to a view of the city, including the former Guild's Lake area and the Cascade Mountains and Mt. Hood in the distance.

Early History and Development of Hillside Neighborhood

The Tarpley House was part of the Donation Land Claim of Amos King, an early settler and owner of a substantial part of the west hills area in Portland. King emigrated to Oregon in 1845 and settled in the Coast Range near present-day Corvallis, Oregon, naming the property King's Valley. In 1849, King returned to Portland and purchased a 523 acre plot in the west hills. With his skill as a ferryman and experience of working in a tannery, King bought the local tannery from gold-seekers headed for California. King was a successful businessman and the tannery prospered as a result. With his wife, Melinda, King built a large house for his growing family.¹ King also supplemented his income by selling off property. His first major sale was in 1871 to the City of Portland for the site of present-day Washington Park, consisting of 48 acres, for \$32,624. Two neighborhoods were named for the King family: King's Hill, south of Burnside; and King's Heights, north of Burnside. The Tarpley House is near the area once called King's Heights, but is now called Hillside. Amos King died in 1901 at the age of 79.

Throughout the late nineteenth century, northwest Portland became home to the city's political and merchant elite. Streetcar lines helped spur this residential development, as the city's population reached 46,385 by 1890. One of the major factors affecting the development of northwest Portland was the 1905 Lewis and Clark Centennial and American Pacific Exposition and Oriental Fair held in northwest Portland. This celebration of

¹ Westover Road was originally named Melinda Avenue in King's wife's honor.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 8 Page 2

the 100th anniversary of the Lewis and Clark Expedition occupied nearly 400 acres of fairgrounds near Guild's Lake, now filled in and part of northwest Portland. In its four and a half month run, over 1.5 million people attended the exposition, with over 100,000 of these visitors coming from the eastern United States. The exposition featured three Federal buildings, twenty Oregon state buildings, in addition to sixteen buildings from other states, and sixteen structures or exhibits from other countries. Oregon's contribution to the architectural theme was the Forestry Building, a 105 by 209 foot log cabin that was very popular with fair visitors.² In part spurred by the exposition, between 1900 and 1910, Portland experienced the third highest growth rate in the nation, from a population of 90,426 in 1900, to 222,957 in 1910. Only Los Angeles and Seattle exceeded Portland's 129% growth rate.³ Portland also enjoyed over \$64 million in new housing and neighborhood development, including northwest Portland. Northwest Portland was one of the centers of finer residential buildings, offering homeowners wonderful views, close shopping opportunities, and good transportation downtown, owing to its proximity to the former exposition grounds. It was during this boom period that building contractor Fred G. Oppenlander was hired to build the transitional, simplified Tudor and Arts and Crafts influenced house for Louis and Bessie Tarpley in the Hillside Neighborhood of northwest Portland.

Louis Tarpley, son of Henry C. Tarpley who came to Oregon in 1852, was first listed as an attorney in the Abington Building in Portland, and resided in 1892 on Montgomery Street. In 1897, he joined the O'Day and Company law firm, and in 1899, the firm was listed as O'Day and Tarpley. In approximately 1900, Louis married Bessie Bugbee, daughter of San Francisco Judge John G. Bugbee. Bessie was a member of the first art class formed in Portland that later became the nucleus of the establishment of the Portland Art Museum. The Tarpley's son, David, was later awarded a scholarship in the field of art at the American Academy in Rome.

In 1905, Bessie and Louis Tarpley purchased property stands from James and Mary Steele for the sum of \$3,800. The property consisted of .20 acres bounded on both the east and west sides by NW Westover Road. This parcel was a part of the Amos King Donation Land Claim and was within the platted boundaries of Nob Hill Terrace. This area began to develop in 1905 and continued at a brisk pace throughout the mid 1920s. New homes appeared on both sides of NW Westover and NW Cornell Roads, many designed for wealthy clients by noted Portland architects. The Tarpley House is located just east of the Alphabet Historic District. Property to the west was laid out according to other standards, primarily along main roads and various terraces, the result of a large-scale sluice project. This undertaking, dating from 1910-1914, involved the removal and replacing of 3,000,000 cubic yards of material from Goldsmith Hill located on the early twentieth century northwest outskirts of Portland. The project used hydraulic sluicing to wash material down over a multitude of sheerboards to create the many terraces forming the Westover Terraces development, and continued further down the hill to partially fill in Guilds Lake and form a flat industrial area. Although viewed at first with skepticism and ridicule, the development was hailed at its completion as an engineering marvel.

² The Forestry Building was the only officially sanctioned building to be saved after the exposition ended.

³ Matthew Hayes and Oregon SHPO, "Cardwell-Holman House" Oregon SHPO, 2004, 8:1.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 8 Page 3

There was no neighborhood quite like Hillside anywhere in the city, and many prominent families were eager to establish a new, exclusive neighborhood away from Nob Hill. The character of Nob Hill was changing due to an influx of middle and working-class home seekers, and Hillside developed in much the same ways as the enclaves of Portland Heights, Willamette Heights, and what would soon become Westover Terrace.⁴

Until 1914-15 this was the edge of town, and high up on this hill, just behind the Tarpley House, was St. Vincent's Hospital. This hospital was started by the Sisters of Providence who came to the Vancouver area in 1856 and migrated to Portland with their first building completed in 1875. They stayed in this neighborhood until their facilities were outgrown in the 1970s, at which time they constructed a much larger hospital on a site west of downtown and the original hospital was demolished.

The Tarpley House: One House, Two Influences⁵

The Tudor Revival style of architecture came to the United States from England in the late nineteenth century through architectural magazines, and the 1876 Centennial International Exhibition in Philadelphia. The American Tudor Revival style, in its many variations, is a far cry from the residential style that originated during the Tudor period of England's history in the early sixteenth century. Those houses featured structural half-timbering, where post-and-beam frames were exposed, interstices filled with a rubble mix of stone or brick, then whitewashed or stuccoed. Roofs were authentically thatched, second floors cantilevered out over narrow streets, and windows were banked in series to bring in as much light as possible. These late medieval features became the hallmarks of a later stylistic revival showing up in the United States on small cottages and grand manors in too many variants to count. In the late nineteenth century, Tudor Revival houses in America tended to be large, architect-designed houses with a mixture of eclectic features based on Tudor precedent, including steeply pitched roofs, front gables, ornamental half-timbering, and stucco or masonry walls. Interiors were paneled in dark woods and coffered ceilings. Rooms were decorated with enormous fireplaces, beamed ceilings, and heraldic crests in the window glass. These early houses copied English models closely, following trends that were popular in England from 1558 to 1625. Commonly known as the "Jacobethan" style, this revival variation temporally mirrored the Elizabethan and Jacobean eras in English history.

After the turn of the twentieth century, residential neighborhoods in the United States began to see more modest houses in the Tudor Revival style with freely mixed, English-inspired features, such as faux thatched roofs, ornamental half-timbering, steep roofs, front gables, decorative bargeboards, and projecting window bays. Instead of masonry, walls and siding were wood, sometimes with stucco or masonry veneer, many with a mix of both. The Tudor Revival style remained relatively uncommon during the first fifteen years of the twentieth century, becoming immensely fashionable in the United States after World War I in a burst of popularity that continued through the 1930s.

⁴ Taken directly from Matthew Hayes and Oregon SHPO, "Cardwell-Holman House" Oregon SHPO, 2004, 8:2.

⁵ Parts taken directly from Matthew Hayes and Oregon SHPO, "Cardwell-Holman House" Oregon SHPO, 2004, 8:2-3.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 8 Page 4

The Tarpley House represents the transitional years of the Tudor Revival style in America, between the stately Jacobethan mansions derived from English models, to the eclectic middle-class versions common in the years between the world wars. Still architect designed, but no longer strictly Jacobethan in character, houses like the Tarpley House brought the Tudor Revival style from the estates of the wealthy to the neighborhoods of the upper middle class. This transitional period is marked by architects' mixing of other English-inspired stylistic features with Tudor elements, particularly the English Arts and Crafts and the American Craftsman styles. This stylistic mixture was not limited to exterior decorative features. Architects designed open-plan, Arts and Crafts interiors for these early twentieth century transitional Tudors, such as represented in the Tarpley House, instead of the dark, medieval-style interiors of the earlier American versions. In Portland, builders used wood instead of masonry, and houses that were Tudor on the outside featured brightly-lit interiors with Craftsman style built-ins, open plans, and painted and natural wood. The Tarpley House is in keeping with this early, stylistic blending as evident through its distinctively Tudor exterior, including its half-timbering and cantilevered second story, and its open and bright Arts and Crafts interior.

The Arts and Crafts style was a natural partner for the Tudor style. Both English in precedent, they shared character-defining features where texture, materials, and craftsmanship were paramount. The Arts and Crafts movement originated in England around 1850, in response to the inferior quality of products being produced by factories that placed no value on its workers. John Ruskin was one of the first promoting the ideas of simple design and honest workmanship. The movement gained momentum when socialist designer William Morris (1834-1896) began writing and lecturing about the need for a rebirth of the arts. Rejecting classically inspired art and architecture, Morris looked to the medieval period, vernacular tradition, and nature for creative inspiration. While Morris was not an architect, he influenced many creative architects, including Philip Webb (1857-1915), C.F.A. Voysey (1857-1941), and Sir Edwin Lutyens (1869-1944), all of whom adapted their designs to fit a simpler, more organic style.

Rather than revive past styles, Arts and Crafts architects borrowed historic forms for contemporary usage. Natural materials were preferred. The overall effect was a warm and livable home as is present in the Tarpley House. Adherents of the Arts and Crafts ethos rejected overly ornate Victorian design and the mass production of low quality goods. This progressive philosophy strongly influenced architecture, interior design, furniture design, and design in general at the beginning of the twentieth century. Rather than relying on "gingerbreading" to enhance a design, craftspeople were encouraged to evoke the "honest" beauty of natural materials, the beauty of natural surroundings, and the beauty of subtle lines. This theory is exhibited in the Tarpley House, with its use of wood flooring, paneling, built-ins, and clean lines throughout the house. The movement was equally concerned with spiritual connectivity with one's surroundings, both natural and manmade.

Arts and Crafts style houses incorporated similar interior features, such as open floor plans, beamed ceilings, an abundance of woodwork and windows, built-in bookcases or cabinetry, and, of course, a fireplace, all of which are present in the Tarpley House. In the Arts and Crafts style, the fireplace was a prominent feature and special

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 8 Page 5

attention was paid to the location and construction of the hearth. Like the rest of the house, the fireplace was to be utilitarian, but in more affluent homes the fireplace was sometimes embellished with decorative tiles and mantles.

Completed in 1907, the Tarpley House displays excellent craftsmanship and detail, is well-preserved, and is locally significant for its Tudor Revival style architecture with elements of the Arts and Crafts style. The Tudor Revival and Arts and Crafts styles became increasingly popular following the 1905 Lewis and Clark Exposition, and variations can be seen throughout Portland's east and west-side neighborhoods. The Tarpley House is one of the earliest examples of this blending of two English-inspired styles in Portland. Portland architects were eager to showcase their skills in the design of new homes located in the vicinity of the Lewis and Clark Exposition. A new generation of progressive architects commenced the process of revolutionizing Portland's largely Victorian landscape. These architects included forward-thinking men like Emil Schacht, Joseph Jacobberger, and Ellis Lawrence. The Tudor Revival style in Portland frequently exhibited the Arts and Crafts style, like the Tarpley House, and later, Craftsman stylistic influences. The earliest houses in the Tudor style adhered to Arts and Crafts floor plans, while exhibiting facade decoration in the Tudor style.⁶ The Tarpley House is an excellent early example of this stylistic blending, with its symmetrical design (characteristic of early Tudor Revivals), ornamental half-timbering in the gables, cantilevered second story, large exterior chimneys, projecting window bays at the first story, grouped multi-light casement windows with transoms, steep gables with exposed rafter tails, and wood shingle and stucco cladding. The interior of the Tarpley House features box beam ceilings, built-ins including benches, bookcases, and cabinets, paneled pocket doors, focal point fireplaces, and decorative mouldings and wainscot characteristic of the Arts and Crafts style.

Comparative Analysis⁷

1. Frank Silas Doernbecker House (1903)

Located at 2323 NE Tillamook Street, the Frank Silas Doernbecker House combines a strong Tudor influence with some elements of Colonial Revival and Arts and Crafts styles. The central feature of the house is the bellcast hip roof with gabled wall dormers and half-timbering over wood shingles below. The house is symmetrical, like the Tarpley House, denoting its early association with the Tudor Revival style. The Doernbecker House also has massive, prominently placed brick chimneys, a porte cochere, and a very detailed buried mahogany paneled interior. The Tarpley House has a much simpler interior with built-in benches and bookcases, and modest wood paneling. The Tarpley House shows a more innovative mixing of Tudor and Arts and Crafts styles.

⁶ Taken directly from Matthew Hayes and Oregon SHPO, "Cardwell-Holman House" Oregon SHPO, 2004, 8:4.

⁷ Some parts taken directly from Matthew Hayes and Oregon SHPO, "Cardwell-Holman House" Oregon SHPO, 2004, 8:4--5.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 8 Page 6

2. Cardwell-Holman House (1905)

Located at 827 NW 25th Avenue, this Tudor house is asymmetrically designed, as opposed to the Tarpley House, whose symmetrical design owes to its association with the early Tudor Revival style. Also unlike the Tarpley House, which exhibits half-timbering with stucco infill on the upper half, and wood shingles on the bottom half of the building, the Cardwell-Holman House is sheathed in beveled clapboard siding and shingles, with half-timbering and stucco infill only present in the front, side, and rear gables. Decorative bargeboards are also present on the house in contrast to the more simplified, stripped-down bargeboards of the Tarpley House. The Cardwell-Holman House also exhibits a more asymmetrical floor plan than the Tarpley House.

3. Josef Jacobberger House (1906)

Located at 1502 SW Upper Hall Street, this Tudor house has a fundamentally asymmetrical design. It features a multi-gable roof with board decoration and a rectangular bay window at the second story. The facade has shingles extending down over the piers at the porches. Designed by prominent architect Josef Jacobberger, it also features six-over-one, double-hung windows.

4. L.B. Menefee House (1908)

The L.B. Menefee House, located at 1634 SW Myrtle Street in the Portland Heights neighborhood, was built one year after the Tarpley House and designed by prominent local architect William C. Knighton, who was known for his Craftsman-style architecture. In this house, he combines Tudor and Craftsman styles. There is a suggestion of half-timbering on the front gable, and there are two prominently placed massive chimneys on the sides. This house also exhibits exposed rafters, like the Tarpley House, and is a good example of the melding of Tudor and Arts and Crafts features. The decisions to have exposed eaves and rafters may have been influenced by the design of the Tarpley House.

5. Henry B. Miller House (1911)

The Henry B. Miller House combines some Arts and Crafts influences in a traditional Tudor design. In the early twentieth century, Arts and Crafts features were often freely mixed with the Tudor style as is evident in this house, designed by Ellis F. Lawrence, and manifested by the combination of horizontal siding on the second floor with Tudor half-timbering on the third floor, and stucco on the first. There are prominent brick chimneys, and a Tudor arch entry. The Arts and Crafts influences, while present, are less prominent than in the transitional Tudor Revival and Arts and Crafts Tarpley House.

David C. Lewis, attributed architect

David C. Lewis was born in Portland in 1867, the son of Cicero Lewis and grandson of Captain John Couch.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 8 Page 7

He graduated from Princeton University in 1890, and returned to Portland to work for a year or two in the office of Whidden and Lewis (Ion Lewis, one of the founders of that firm, was not a relative), before returning to do graduate work in architecture at Columbia University followed by a year of study in Paris.

Lewis's first known project was the Chambers Building at SW 2nd and Alder (now demolished). He designed a Queen Anne house for his brother, L. Allen Lewis at SW King Street and Park Place in 1901. In 1904, he designed Trinity Episcopal Church at NW 18th and Everett, and also the European Exhibits Building at the 1905 Lewis and Clark Exposition. From 1905-1909 he designed six large office buildings in downtown Portland including the Couch Building in 1906, and an eight-story building on SW 4th between Stark and Washington that still stands. In 1906, he also designed and built a home for his family at 1911 NW 21st in the Dutch Country Manor style. Another house he designed was the Linthicum House, located at NW 19th and Flanders (now demolished). The symmetrically designed Linthicum House exhibits wood shingles on the bottom half of the exterior and half-timbering with stucco infill on the upper half, very similar in style to the Tarpley House. Also like the Tarpley House, the Linthicum House has simple decorative half-timbering in the gables and upper half of the house, and exposed rafter tails. In 1911, Lewis designed the Tudor Revival style Bishopcroft for Rev. Charles Scadding. Due to ill health, Lewis did not do much work after 1911. In approximately 1916 he moved to Belmont, California, and died there in 1918 at the age of 50.

Fred G. Oppenlander, builder

Living from 1867-1938, the building contractor for the Tarpley House was Fred G. Oppenlander, who had a long history of construction in Portland. Although not much is known about his family and personal life, a record of his building accomplishments does survive. In addition to the Tarpley House, Oppenlander's building contracts included:

- 1901, Ladd Estate, NW 22nd and 23rd and Flanders, alterations and additions, \$2,000
- 1906, L.J. Shell, NW Flanders and 20th, alterations, architect was Josef Jacobberger, \$2,600
- 1907, C.F. Swigert, 32nd and Willamette Heights, \$3,000
- 1908, Philip Buckner, East 55th and Hawthorne, architects were Whidden and Lewis, \$20,000
- 1908, Louis Burke, NW head of Lovejoy, architect was William Knighton, \$10,000
- 1908, C.E. Curry, NW Kearney and 24th, architect was William Knighton, \$9,000
- 1909, Robert S. Howard, Madison/Adrmore and Douglas, architects were Lazarus, Whitehouse, and Foulhoux, \$13,000⁸

⁸ Michael Shellenbarger, *An Index and Summary of Oregon Building Information in the Portland Daily Abstract, 1906-1910* Publisher Eugene, Or.: Historic Preservation Program, School of Architecture and Allied Arts, University of Oregon, 1992.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 8 Page 8

Property Ownership History

Louis Tarpley continued his work with the O'Day law firm, and in 1920 was listed in the Blue Book of Oregon Cities as one of the best known and successful lawyers in Portland, "a man of splendid intellectual vision." Fortunes changed for the Tarpley family in the mid 1920s, however. In 1925, the family moved to 956 Westover and the subject property was foreclosed. Concurrently, Caroline Kamm sued Louis Tarpley, and in 1926, Kamm received the property from the Multnomah County Sheriff for \$10,000. In 1927, the Multnomah Bar Association disbarred Louis for obtaining money from clients by fraud, failing to remit to clients, concerting money of clients, and misconduct. It is thought the Tarpleys moved to the Coos Bay, Oregon area at this time. Bessie Tarpley's obituary appeared in the *Salem Statesman* in 1936.

H. W. and Katie Sharp, owners of a milling and machinery company, purchased the house from Kamm in 1928 for \$15,000, and lived there until 1932. Other owners included Harry Seawall, who lived in the Tarpley House in 1932, and the Prudential Insurance Company, who occupied the property from 1933-1948. Later owners included Leon and Murial Sanders, 1948-1954, and Dewey and Clara Gaven, who lived on the property from 1954-1966. Barbee Lyon has owned the house since the 1970s, with Joan Kruse later joining him in ownership.

Conclusion

The Louis and Bessie Tarpley House, located at 2520 NW Westover Road, is eligible for listing in the National Register of Historic Places under Criterion C as a fine and early example of the Tudor Revival style with Arts and Crafts elements. The Tarpley House differs from many Tudor Revival houses in that it is an early, understated example of the Tudor Revival style with interior influences from the Arts and Crafts style. Its clean lines, simplicity, and austere decoration set it apart as one interpretation of the large Tudor Revival family of representations. The Tarpley House also exhibits the fusion of two English-inspired styles, Tudor Revival and Arts and Crafts, which became increasingly popular in Portland after the 1905 Lewis and Clark Exposition. It is therefore an excellent early example of this stylistic blending.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 9 Page 1

BIBLIOGRAPHY

Books

Clark, Rosalind. *Architecture Oregon Style, 1840-1950*. Portland: Professional Book Center, 1983.

Hawkins, William J. III and William F. Willingham. *Classic Houses of Portland, Oregon, 1850-1950*. Portland: Timber Press, 1999.

Marlitt, Richard. *Nineteenth Street*. Oregon Historical Society Press: 1978.

McAlester, Virginia and Lee. *A Field Guide to American Houses*. New York: Alfred A. Knopf, 2000.

Polk City Directories, 1890-1978.

Vaughn, Thomas, Editor and Virginia Guest Ferriday, assoc. ed. *Space, Style, and Structure, Building in Northwest America*. Oregon Historical Society Press: 1974.

Maps

Metzger Map, 1927.

Multnomah County Tax Assessor Map, 2006.

Sanborn Insurance Maps, 1909 corrected to 1926. Vol. 1, p. 39.

Thomas Street Guide, 2006.

Old Portland map

USGS, Portland Quadrangle

Newspapers

Oregon Journal. January 15, 1941.

Oregonian. November 1, 1907.

_____. September 13, 1914.

_____. January 25, 1914.

_____. March 21, 1917.

_____. October 14, 1974.

Salem Statesman, March 10, 1917.

Tarpley, Louis and Bessie, House
Name of Property

Multnomah Co., Oregon
County and State

NPS Form 10-900-a

OMB Approval No. 1024-0018

**United States Department of the Interior
National Park Service**

National Register of Historic Places Continuation Sheet

Section number 9 Page 2

Research Papers

Barbara Grimala
Roy Roos

Tarpley, Louis and Bessie, House
Name of Property

Multnomah Co., Oregon
County and State

NPS Form 10-900-a

OMB Approval No. 1024-0018

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number 10 Page 1

VERBAL BOUNDARY DESCRIPTION

The Louis and Bessie Tarpley House is located at 2520 NW Westover Road, Sec. 32, Township 1 North, Range 1 East of the Willamette Meridian, Lot 5800 consisting of .20 acres, Portland, Multnomah County, Oregon

BOUNDARY JUSTIFICATION

The boundary encompasses the urban tax lot historically associated with the Louis and Bessie Tarpley House.

United States Department of the Interior
National Park Service

National Register of Historic Places Continuation Sheet

Section number Photographs Page 1

PHOTOGRAPHS

Photographer: David Greene, Alley Cat Arts

Negatives Held By: David Greene, 8328 NE Mallory, Portland OR 97211

Date Taken: September 2006


1. Front of house, view to west.
2. Front of house, view to west.
3. Front of house, entry porch, view to northwest.
4. Back of house, upper level, garage, view to east
5. Back of house, view to northeast.
6. Back of house, view to east.
7. Southeast corner of house, view to northeast.
8. South end of house, view to north.
9. Front of house, view to northwest.
10. Front of house, view to west.
11. North end of house, view to west.
12. North end of house, view to south.
13. North end of house, view to south.
14. North end of house, view to south.
15. Front of house with urns, view to northwest.
16. Entry hall with staircase, view to west.
17. Front entry door, view to east.
18. Dining room, view to east.
19. Dining room, view to south.
20. Dining room, view to west.
21. Dining room, view to north.

**United States Department of the Interior
National Park Service**


National Register of Historic Places Continuation Sheet

Section number Photographs Page 2


22. Staircase, view to west.
23. Study, first floor, view to west.
24. Living room, view to west.
25. Living room, view to north.
26. Living room, view to southeast.
27. Living room, view to south.
28. Entry door, view to west.
29. Stair landing between first and second floors, view to west.
30. Second floor bedroom, view to west.
31. Second floor master bedroom, view to southeast.
32. Second floor front bedroom, view to east.
33. Upper deck, front of house, view to north.
34. Front (southeast) corner of house, view to south.
35. Upper deck, front of house, view to northeast.
36. Second floor bedroom, view to northeast.
37. Second floor bedroom, northeast corner, view to northwest.
38. Second floor bathroom, view to west.
39. Stairway from third floor, view to west.
40. Third floor bedroom, view to north.
41. Third floor alcove, view to east.
42. Third floor bedroom, view to east.
43. Third floor hallway, view to north.



TARPLEY HOUSE, OLD CITY OF PORTLAND MAP




TARPLEY HOUSE, SANBORN MAP, 1909 CORRECTED TO 1926




TARPLEY HOUSE, METZGER MAP, 1927

- W. A. KING
- WM. & G. ALVORD
- JEFFERY INV. CO.
- W. A. KING
- SEC. SAV. & TR. CO.
- U.S. NATL. BANK
- H. R. RAWLINSON
- REYNOLDS INV. CO.



TARPLEY HOUSE, THOMAS STREET GUIDE, 2006



TARPLEY HOUSE SITE PLAN

2520 NW WESTOVER ROAD

TARPLEY HOUSE
FIRST FLOOR

