Form No. 10	; (Rev. JNITED STATES	DHO5 S DEPARTMENT OF THE IN ATIONAL PARK SERVICE	0/522 TERIOR FOR	INPSUSE CHATA S JUL 27197	HEET,
		SISTER OF HISTORI Y NOMINATION 1	C PLACES	SEIVED	R 26 19 <b>78</b>
<u> </u>	SEE	INSTRUCTIONS IN HOW T			rs ·
1	NAME				
<u> </u>		<b>(¥</b>			
	HISTORIC		T	Minus Dinterland	
	AND/OR COMMON	Pearson-How, Cooper,	Lawrence Houses,	MICEO-DISTRICT	· · · · · · · · · · · · · · · · · · ·
ı	AND/ON COMMON				
	Troca mroi	T			a years and a second se
2	LOCATIO	453-459			
	STREET & NUMBER				
		459,-457-455,-453 Hig	h Street	NOT FOR PUBLICATION	
	CITY, TOWN	Burlington		CONGRESSIONAL DIST	RICT
	STATE	Bullington	VICINITY OF CODE	COUNTY	CODE
!	017772	New Jersey	34	Burlington	005
3	CLASSIFIC	CATION			
	CATEGORY	OWNERSHIP	STATUS	PRES	SENT USE
	DISTRICT	<u>рув</u> ис	_XOCCUPIED	AGRICULTURE	X MUSEUM
	XBUILDING(S)	* PRIVATE	UNOCCUPIED	COMMERCIAL	PARK
	STRUCTURE	XBOTH COLLED Im. Polled	)	EDUCATIONAL	PRIVATE RESIDENCE
	SITE OBJECT	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	
ī	063501	IN PROCESSBEING CONSIDERED	_XYES: RESTRICTEDYES: UNRESTRICTED	GOVERNMENT INDUSTRIAL	SCIENTIFIC
• 1		BEING CONSIDERED	NO	MILITARY	TRANSPORTATIONOTHER:
4	OWNER O	F PROPERTY Burlington County His		min and here	C
	NAME	Burlington County His	storical Society	1 Propostion and	-03-12m
- 1		New Jersey Department	or Environmenta.	rrotection and	A - C1 .
	STREET & NUMBER	547 High Street		•	
	0.177. 7.074.171	Box 1390, John Fitch	Plaza	OTATE	00017
	CITY, TOWN	Burlington	VICINITY OF	STATE	08016 Jersey 08625
	I OCAMIO	Trenton —		IYEW	Jersey 00025
5	FOCULIO	N OF LEGAL DESCR	IPHON		
	COURTHOUSE.				
- 1	REGISTRY OF DEEDS	Burlington Cour	ty Court House		
ı	STREET & NUMBER				
	CITY, TOWN			STATE	
:	CIST, TOWN	Mount Helly		•	Jers <b>e</b> y
-	DEDDECE	Mount Holly	NIC CLIDATENC		302009
D	KEPKESE	NTATION IN EXIST			
	TITLE	Historic Sites Invent Historic American Bui		т 773)	
		HISTOLIC AMELICAN DU	Tarings survey, N	(/3/	
	DATE	1960	X ?	X	
-	Dr. 0.00.	1936		STATE _COUNTY _LOCA	L
1	DEPOSITORY FOR SURVEY RECORDS	Historic Sites Invent	ory 1390 John Fil	tch Plaza	
		Library of Congress			
	CITY, TOWN	Trenton		STATE New	Tarcan



#### CONDITION

CHECK ONE

**CHECK ONE** 

\_\_EXCELLENT

XX\_GOOD

\_\_FAIR

\_\_DETERIORATED
\_\_RUINS
\_\_UNEXPOSED

XX\_ALTERED

X\_ORIGINAL SITE
\_\_MOVED DATE\_\_\_\_\_

#### DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

A description of the Pearson/How, Cooper and Lawrence houses is as follows:

#### PEARSON/HOW HOUSE

The house is a 2 1/2 story brick structure built (circa 1705) in the provincial vernacular Georgian style. The front facade is 4 even spaced bays; above the watertable is Flemish bond with glazed headers, below is English bond. All other walls in this unit of the house are common bond. The windows are 9 over 9 double hung and peg construction, with 3 panel shutters. There is a rear addition (late 17th to early 18th century) of frame construction, with clapboard siding. The roof on the main unit is a shingle covered medium gable, with simple gable fronted dormer, box cornice and gauge moulding. Across the front facade is a skirting roof. The front door consists of 8 beveled panels with a transom.

The floor plan is as follows. The first floor consists of four, two bay rooms with no entry hall. The front (High Street side) room, northern end of the house, contains a centrally located Georgian fireplace, chairrails and a wainscotted enclosed screw stair case. The front room south contains a simple Georgian corner fireplace and chairrails. In the rear room north is a simple Georgian fireplace with bedmolding, two large panels and side cupboards. The rear room to the south contains a corner type Georgian fireplace with box cornice and dovetailed bedmolding. The room contains a fine Georgian corner cupboard and the walls are wainscotted.

The second floor contains four, two bay rooms and a central hall. The central access hallway is defined by wainscotting partitioning. Contained in the front room north is a central fireplace with side cupboards. The front room south is the same as the previous room with the exception that there is no fireplace. The two rear rooms are pine paneled. The room south contains a corner fireplace with corner cupboards.

The attic contains two, four bay rooms. These rooms are separated by a wainscott partition. The rafters are exposed and are hand hewn.

All floors in the house are random width planks and much of the original glass and hardware still remains through out.

The basement floor is dirt and there are two fieldstone squinches supporting the corner fireplaces and a stone arch under the front north central fireplace. All the beams are milled and exposed.

#### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

### NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS USE ONLY

RECEIVEDUL 27 1977

DATE ENTERED

APR 1 laib

**CONTINUATION SHEET** 

**ITEM NUMBER** 

PAGE

#### DESCRIPTION

The second section of the house is two stories and irregular in shape. This unit was added c. 1767 be either Edward Tonkin or his son Israel. On the first floor there is a rear hall with two enclosed stair cases, one leading to the cellar, the other to the second floor. In the hall itself is a 6 panel door with transom. This leads to the exterior of the house. Adjoining the rear hall are two large rooms; one used for dining the other for food preparation. Both of these rooms contain large corner fireplaces much simpler in design than those of the central portion. The kitchen has a small cupboard built in under the enclosed servants stairwell leading to the second floor.

The second floor consists of two large rooms and a bath. have been modernized and retain little of their original woodwork. are wide floor boards throughout the house. There also remains some of the original hardware and glass intact.

The exterior of this section is exposed commonbond brick work with random size window sashes. Attached to the rear of this section is an open shed with a brick floor.

In the central basement are three large stone arches supporting the upstairs fireplaces. The cellar floor is dirt and the walls are comprised of fieldstone. The rear addition basement consists of two rooms -the room directly below the dining room and rear hall has a dirt floor and a supporting arch for the upstairs fireplace. Also contained in this room is the back of a medium size baking oven. The room under the kitchen was evidently used for the cooking and baking. In it is a large corner fireplace with iron lintel and brick floor. All the beams in the cellar are exposed and show evidence of being mill sawed.

During the early 1940's the house was restored through a W.P.A. project.

#### OUTBUILDINGS

Situated behind the Pearson/How house is a one story, one room concrete, cinder block structure with a flat tin room and industrial type windows along the south side. This building is presently used as a museum, containing 17th and 18th century artifacts. Directly behind the Cooper house is a one story, concrete cinder block structure with a shingled, gable roof.

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS USE ONLY
RECEIVED JUL 27 1977

DATE ENTERED APR 2 3 1978

CONTINUATION SHEET

ITEM NUMBER

PAGE

#### DESCRIPTION

building is a one room library; it contains the deeds to both the Pearson/How and Cooper houses and other historical information on the City of Burlington.

## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

### NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS USE ONLY
JUL 2 7 1977

DATE ENTERED

**CONTINUATION SHEET** 

ITEM NUMBER

PAGE

DESCRIPTION

#### COOPER HOUSE

The Cooper House was erected circa 1780 by Samuel How, Esq. and is a 2 1/2 story stuccoed brick structure, 3 bays wide with end bay entrance. The roof is a tin covered medium gable with gable fronted dormer and central interior end chimney. All windows in this unit are 9 over 9 double hung and the shutters are 3 panel on the first floor and louvered on the second. The doorway has a square transom with a recessed fanlight and bullseye incised corner blocks. The cornicing is a heavy medallion type. There is also a shed type 2 story wing which has been altered.

A floor plan for the house is as follows. The first floor, main unit, contains one three-bay room. There are chair-rails and a central Greek Revival fireplace with a shelf, bedmolding and corner blocks. In the rear wing first floor there are three two-bay rooms and a stair hall. The first room, rear wing, contains a corner fireplace and is used as a library. Behind this room is a plain dining room and kitchen. The stair case (in the stair hall) leading to the second floor is a quarter turn pace with turned balustrade and clyma handrails.

The second floor main unit has one three-bay room front and one one-bay room rear, with a side access hall. Both rooms contain chairrails. The rear wing, second floor, has two two-bay rooms, stair hall and bath. These rooms are used by the custodian of the Cooper house.

The attic is divided into two small rooms, the walls and ceilings of which are plastered. Entry to the attic is achieved through an enclosed single flight stair.

Throughout the house are random width floorboards and chair-rails remain, along with some of the original hardware and glass.

The basement has a dirt floor; stone foundation and two stone squinches supporting the central fireplace.

## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

							*******************
CONA	IPS USI			30.00	100.00		
P ( IM IN		- LINII I	4 + 0 KL POST 1		24 44 1 2 2 4 1 1 1		The second of the second of the second
		* V!!*	March 1 (17)			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	file of the State of March
				and the state of			TO THE PROPERTY OF STATE
1 4 1			化氯化物 化氯化	10,000 16,000	1.000		S. S. e. 1940 of the Management in the
			•	فيما الأرادات		100000000000000000000000000000000000000	
		1111		400			
			7. 17	1111		Cl. 11 (1971) (1971)	
RECEI			- W - / -	17/			
W-1 -1	V25-11	JUL		101	000000000000000000000000000000000000000	100000000000000000000000000000000000000	
	*LD		1000				
	A						<ul> <li>Bright Model and Additional</li> </ul>
				TO 200 Oct.			- 11 (10 to 10 to
		The second section of		and or the		1 25,24130 12	
		N. 85 P. 100 P. 45 CO.					
					2014/03/2015 (1994)	A 100 C.	<ul> <li></li></ul>
	tana tana bana ba	34 - 244 TARREST TO 14	27 1 100 1 1		400 NO. 10 P. P. P. S. 11	The state of the same	ALCOHOLD THE ACCUMULATION
~ * * * *	CHITCO	~~		1.0			

**CONTINUATION SHEET** 

ITEM NUMBER

PAGE

DESCRIPTION

#### LAWRENCE HOUSE

The John Lawrence House was erected in two sections, the first being the central portion which predates the rear and is believed to be 18th century construction. Research information obtained from the Burlington County Archives would indicate a possible range of date from 1742 to 1769. Bernard B. Malfeson acquired the property in 1820 and remodeled the front unit in the Federal Style. This portion is two stories; the floor plan for the first floor is as follows - a large hallway with Greek Revival door containing 8 panels and modified fanlight, chair-rails and a quarter pace stair with clyma hand rails, elaborate balusters and newel posts. Separating the hallway is an eliptical arch with keystone and reeding, all resting on pilaster strips. Adjoining the main hallway are two large rooms facing front and rear. Both rooms contain chair-rails and centrally located Georgian fireplaces with bedmolding, corner blocks and a plain broken front shelf. There are also two windows with panels below. These open to form an entrance to the side porch.

The second floor contains three rooms and an enclosed "U" shaped staircase to the attic. Two of these three rooms contain fireplaces which are similar in description, except smaller in size, to the ones on the first floor. The third room is situated directly above the main hallway and is much smaller in size than the other two rooms. The attic is finished and contains two rooms facing East and West. The room to the east has a simple Georgian fireplace with bedmolding.

The exterior of the central portion was stuccoed to imitate cut stone blocks c. 1844. The front is 4 bays wide, the windows are 6 over 6 double hung sash with 3 panel shutters. There also is a Greek Revival door and a three step stoop. Across the east side of the house is a large open porch. The roof is a shingled medium gable with box cornice and a double Federal chimney.

### 8 SIGNIFICANCE

PERIOD	AREAS OF SIGNIFICANCE CHECK AND JUSTIFY BELOW				
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	RELIGION	
1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	LAW	SCIENCE	
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE	
1600-1699	X_ARCHITECTURE	EDUCATION	MILITARY	SOCIAL/HUMANITARIAN	
<b>χ</b> _1700-1799	ART	ENGINEERING	MUSIC	THEATER	
<b>X</b> _1800-1899	COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	TRANSPORTATION	
1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	X_OTHER (SPECIFY)	
		INVENTION		State History	

SPECIFIC DATES

#### BUILDER/ARCHITECT

#### STATEMENT OF SIGNIFICANCE

The Pearson/How, Cooper and Lawrence Houses are well preserved examples of Southern New Jersey, Federal, Greek, and provincial vernacular Georgian styles, dating from the early to the late 18th century. The owners of these three houses have played a significant role in the local history of Burlington and in part the history of New Jersey. A statement of significance for each house is as follows:

#### PEARSON/HOW HOUSE

The Pearson/How House is an excellent example of the provincial vernacular Georgian style, which was prevalent is South Jersey, during the 18th century. This house survives complete with its original detailing, including the wainscotting, Georgian corner cupboards, the exterior skirting roof and gauge molding. In addition, owing to its facade articulation with four even bays, it is considerably above average in terms of classical refinement. The house was built approximately 1705 by Issac Pearson.

Issac Pearson was born circa 1685, working 1710 to 1749. In 1710 he married Hannah Gardiner in the Friends Meeting of Burlington. He was elected a member of the General Assembly on October 6, 1738, and four years later was commissioned Assay Master of Weights and Measures. The Pearsons resided in the house from approximately 1710 to 1749. Issac was a member of the Guild of Silversmiths and was the first silversmith of New Jersey. Being a man of many talents he was also the first clock maker in the Colonies to make both the works and the case of the clocks. A signed Pearson clock is on loan and stands in the parlor of the house. Pearson died in 1749 and was buried in the yard of the Society of Friends, Burlington.

Samuel How, Esq. was an owner of the house from 1782 until the late 1830's. Samuel How was one of the Judges of the Interview Court of Common Pleas for the County of Burlington. Samuel transferred the land to the Heritage family on June 9, 1783. The Pearson/How House has been furnished as close as possible with furniture dating between 1700 and 1769.

Mr. G. Edwin Brumbaugh, F.A.I.A., a noted architect who was instrumental in the restoration on the Cloisters in Ephrata, Pennsylvania, also did the restoration of the Pearson/How House in 1760.

9 MAJOR BIBLIOGR	APHICAL REFER	RENCES		
Book $\frac{X-11}{348}$ of Deeds, p Book $\frac{438}{438}$ of Deeds, p	g. 450, & c., 1900	3		
Brumbaough, C. Edwin Valley, Penna. 1943		Gwynedd		
10 GEOGRAPHICAL I  ACREAGE OF NOMINATED PROPER  UTM REFERENCES		-		
A 1 8 5 1 2 1 4 0  ZONE EASTING C VERBAL BOUNDARY DESCR	NORTHING	B ZONE EA	STING NOR	THING
The boundary of the is as shown as the Cooper and Lawrence	green line on the a	accompanying m	e Houses, Micro ap entitled "Pe	-District arson-How,
LIST ALL STATES AND	COUNTIES FOR PROPERTI	ES OVERLAPPING S	STATE OR COUNTY BO	OUNDARIES
STATE	CODE	COUNTY		CODE
STATE	CODE	COUNTY		CODE
ORGANIZATION	idley IV: Research	<del></del>	DATE	
STREET & NUMBER			TELEPHONE	
John Fitch Pi	laza, Box 1420		292-202. STATE	3 or 2024
Trenton			New Jer	sey
12 STATE HISTORIC THE EVALUATION	JATED SIGNIFICANCE OF 1	THIS PROPERTY WI	THIN THE STATE IS:	ON
NATIONAL	STATE	XXX	LOCAL	
As the designated State Historic Prince Prin	inclusion in the National Re	egister and certify th	nat it has been evaluat	
ASSISTANT COMMISSION OF NPS USE ONLY I HEREBY CERTIFY THAT THIS			EGISTER DATE	Usebe
MEST: Wallenua	CISTED	coche gron-	DATE 2	NATIONAL REGISTER 7-12-78

## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

RECEIVED JUL 2 7 1977

DATE ENTERED APR 28 1978

**CONTINUATION SHEET** 

**ITEM NUMBER** 

PAGE

#### SIGINIFICANCE

John B. Lawrence, father of James, born approximately 1726 in Monmouth County, New Jersey, was admitted to the N.J. Bar in 1747. He was elected to represent the County in the Assembly. He also was mayor of Burlington City in 1769 as well as member of the Provincial Council from 1771 to 1775.

Along with other citizens, John Lawrence persuaded the Hessians under Col. Donop not to pillage the city on December 11, 1776, and he entertained the latter and some of the officers at dinner. He was obliged to accompany the British to Bordentown to avoid arrest by the Americans when their gun boats attacked the city. Subsequently, he returned and was arrested for this and other unpopular actions and was confined in the Burlington County Jail.

James Lawrence, born on October 1, 1781, was the 11th son and last child born of the two marriages of John Lawrence. His mother, Martha Tallman Lawrence, died while he was an infant. John Lawrence then retired to Canada. James was left in the care of his two elder sisters throughout his adolescent years.

In 1794 James entered his brother's law office in Woodbury; but upon deciding he was not interested in a legal career he returned to Burlington. With preliminary studies made in navigation, he enlisted in the Navy as a midshipman in 1796, and merited a Lieutenant's commission in 1802. He served as an officer aboard the Wasp, Ganges, Vixen, Argus, Hornet, and Constitution; his many contacts with naval activities in various parts of the world made him eligible for quick promotion.

In 1813 Lawrence was assigned head of the New York Navy Yard. Shortly after, war with England, declared on June 18, 1812, made sea duty imperative. While commanding the Hornet, Lawrence captured the first line British Manof-war Peacock on February 24, 1813 in a 15 minute engagement off the coast of South America.

## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

### NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR NPS USE	ONLY	
	UL 2 <b>7 19</b> 77	
RECEIVED 4		
		ം അവ
DATE ENTERE	D	3/6

**CONTINUATION SHEET** 

ITEM NUMBER

PAGE

#### SIGNIGICANCE

#### COOPER HOUSE

The Cooper House was built circa 1780 by Samuel How, Esq., and is a fine example of the early 19th century townhouse. This dwelling features the South Jersey characteristic of mixing "Greek" and "Federal" elements which can be seen in the fanlight and the delicately articulated fenestration, combined with the square transom doorway, with its bullseye incised corner blocks. This is further illustrated by the stuccoed and scored (to represent cut stone blocks) exterior facades, and by the heavy cornicing.

The house was rented by William and Elizabeth Cooper from Samuel How. William was a merchant and shared a shop on High Street, in Burlington. The Coopers were a large family, having 11 children. The 11th child born to William and Elizabeth, in 1789, was James Fenimore Cooper, that prolific chronicler of historical romances. James lived in the house for 13 months, before being taken to Oswego, New York, where his father had acquired a generous portion of land. He later returned to Burlington with his father for a short period, while William attended the meetings in Philadelphia of the United States Congress. The Deerslayer, The Leather Stockings, The Prairie, and The Last of the Mohicans are among the most famous literary works of James Fenimore Cooper.

#### LAWRENCE HOUSE

The Lawrence House, constructed during the period 1742-1769, served as the residence of John Lawrence, a prominent lawyer in Burlington County. The two-story stucco house is a provincial adaptation of the Federal Style. The building is distinguished by its two Federal gable end chinmeys, its large windows, box cornice and elegant Greek Revival door with recessed fan light.

The interior features an early Federal eliptical archway with keystone and reeding. Also featured are the chair-rails, centrally located fire-places, and elaborate newel posts.

Deeds on record reveal that the house of Captain James Lawrence's birth was never actually owned by any member of the Lawrence family. The Lawrences evidently were the tenants of the property while it was owned by Israel Tonkin.

### UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR	R NPS USE	ONLY			
			4077		
REC	CEIVED J	UL 27	19//		
' '					
				3.000	
DA	TE ENTERE	D		øt .	1978

**CONTINUATION SHEET** 

**ITEM NUMBER** 

PAGE

#### SIGNIFICANCE

Lawrence was transferred to the <u>Chesapeake</u>; his orders were to intercept enemy ships in the Boston Harbor area. This attracted the attention of Captain Broke, veteran commander of the British ship, <u>Shannon</u> who promptly challenged Lawrence to battle. In disregard of the much superior size and armament of the English vessel Captain Lawrence immediately accepted the challenge and for this audacious bit of bravery, has been both severely criticized and highly praised by Naval experts.

Adverse tides and winds brought the two ships into such close contact that the forces of the larger Shannon were able to board the lower decks of the American vessel, and the hand to hand fighting which followed is recorded as the most bloody in Naval History. Final surrender came only when too few of the Chesapeake's crew were left to maneuver the ship. While most of the men of both vessels were either killed or severly injured, little damage was inflicted by gun fire. Captain Lawrence, conscious of his mortal wounds received early in the battle, urged his men to greater efforts. He was carried below decks with a final admonition of "Don't give up the ship!", which has since become the motto of the U.S. Navy.

Both ships were taken to Halifax Harbor where Lawrence died four days later on June 5, 1813.

Captain Lawrence was buried in three different locations - first, at Halifax; later at Boston, and finally in the graveyard at Trinity Church, New York City, where he now rests.

#### UNITED STATES DEPARTMENT OF THE INTERIOR **NATIONAL PARK SERVICE**

### NATIONAL REGISTER OF HISTORIC PLACES **INVENTORY -- NOMINATION FORM**

FOR NPS USE ONLY RECEIVED JUL 27 1977 APR 26 1978

**CONTINUATION SHEET** 

**ITEM NUMBER** 

**PAGE** 

DATE ENTERED

#### BIBLIOGRAPHICAL REFERENCES


Gleaves, Albert, <u>James Lawrence</u>, G. P. Putnam's Son's, Penna. 1904

Historic American Buildings Survey-N.J.-73

Keller, Helen Rex, Dictionary Historic Events, Haffner Company, N.Y., 1971

Nelson, William, Bibliographical & Genealogical Notes, published in the collections N. J. History Soc., 1916

- C. Williams, Silver Smiths of South Jersey, 1700-1825,
- G. S. Me manns Company, Phila., 1949



PEARSON-HOW, COOPER, LAWRENCE HOUSES, MICRO-DISTRICT

STATE OF NEW JERSEY
DEPT. OF ENVIRONMENTAL PROTECTION

0' 400' 800' SCALE