Form No. 10-306 (Rev. 10-74)

10-306 (Rev. 10-74) PHO665762 UNITED STATES DEPARTMENT OF THE INTERIOR

NATIONAL REGISTER OF HISTORIC PLACES **INVENTORY -- NOMINATION FORM**

FOR FEDERAL PROPERTIES

FOR NPS USE ONLY MAR 2 7 1978 RECEIVED

DATE ENTERED

5 1978

SEE INSTRUCTIONS IN <i>HOW T</i> TYPE ALL ENTRIES	<i>TO COMPLETE NATIONA</i> COMPLETE APPLICABL		S
NAME			
HISTORIC LIME KILN LIGHT STATION	•		
AND/OR COMMON			
LOCATION	, 1		
LOCATION STREET & NUMBER COUNTY Road #1	Harbor in		
County Road #1		NOT FOR PUBLICATION	
CITY, TOWN San Juan Island x:	r Pridon How	CONGRESSIONAL DISTR	ICT
STATE STATE	x _{VICINITY OF} Friday Har	COUNTY	CODE
Washington		San Juan	55
CLASSIFICATION			
CATEGORY OWNERSHIP	STATUS	PRES	ENT USE
_DISTRICT X_PUBLIC	X_OCCUPIED	AGRICULTURE	MUSEUM
X BUILDING(S)PRIVATE	UNOCCUPIED	COMMERCIAL	PARK
XSTRUCTUREBOTH	_WORK IN PROGRESS	EDUCATIONAL	PRIVATE RESIDENC
SITE PUBLIC ACQUISITIONOBJECT IN PROCESS	ACCESSIBLE	ENTERTAINMENT	RELIGIOUS
OBJECTIN PROCESSBEING CONSIDERED	X_YES: RESTRICTED	≚_GOVERNMENT INDUSTRIAL	SCIENTIFIC
BEING CONSIDERED	YES: UNRESTRICTED NO	MILITARY	*_TRANSPORTATIONOTHER:
AGENCY			
regional Headquarters: (If applicable) Commander, 13th Coast Guard Dist	trict (flp)		
STREET & NUMBER 915 Second Avenue			
CITY, TOWN	****	STATE	
Seattle, Washington	- VICINITY OF	Washi	ngton 98174
LOCATION OF LEGAL DESCR	RIPTION		
COURTHOUSE. REGISTRY OF DEEDS,ETC. San Tuan Count	Countless		
STREET & NUMBER	y courthouse		
CITY. TOWN		STATE	
Friday Harbor		Washingtor	1
REPRESENTATION IN EXIST	ING SURVEYS		
TITLE			
Unknown			
DATE	EEDEDAL	TATE COUNTY	
DEPOSITORY FOR	FEDERALS	TATECOUNTYLOCAL	·
SURVEY RECORDS			

7 DESCRIPTION

CONDITION

CHECK ONE

CHECK ONE

_EXCELLENT

__DETERIORATED

__UNALTERED XALTERED

X_ORIGINAL SITE

 $\mathbf{x}_{\mathsf{GOOD}}$ __FAIR

RUINS _UNEXPOSED __MOVED DATE_

5 7.. 22.. 1697

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

Light and Fog Signal Building;

The octagonal concrete tower, 4 feet on a side (5'-6" radius), is engaged in the West end of a rectangular concrete fog signal building 21 feet 6 inches (N-S) by 24 feet (E-W). The tower rises 24 feet 6 inches from the fog signal equipment foom floor to the top of the concrete cornice which is surmounted by a concrete railing. The lantern, circular in plan and of metal construction, is lighted by diagonal glass panes curved to radius. Entrance to the tower is gained through the fog signal building and the stairway is lighted by 6 metal framed windows.

The fog signal building is covered with a shingled hipped roof crowned by a metal ventilator. A hipped dormer window fitted with crossed muntin wood sash projects from the East shed above the door. The cornice is of wood and incorporates a built-in gutter.

Entrance is gained through double metal doors centered on the East wall and surmounted by a five light transom. The interior space is lighted by six large windows, two each on the North, South and East walls. These windows were orginally metal sashed, but now the North and South windows are fitted with fixed 9 light wood sash. A small 4 light metal window on the West lights a toilet room located in the Northwest Corner.

The exterior planes are relieved by several cast-in features such as the Projecting Watertable at the floor line, a belt on the tower at the cornice of the fog signal building and expressed arches over the windows.

Oil and Coal House:

A rectangular concrete structure 10 feet (N-S) by 15 feet (E-W) with a flat roof, the building is subdivided into two interior spaces. Access is gained through either of two sheet metal doors located on the South wall.

The other buildings in the original complex are the identical keeper's quarters and assistant keeper's quarters (30' x 48') of reinforced concrete with hipped roofs. These buildings are located on land no longer controlled by The Coast Guard.

Paint Colors:

Black - Lantern

Red - Roof

Grey/Green - Cornice (Fog Signal Bldg.), windows & trim, doors & trim

White - walls

8 SIGNIFICANCE

PERIOD	Af	REAS OF SIGNIFICANCE CH	IECK AND JUSTIFY BELOW	
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	RELIGION
1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION	LAW	SCIENCE
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
1600-1699	ARCHITECTURE	EDUCATION	MILITARY	_SOCIAL/HUMANITARIAN
1700-1799	ART	X_ENGINEERING .	MUSIC	THEATER
1800-1899	X COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	_XTRANSPORTATION
<u>X</u> .1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	OTHER (SPECIEV)
		INVENTION .	NEW YORK DEPOSIT	a :

SPECIFIC DATES 1917 +

BUILDER/ARCHITECT

STATEMENT OF SIGNIFICANCE

of the larged 1 thank the see 958

This light, among the last to be established of the major lights in the Puget Sound - Straits area, marks an Eastern Point on Hard Strait, an important shipping lane. The light was established in 1914 and the present structures were built subsequent to 1917. Because of the inherent difficulties of bringing a reliable source of electric power to the site, this light continued using IOV as the illuminant until after World War II.

The complex, consisting of light and Fog Signal Building, Keeper's and Assistant Keeper's Dwellings; Shop and Storehouse (never constructed) and Oil and Coal House, is unique in that the entire station was designed at one time with all buildings of reinforced concrete. The date of the drawings (1917) indicates that this is a rather early use of reinforced concrete for buildings of such varied uses.

This District of the Bureau of Lighthouses had previously experimented with concrete for lighthouse construction, Alki Point (designed 1911), Point Wilson (designed 1912) and Point Robinson (designed 1914) being notable examples. However, Lime Kiln is the first and only known example in this district of such extensive use of the material. Its success in the Northwest has been proved, and virtually every major lighthouse built since has been of concrete, except those of Skeleton Tower Design.

Original construction drawings of the following structures are on file at the office of the Thirteenth Coast Guard District:

- ✓a. Light and Fog Signal Bullding (27 Oct 1917)
 - b. Keeper's Dwellings (27 Oct 1917)
 - c. Shop and Storehouse (27 Oct 1917 Never Constructed)
- 0il and Coal House (27 Oct 1917) d .
 - Picket Fence (17 Apr 1919)

Of these, only the Light and Fog Signal Building (a) and the Oil an Coal House (d) are located on property retained by the Coast Guard. - see telephone.

Lime Kiln is now operated as a fully automated, unmanned station.

Lime Kiln is now operated as a fully automated, unmanned station.

9 MAJOR BIBLIOGRAPHICAL REFERENCES

Gibbs, Jim - West Coast Lighthouses
Seattle; Superior Publishing Co., 1974

Official Records - 13th Coast Guard District Seattle, Washington

10 GEOGRAPHICAL DA' ACREAGE OF NOMINATED PROPERTY _ UTM REFERENCES	TA Lime Kiln Light	,75 Acre	see revised page.
A 1 0 48,888,3,0 5 ZONE EASTING NO	3 17 3 4, 5, 0 ORTHING	B ZONE	EASTING NORTHING
VERBAL BOUNDARY DESCRIPTION	ON		
	ashington - 1954		The substitute of the substitu
LIST ALL STATES AND COU	INTIES FOR PROPERTIES	OVERLAPPI	ING STATE OR COUNTY BOUNDARIES
STATE Washington	CODE	cούντγ San	CODE S
STATE	CODE	COUNTY	CODE
LCDR N. P. Neblets ORGANIZATION Thirteenth Coast (STREET & NUMBER 915 Second Avenue	Guard District		DATE 3 August 1977 TELEPHONE (206) 442-5620/1 STATE
Seattle		_	Washington 98174
	NOMINATION STORIC PRESERVATION S.X	OFFICER RE	COMMENDATION NONE STATE HISTORIC PRESERVATION OFFICER SIGNATURE
	allowed 90 days in whic d level of signif icance is	h to present t	to the National Register, certifying that the State he nomination to the State Review Board and to
TITLE ED 11593 DOT REPRI	SIENT OF MITTERS		DATE 3/16/78
FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PRO	PERTY IS INCLUDED IN	THE NATION	AL REGISTER
DIRECTOR, OFFICE OF AROHEOLO	GY AND HISTORIC PRES	FRVATION	DATE
ATTEST: W. Can Luce		- TAHON	DATE 11.27.78
KEEPER OF THE NATIONAL REGIS	TER		

UNITED STATES DEPARTMENT OF THE INTERIOR **NATIONAL PARK SERVICE**

NATIONAL REGISTER OF HISTORIC PLACES **INVENTORY -- NOMINATION FORM**

FOR FEDERAL PROPERTIES

FOR NPS USE ONLY

MAR 2 7 1978

RECEIVED DATE ENTERED

1.5 **1978**

SEE	INSTRUCTIONS IN HOW T TYPE ALL ENTRIES	<i>O COMPLETE NATION</i> COMPLETE APPLICABL		S
1 NAME				
HISTORIC LIME I	KILN LIGHT STATION			
AND/OR COMMON				
LOCATION	J			
STREET & NUMBER	•			
	y Road #1		NOT FOR PUBLICATION	
CITY, TOWN	y Nogg 1/ I		CONGRESSIONAL DIST	RICT
	uan Island xx	vicinity of Friday Har		
^{STATE} Washir	ngton	CODE	county S an Juan	CODE
CLASSIFIC	CATION			
CATEGORY	OWNERSHIP	STATUS	PREC	SENT USE
DISTRICT	X_PUBLIC	X_OCCUPIED	AGRICULTURE	MUSEUM
X_BUILDING(S)	PRIVATE	UNOCCUPIED	COMMERCIAL	PARK
X_STRUCTURE	ВОТН	WORK IN PROGRESS	EDUCATIONAL	PRIVATE RESIDENCE
SITE	PUBLIC ACQUISITION	ACCESSIBLE	ENTERTAINMENT	
_OBJECT	IN PROCESS	X_YES: RESTRICTED	X_GOVERNMENT	SCIENTIFIC
	BEING CONSIDERED	YES: UNRESTRICTED	INDUSTRIAL	X_TRANSPORTATION
		NO	MILITARY	OTHER:
AGENCY				
	ARTERS: <i>(If applicable)</i> ader, 13th Coast Guar	d District (flp)		
STREET & NUMBER				
915 Se	econd Avenue			
CITY, TOWN		· · · · · · · · · · · · · · · · · · ·	STATE	
Seatt1	le, Washington —	VICINITY OF	Washington	98174
LOCATION	N OF LEGAL DESCR	RIPTION		
COURTHOUSE. REGISTRY OF DEEDS,	ETC. San Juan County	Courthouse		
STREET & NUMBER			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
CITY, TOWN	Tarker .		STATE Washingto	-
	y Harbor		wasningto	11
6 REPRESEN	ITATION IN EXIST	ING SURVEYS		
TITLE				
Unknov	wn			
DATE		FEDERALS	STATECOUNTYLOCA	 L
DEPOSITORY FOR				
SURVEY RECORDS				
CITY, TOWN			STATE	



__FAIR

CONDITION

CHECK ONE

CHECK ONE

__EXCELLENT
X_GOOD

__DETERIORATED

_UNEXPOSED

RUINS

__UNALTERED

X_ORIGINAL SITE

X __ALTERED

__MOVED DATE____

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

Light and Fog Signal Building;

The octagonal concrete tower, 4 feet on a side (5' - 6" radius), is engaged in the West end of a rectangular concrete fog signal building 21 feet 6 inches (N-S) by 24 feet (E-W). The tower rises 24 feet 6 inches from the fog signal equipment room floor to the top of the concrete cornice which is surmounted by a concrete railing. The lantern, circular in plan and of metal construction, is lighted by diagonal glass panes curved to radius. Entrance to the tower is gained through the fog signal building and the stairway is lighted by 6 metal framed windows.

The fog signal building is covered with a shingled hipped roof crowned by a metal ventilator. A hipped dormer window fitted with crossed muntin wood sash projects from the East shed above the door. The cornice is of wood and incorporates a built-in gutter.

Entrance is gained through double metal doors centered on the East wall and surmounted by a five light transom. The interior space is lighted by six large windows, two each on the North, South and East walls. These windows were originally metal sashed, but now the North and South windows are fitted with fixed 9 light wood sash. A small 4 light metal window on the West lights a toilet room located in the Northwest Corner.

The exterior planes are relieved by several cast-in features such as the Projecting Watertable at the floor line, a belt on the tower at the cornice of the fog signal building and expressed arches over the windows.

Oil and Coal House:

A rectangular concrete structure 10 feet (N-S) by 15 feet (E-W) with a flat roof, the building is subdivided into two interior spaces. Access is gained through either of two sheet metal doors located on the South wall.

Keepers Quarters:

The keepers quarters consist of two separate, single story family dellings (29' X 50'). The quarters are constructed of concrete with hipped roofs. These buildings were constructed in 1919 and are typical of the style of architecture common in the pre-1920s.

Other Structures and Facilities.

The other structures and facilities in the original light station complex consist of the following:

- (1) Wood frame garage 14' X 34' constructed in 1919.
- (2) Coal Shed or tool shed, wood frame 8' X 10' constructed in 1944.
- (3) Wood frame pump house 8' X 10', constructed in 1919.
- (4) Wood frame fire pump house 8' X 10', date of construction unknown.
- (5) Other structures and facilities include sewer lines, water lines and storage tanks, fencing and other minor site improvements.

8 SIGNIFICANCE

PERIOD	AREAS OF SIGNIFICANCE CHECK AND JUSTIFY BELOW			
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	_LANDSCAPE ARCHITECTURE	RELIGION
1400-1499	ARCHEOLOGY-HISTORIC	CONSERVATION ·	_LAW	SCIENCE
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
1600-1699	ARCHITECTURE	EDUCATION	MILITARY	_SOCIAL/HUMANITARIAN
1700-1799	ART	X_ENGINEERING	MUSIC	THEATER
1800-1899 X1900-	XCOMMERCE ;;COMMUNICATIONS	EXPLORATION/SETTLEMENT INDUSTRY INVENTION	PHILOSOPHY POLITICS/GOVERNMENT	X_TRANSPORTATION _OTHER (SPECIFY)

SPECIFIC DATES

- BUILDER/ARCHITECT

STATEMENT OF SIGNIFICANCE

This light, among the last to be established of the major lights in the Puget Sound - Straits area, marks an Eastern Point on Hard Strait, an important shipping lane. The Light was established in 1914 and the present structures were built subsequent to 1917. Because of the inherent difficulties of bringing a reliable source of electric power to the site, this light continued using IOV as the illuminant until after World War II.

The complex, consisting of light and Fog Signal Building, Keeper's and Assistant Keeper's Dwellings, Shop and Storehouse (never constructed) and Oil and Coal House, is unique in that the entire station was designed at one time with all buildings of reinforced concrete. The date of the drawings (1917) indicates that this is a rather early use of reinforced concrete for buildings of such varied uses.

This District of the Bureau of Lighthouses had previously experimented with concrete for lighthouse construction, Alki Point (designed 1911), Point Wilson (designed 1912) and Point Robinson (designed 1914) being notable examples. However, Lime Kiln is the first and only known example in this district of such extensive use of the material. Its success in the Northwest has been proved, and virtually every major lighthouse built since has been of concrete, except those of Skeleton Tower Design.

Original construction drawings of the following structures are on file at the office of the Thirteenth Coast Guard District:

- a. Light and Fog Signal Building (27 Oct 1917)
- b. Keeper's Dwellings (27 Oct 1917)
- c. Shop and Storehouse (27 Oct 1917) Never Constructed)
- d. 0il and Coal House (27 Oct 1917)
- e. Picket Fence (17 Apr 1919)

Of these, only the Light and Fog Signal Building (a) and the Oil and Coal House (d) are located on property retained by the Coast Guard. - see +elephone Acport

Lime Kiln is now operated as a fully automated, unmanned station.

The state of the s

9 MAJOR BIBLIOGRAPHICAL REFERENCES

10 GEOGRAPHICA	L DATA			
ACREAGE OF NOMINATED PE UTM REFERENCES	ROPERTY Lime Kiln Li	ght Station	8.03 Açres	
A 1,0 48,90,2 ZONE EASTING C 1,0 48,88,1	10 5,37,34,80 NORTHING 10 5,37,33,30	,=0		5, 3 7, 3 3,3,0 ORTHING 5, 3 7, 3 4, 8, 0
VERBAL BOUNDARY DE		D[1 ₁ 0]	4 8 8 8 1 10	13 13 H 10 TO
U.S.G.S. Roc	he Harbor, Washingt	on - 1954	,	ntan c
	.			
	4 * 1			,
				*.
LIST ALL STATES	AND COUNTIES FOR PROPE	RTIES OVERLAPPI	NG STATE OR COUNTY	BOUNDARIES
STATE	CODE	COUNTY		CODE
Washington		San Juan		
STATE	CODE	COUNTY		CODE
11 FORM PREPARI NAME / TITLE LCDR N. P.	ED B X Neblett/LT R. J. WI	LLIAMSON		
ORGANIZATION Thirteenth	Coast Guard Distric	:t	DATE 3 August	
STREET & NUMBER 915 Second	Avenue		TELEPHON (206) 442	
CITY OR TOWN Seattle			STATE Washingto	n 98174
12 CERTIFICATIO	N OF NOMINATI	ON		•
همسمير فلمسلمون والمعلى بسرو	TATE HISTORIC PRESERVA		COMMENDATION	
Or of his	matures NI	0	NONE	
In compliance with Europeine	O-d 11502			VATION OFFICER SIGNATURE
In compliance with Executive Historic Preservation Officer evaluate its significance, The FEDERAL REPRESENTATIVE	has been allowed 90 days in evaluated level of significance	which to present th	he nomination to the Sta	ite Review Board and to
TITLE			DATE	
FOR NPS USE ONLY I HEREBY CERTIFY THAT T	HIS PROPERTY IS INCLUDE	D IN THE NATION	AL REGISTER	* * * * * * * * * * * * * * * * * * * *
Charl	wather.	-	DATE	M NATIONAL REGISTER
ATTEST: W. Ray	luce	PRESERVATION	DATE	12/14/78
KEEPER OF THE NATIONA	L REGISTER		V	