Form 10-300 (July 1969)

ш ш

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

PH006559	5
STATE:	
California	
COUNTY:	
San Diego	
FOR NPS USE ONL	Υ
ENTRY NUMBER	DATE
JUL	1 6 1973

(1 ype all entries	s — complete applicab	le sections)		JUL 1 6 19	73	j
1. NAME						ĺ
COMMON:						1
BRICK ROW						l
AND/OR HISTORIC:						1
KIMBALL BLOCK						
2. LOCATION						ĺ
STREET AND NUMBER:	h C+wasta an +ha		11			
Between 9th & 10th	1 Streets on the	west side of "A	Avenue			İ
National City		1				ĺ
California		CODE COUNTY:	_	COL		ĺ
		06 San Dieg	0		3	ĺ
3. CLASSIFICATION	Τ		т			
CATEGORY	OWNE	RSHIP	STATUS	ACCESSIBLE		ĺ
(Check One)	ļ			TO THE PUBL	IC	ĺ
District X Building	1	c Acquisition:	○ Occupied	Yes:		ĺ
Site Structure	X Private	☐ In Process	Unoccupied	Restricted		
☐ Object	☐ Both	Being Considered	Preservation work	Unrestricted	•	1
			in progress	X No		ĺ
PRESENT USE (Check One or M	Iore as Appropriate)					İ
☐ Agricultural ☐ Go	overnment Parl	·	Transportation	X Comments		ĺ
Commercial Inc	dustrial 🕅 Priv	ate Residence	Other (Specify)	Real Esta	te	İ
	. =	gious		Office in		ĺ
Entertainment Mu		ntific		One Unit	_	ĺ
4. OWNER OF PROPERTY						l
OWNER'S NAME:						<u>.</u>
See Attachment					Ca	STAT
STREET AND NUMBER:					Californi	핊
906-08, 910, 912,	916, 922-24, 92	6, 934-36, 938,	940 "A" Avenue	9	fo	
CITY OR TOWN:		STATE:		CODE	H	- 1
National City		Calif	ornia _	06	ia	
5. LOCATION OF LEGAL DESC	RIPTION		19 1	1105		
COURTHOUSE, REGISTRY OF			(9)	A (7)	S	_
Office of the Cou	nty Recorder, Sa	n Diego County	LY RE	CEIVED	an	COUN
STREET AND NUMBER:				SLIVEU V	\□	5
220 West Broadway	(County Operation	ons Building)	JUN .	4 1972	le Le	-2
CITY OR TOWN:		STATE	I NATI	ONAL 06	0	
San Diego		Calif	ornia REGI	STAL 06	1	-
31				SIER X		\Box
6. REPRESENTATION IN EXIST	ING SURVEYS		Y />-,			
TITLE OF SURVEY:			V	16		m
Historic American	Buildings Surve	y Cal-1969				EZ T
DATE OF SURVEY: August	1971 🕏	Federal State	County	Local		
DEPOSITORY FOR SURVEY RE	CORDS:					UMB NPS
Library of Congres	ss (Copy of Photo	ographic Data)				NUMBER
STREET AND NUMBER:				-		i i
				H	ه ا	ONLY
CITY OR TOWN:		STATE:		CODE	99	
Washington		Dist.	of Columbia	11	9	D A

	(Check One)						
COMPLETION	☐ Excellent		☐ Fair	Deteriorated	Ruins	Unexposed	
CONDITION	Slightly	(Check O	ne)		(Che	ck One)	
	Slightly	ed	Unaltered			Original Site	
ESCRIBE THE P	RESENT AND ORI	GINAL (if kne	own) PHYSICA	L APPEARANCE			

BRICK ROW was built in 1887-88 by Frank Kimball, the founder of National City. In his diary he noted, "Contract to Mr. Hunt of Griffith & Hunt, San Francisco. To build 10 houses, covering 250 x 45 feet for a lump sum of \$22,000..."

The 19th Century ten-unit, two-story building was constructed according to drawings sent from Philadelphia. The Philadelphia row house scheme, unique to the East Coast, contrasted with the detached Victorian residences typical in California at that time. The block-long structure is situated on the west side of "A" Avenue, facing east and extends from 9th Street on the north to 10th Street on the south. There is a shallow strip of lawn between the sidewalk and the building and a tree lawn between the sidewalk and the street. The building appears to consist of five units but each comprises two apartments. Individual units are L-shaped with the plan reversed for every other unit creating U-shaped service yards.

The brickwork of the facade was carefully planned to esthetically break the severe lines of the long wall. The bricks above the second story of each unit are set upright and at an angle with the same motif carried out in a border around the whole building. The two end walls are recessed to give a panel effect relieving their plainness. Half-moon ventilators modify the rigid lines of the gabled parapet. Curved concrete window lintels are of a unique design which is carried out in reverse on the carved brackets decorating the porch. A one-story porch runs the length of the front of the building. Wood dividers corresponding to the party wall insure privacy for each unit. The south unit has a side porch similar to the front. Originally there were sixteen ornamental chimneys in front with utility chimneys in the rear. All front chimneys have been removed but four which are located at intervals along the facade. Each unit is entered from the front porch. Service entrances are located at the rear, on the court side of the unit. There is a group of three windows on each level of the facade, in addition to two single windows on the upper story and a single window on the lower. The front door is situated below the inner second story single window. The original sheet metal and pitch roof on the structure installed by the Silvergate Pipe Works was inadequate; Frank Kimball interceded using his ingenuity to alternate layers of canyas covered with shellac to make the roof watertight.

Reinforced rods with eight inch washers on the outside anchor the front wall to the rear wall. The brick foundation holding the building is set three feet in the ground on mortar. The joists, 2×10 inches and 25 feet long are set on 4×5 inch stringers. All wood is redwood and there are over 240,000 bricks in the structure.

Attachments: Description of Interior Unit: 926 "A" Avenue
Records from the Historic American Buildings Survey

Form 10-300a (July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

STATE	
California	
COUNTY	
San Diego	
FOR NPS USE ONL	Υ
ENTRY NUMBER	DATE
es 11	1 6 1973

(Continuation Sheet)

(Number all entries)

KIMBALL BLOCK/BRICK ROW

7. DESCRIPTION -- Interior Unit

The following description of the interior of one of the apartments in BRICK ROW, 926 "A" Avenue, typlifies every other unit with the remaining units having a reverse version of the plan.

Entry is made to a stair hall having an open rail stairway against the right hand wall. To the left is the living room having a fireplace centered on the south wall. Windows are located on the east and west walls. At the end of the short hall is the dining room with a fireplace on the north wall and windows on the south wall. Beyond the dining room is a laundry room and kitchen. The stairway consists of three risers to a landing then seventeen risers to the second floor. At the top of the stairs is a hall. Over the entry hall is a small room. A master bedroom is situated over the living room and corresponds in size to the room below. Along the south side of the hall are two more bedrooms with the hall terminating in a bathroom.

The stairway has an open railing of oak balusters which are turned pieces alternating with simple square spindles. A newel post terminates the curving handrail at the foot of the stairs. Wood board flooring is used except in the kitchen and bathroom which are asphalt tile. All doors have four vertical panels, two over two. The trim around the doors and windows is of molded stained wood. Molded plasterwork to beautify the light fixtures adorns the ceilings of the hall, living room and dining room. The fireplaces are of cast iron with black precast 'stone' mantels and facings decorated with stenciled gold. All major rooms have a picture rail 18" from the ceiling.



PERIOD (Check One or More as A	☐ 16th Century	18th Century	20th Century
	☐ 17th Century		
☐ 15th Century			4-34 V 1-1
SPECIFIC DATE(S) (If Applicable	and Known) Built	September 1887 - Ma	rch 1888
AREAS OF SIGNIFICANCE (Chec	k One or More as Approp	iate) . Asia	CONCERNO CONTRACTOR
Abor iginal	■ Education	☐ Political	Urban Planning
Prehistoric	Engineering	Religion/Phi-	Other (Specify)
K Historic	☐ Industry	losophy	The second secon
Agriculture	Invention	Science	
	Landscape	Sculpture	
☐; Art	Architecture	Social/Human-	
Commerce.	Literature	itarian	
□ Communications:	Military	Theater:	
Conservation	Music	Transportation	

BRICK ROW is a two-story ten-dwelling Victorian row house patterned after the 19th Century architectural style of Philadelphia. Built by Frank Kimball, National City's founder, it was one of the first substantial structures in National City and contrasted with the detached dwellings common in California. It is the only structure of its type on the West Coast.

According th National City folklore, Frank Kimball built BRICK ROW to provide housing for officials of the railroad which he tried so desperately to bring to National City. This may have been his original intention, as the drawings for BRICK ROW are from Philadelphia, the home office of the Texas & Pacific, the railroad company he visited so frequently in an effort to induce them to build a line to National City. Indeed, he bought the land upon which the structure stands in 1872. However, the Texas & Pacific was not the company which finally brought the railroad to National City although Frank Kimball negotiated with them from 1870-1879. The railroad industry was cut-throat and unregulated: Texas & Pacific became a pawn of larger railroad interests, unable to make a commitment.

In 1880 the California Southern Railroad was incorporated by San Diego Land and Town. The first railroad spike was driven in National City in October of that year. The contract with San Diego Land and Town called for terminal shops to be located in National City. National City built a 225 acre terminal ground, the largest in the Country. In November 1885, the last spike was driven near Cajon Pass connecting the California Southern with the Atcheson, Topeka & Santa Fe Railroad. But, by that time, rumors were circulating that the railroad shops would be moved from National City. The contract had stated that the shops were to be built in National City, but did not include the words, "and maintained". The shops were moved to San Bernardino and the employees went with them. In March 1886, the payroll of the California Southern had been more than \$20,000 per month; by March 1887, the payroll was \$4,000 per month.

BRICK ROW was not built until September 1887 - March 1888. In his letters, Frank Kimball does not mention his motivation for building the structure. Perhaps he constructed it to offset National City's decline as a railroad center, making a final extraordinary attempt to convince the California Southern officials that National City was becoming cosmopolitan and worthy of their reconsideration.

9. MAJOR BIBLIOGRAPHICAL REFERENCES

Giebner, Robert C., Kimball Block Row Houses. The Historic American Buildings Survey, Office of Archeology and Historic Preservation, National Park Service, August 1971

Phillips, Irene, <u>National City</u>: <u>Pioneer Town</u>. National City, California: South Bay Press, 1960

Phillips, Irene, The Story of El Rancho de la Nacion, "Land & Town" Edition.
National City, California: South Bay Press, 1959

National City, California:	Sout	h	Bay Pre	ess, 19	959			
10. GEOGRAPHICAL DATA								
LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY			LATITUDE AND LONGITUDE COORDINATES DEFINING THE CENTER POINT OF A PROPERTY OF LESS THAN TEN ACRES					
CORNER LATITUDE LONGITUDE	E	R	· .	ATITUDE		ı	ONGITUE	E
Degrees Minutes Seconds Degrees Minutes S	econds		Degrees	Minutes	Seconds	Degrees	Minutes	Seconds
NW ° , " o ,	*		32 °	40	20.			, ,
NE ° • • • •	,		32	40	29	117	06	16
SE of the original to	,		1, .			<u> </u>	• • • • • •	
SW Q , , O ,								
APPROXIMATE ACREAGE OF NOMINATED PROPER	TY: 2/	<u>/3</u>	Acre					
LIST ALL STATES AND COUNTIES FOR PROPERTIE	SOVER	LA	PPING ST	ATE OR C	OUNTY BO	HNDARIE	S.	
STATE:	CODE	۱ ٰ	COUNTY	6	Jan	TO ()		CODE
		1.			PED	3		
STATE:	CODE	T	COUNTY:		יייייוענן	TVEII Y		CODE
		7	,		JUN ,		12	
STATE:	CODE	1	COUNTY:		A	1973	H	CODE
•		7		10	NATIO	NA	\Box	
STATE:	CODE	+	COUNTY:	13	HEGIS	TED		CODE
of the Tasil		7		~ \ \ \ \ \ \ \	<u> </u>	ER A.	7	
II. FORM PREPARED BY				······/	775		/	
NAME AND TITLES		<u> </u>				100		<u></u>
Cheri Lynn Hoffman, Historic Rese	earch	Α	ssistan	nt.				
ORGANIZATION						DATE		
National City Historical Committe	20					llantia	apv 198	7 3 % a a ¹
STREET AND NUMBER:						Panac	x1 y 131	
1243 National Avenue 160 08 33	43	<u>)</u> :	5 33	<i>ک</i> :		110	53.5	,
CITY OR TOWN:			TATE		<u> </u>			CODE
National City			Califo	rnia	•		7	06
12. STATE LIAISON OFFICER CERTIFICATION	•				REGIST	ED VEDI	EICATIO	
12: STATE ETAISON OF FICER CENTIFICATION		#		CHRICANIA!	_ NEO131	CAN TOWN	ICA I IV	
e · 5		. .	rian v v	1154.	১৯৫% হ	C4	11.30	13703
As the designated State Liaison Officer for the	Na-	1						
tional Historic Preservation Act of 1966 (Public	Law	1			hat this pr			
89-665), I hereby nominate this property for incl	lusion	1	Nationa'	Registe	<u>ភ</u> ាគិឥ៩១២	V 3 F . ' +	1113 10	
in the National Register and certify that it has	been	1	,	Ω .	0.7			
evaluated according to the criteria and procedur	res set		(You a	.) },	11+1.	 	
forth by the National Park Service. The recomm	nended			when	7/0h	Mu	4	
level of significance of this nomination is:			Chief, O	office of A	Archeolog	y and His	oric Pres	servation
	X					()		
The state of the s		1	\$ · ·		1111	_	: # <u>.</u> :	1000
		-	Date		1/10/	<i>()</i> 3		
Name / D -					. `\ `	/		
			ATTEST	3. i : . /	- / /	See The	1	1 2 1 1
		**						
		Ш		/	· · · \ / ·	1	#_1	
Title State Historic Preservation	n Offi	i	er		1 \//	7	H (ena.,
Title State Historic Preservation	off	i	er 		() Mil.	uns		· .
	offi	i	er 	Keepe	of The	Mational R		
Title State Historic Preservation MAY 16 1973 Date	offi	ic	er ———— Date	Keepe		Mational R		·F (15)