Form 10-300 (July 1969)	UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM				STATE: Connecticut			
N					FOR NPS USE ONLY			
	(Type all entries	s – complete an	nlicable sec	tions	-	ENTRY NUMBER		DATE
1. NAME							l	
AND/OR HIS State (2. LOCATION STREET AN Capitol CITY OR TO Hartfor STATE Connect 3. CLASSIFIC/	Capitol Build	ling		E CC	UNTY: H	artford		
1	TEGORY neck One)		OWNERSHIP			STATUS	ACCESS TO THE F	
District						xxx Occupied Yes: Unoccupied Restricted red Preservation work in progress No		
PRESENT U	PRESENT USE (Check One or More as Appropriate)							
Agricult Commerc Educatio Entertai	ial 🗌 In onal 🗍 Mi	dustriol litary	 Park Private Re Religious Scientific 	sidence	(Transportation Other (Specify)	Commer	nts
4. OWNER OF		1						
OWNER'SN State o	of Connecticu	ıt						
STREET AN	D NUMBER:							
State H	ouse, Capito	ol Avenue			STATE:			
Hartfo		06103_				nnecticut		DE
5. LOCATION	OF LEGAL DESC	RIPTION			· · · · · · · · · · · · · · · · · · ·			
1	Room, City							
STREET AN		IIGII						
550 Ma	in Street				STATE			
					JUNE			DE
Hartfo	TATION IN EXIST	ING SURVEYS		<u></u>		Connecticut		
DATE OF SU	IRVEY:		Feder		State	County	Local	
DEPOSITOR	Y FOR SURVEY RE	CORDS:						
STREET AN	D NUMBER:							
CITY OR TO	WN:				STATE:		со	
1								

7.	DESCRIPTION		•			z		
					(Check On	ie)		
	CONDITION	🕱 Excellent	🗌 Good	🗌 Fair	🗋 Deterior	ated 🗌 Ruins	Unexposed	
	CONDITION		(Check Or	ie)		(Che	eck One)	
	_	🖌 Alter	ed	🗌 Unaltered		Moved	🗙 Original Site	

DESCRIBE THE PRESENT AND ORIGINAL (if known) PHYSICAL APPEARANCE

The New State House is a monumentally-scaled, symmetrically massed, marble three-story building with projecting four-story-high center pavilions, threestory-high end pavilions, towers and turrets at the angles, and a tall central dome rising from the roof. The exterior is of white marble from the quarries at East Canaan, Connecticut, and the granite from Westerly, Rhode Island. The structue has a cruciform plan, with one long and one short axis. The long (east-west) arm is about 300 feet long and 100 feet deep and the short (north-south) axis is 200 feet long and 120 feet wide. The north and south elevations of the center pavilions are each five-bays wide, arcaded with Gothic arches, and flanked at either side by a tall square tower.

A description of the building, written in September, 1877, follows:

"The Capitol is designed in what the architect calls 'modern secular Gothic.' It is two and one-half stories high, and has a frontage of nearly 300 feet upon the City Park (to the north), the building standing upon grounds lately purchased from Trinity College. The recent removal of one of the College blocks opens up form the street below a fine view of the eastern side of the Capitol, which is perhaps the most effective point from which to behold it. The general ground plan is in the form of a parallelogram whose lines are chiefly broken by the projection of the main central portion (or pavilion), whose total length is about 200 feet; the park (north) facade being treated with an arcade through which is the principal entrance, and the south projection (also acraded) embracing a porte-cochere and an ample vestibule, above which is located the Representatives' Hall. On the same story, - a mezzanine story- in the eastern wing is the Senate Chamber. The Supreme Court Room and the State Library (both since removed and located in separate buildings) are upon the first story, or what is commonly styled the second floor, the library (located in the north wing) having an excellent north The court-room is situated in the extreme west wing. The customary light. offices for the State authorities, the Governor's suite of apartments, and the various rooms for commissioners, etc., occupy for the most part the main wings, and are conveniently located for the various purposes for which they are Two large skylights admit light into the corridors in the intended. intermediate portion of the wings, between the main building and their extremities. The extremities (or end pavilions) of these wings have their length at right angles to the adjoining portions, and are externally treated with gables, flanked by circular (solid) turrets, and pierced with a wheel (or circular) window, the composition being a vague suggestion of certain public buildings recently erected near London. The "various roofs of the building are generally constructed with a high pitch, and the dormers with which their lines are broken present a dull montony of design. There is no lack of corner towers. These rise from the main building (at the corners of the north and south central pavilions), and are finished in a nearly uniform style, the roofs being of pyramidal shape, with terminals of copper and iron . . ."

EE INSTRUCTION

S

CONTINUED

ERIOD (Check One or More as	Appropriate)		
Pre-Columbian	16th Century	18th Century	20th Century
15th Century	📋 17th Century	🗙 19th Century	
PECIFIC DATE(S) (If Applicab	le and Known) 1872-	-1880	
REAS OF SIGNIFICANCE (Ch	eck One or More as Appropr	iate)	
Abor igina!	Education	Political	🔲 Urban Planning
Prehistoric	Engineering	Religion/Phi-	Other (Specify)
📋 Historic	📋 Industry	losophy	
Agriculture	Invention	Science	
Architecture	Landscape	Sculpture	
Art	Architecture	Social/Human-	
Commerce	Literature	iterian	
Communications	Military	Theater	
Conservation	Music	Transportation	

STATEMENT OF SIGNIFICANCE

Designed by Richard M. Upjohn and erected in 1872-80, the New State House is probably the finest example in the United States of a monumentally-scaled public building built in the High Victorian Gothic style. The exterior and interior of the New State House are little-altered.

History

In 1871, the General Assembly appointed a commission to build a new capitol in Hartford. A half-million dollars was appropriated and the City of Hartford was authorized to appropriate bonds to the extent of \$1,000,000 for the same purpose. The commission accepted the present site from the City of Hartford and in 1873 and 1875 additional sums of \$500,000 and \$1,000,000 respectively were appropriated to complete the building.

The commission held an architectural competition for the design of the proposed capitol and 11 sets of drawings, with Gothic architecture as the prevailing style, were received. In March, 1872, the plans for a building in the "modern secular Gothic" mode, prepared by Richard M. Upjohn of New York City, were selected as the winning design. The estimated cost of construction was set at \$875,000. William B. Franklin was employed as superintendent of construction and James B. Batterson as the builder. The first contracts were let in October, 1872 and after construction had proceeded for one year, the commission decided to change the character of the structure by modifying the design, making it fire-proof throughout, and increasings its elegance. Upjohn's original design apparently called for a tall tower to crown the capitol, but at the insistance of the commission, the architect modified this feature into the existing tall dome. These changes increased the estimate cost to \$2,500,000. The New State House was occupied in January, 1879, and the building was completed in 1880. Total cost of construction was \$2,532,524,43 and the cost of the furniture was an additional \$100,000.

Critics of the period differed over the merits of Upjohn's design: One wrote: "Mr. Upjohn has had a rare opportunity, and he has availed himself of it rarely. The capitol of Connecticut will not only be by far the finest of our state-houses, but it will be about the most important and creditable piece of civic architecture in the country." The opposing view, however, was represented by another writer who reported that a New York critic who saw the plans suggested that the architect "had dined on Gothic, with an

9. MAJOR	MAJOR BIBLIOGRAPHICAL REFERENCES									
	Henry-Russell Hitchcock, Architecture, Nineteenth and Twentieth Centuries									
	(Dallimore, 1963) 105									
Talbot	Talbot F. Hamlin, The American Spirit in Architecture (New Haven, 1926), 164. Connecticut, <u>A Guide to Its Roads, Lore, and People</u> (American Guide Series)									
Connec	in durue	to Its Road	s, Lor	ъ,	and Pe	eople	(Americ	can Guid	e Ser	ies)
	John Burchard and Albert Bush-Brown, The Architecture of America A Social									
		al filscorv	BOSTO	n	and Tor	onto	1001	105		
in an o	owns, Images of	American L: 336	iving	(P	hiladel	phia a	& New Y	ork, 19	64), :	334,
		550								
10. GEOGI	RAPHICAL DATA									
	LATITUDE AND LONGIT			0				GITUDE COC POINT OF		
	IING A RECTANGLE LOC	·····		R				AN TEN ACR		
CORNER						ATITUDE			NGITUD	
NW	Degrees Minutes Seconds	Degrees Minutes	Seconds "			Minutes 45	Seconds 51 ×	Degrees 72 0	Minutes 40'	Seconds 58 "
NE	0 , n	ο,	"	l					10	00
SE	0, , ,	· · · o ,								
	IMATE ACREAGE OF NO		"					<u> </u>		
	STATES AND COUNTIE		and the second sec			TEORC	OUNTY BO	UNDARIES		
STATE:			CODE	-	OUNTY					CODE
STATE:			CODE		COUNTY:					CODE
STATE:										
STATE:			CODE	- `	OUNTY:					CODE
STATE:			CODE	+	OUNTY:					CODE
				1						
	PREPARED BY									·1
1	D TITLE:									
ORIANIZ	rles W. Snell, S	urvey Histor	<u>rian</u>					DATE		
Histori	ATION Division of c Preservation,	National D	IIICE	of	Archec	logy	and		7/70	
STREET	AND NUMBER:	Hacional P	ark be	ĿV	ice				1/10	
801-19	th Street, N. W									
CITY OR	TOWN:			s	TATE					CODE
Washin						<u>D. C.</u>				
Z- STATE	LIAISON OFFICER C	RIFICATION		⋕-	NA	TIUNAL	REGIST	ER VERIFI	CATION	
tional 89-665 in the	As the designated State Liaison Officer for the Na- tional Historic Preservation Act of 1966 (Public Law 89-665), I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set				I hereby certify that this property is included in the National Register.					
level o	forth by the National Park Service. The recommended level of significance of this nomination is: National State Local			Chief, Office of Archeology and Historic Preservation				ervation		
Name				Date:						
Title .						Keeper	r of The N	ational Reg	gister	
Date	Date				Date					

• .

EINSTRUCTIONS

S

and a construction of the second second

Form 10-300a (July 1969)	UNITE	ATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE	ATE Connecticut		
	NATIONAL	COUNTY Hartford			
		NVENTORY - NOMINATION FORM	FOR NPS USE ONLY		
		ENTRY NUMBER	DATE		
(Number all entries))				
7. Descript	ion:	Continued	page 1		

After criticizing the overall design for its "lack of imposing effect," the writer continued: "The poverty of the design nowhere expresses itself more prominently than upon the lower story, which seems to mourn its neglect, and envy the stories above; plain oblong apertures for windows, unrelieved save by a bead and stop chamfer, pierce the walls on this floor, arranged somewhat on the factory principle, and innocent of any thing like harmonious grouping, so often effective in a structure of this character. The ornamental carving seems to have been attracted in spots, and where introduced the display is lavish, almost profigal. Special effort has been made to render the approaches to the building striking, and to enrich the arcades and entrancees to an almost unlimited extent. This is seen at once in the crocketed arches, the elaborate lintels, the carved capitals and polished shafts of the columns and the delicate patterns of diaper-work (of the east and west ends and the north and south facades of the central pavilions). The tympana of the (17) arches are to be embellished; and already a fine bas-relief of the famous Charter Oak has been cut upon a tympanuam over the east entrance; and between each arch are corbels with miniature columns, crowned with absurdly large caps (at the second floor level). These are intended for the reception of statues. The provision for these marble gentlemen is ample, there being no less than 22 projecting corbels. The effect of Connecticut worthies thus distributed (5 each on the east and west ends, and 6 each on the north-south central pavilions) and standing each under his beehive like canopy of marble, will doubtless be unique, and the scene will be a busy one. The major portion of foliated work of the string -course and capitals is cleverly done; the designs are good, and the execution is spirited. The models for this work or a part of it were furnished by the well-known New York sculptors, Messrs. Ellin & Co.; and the carving was executed on the site by foreign workmen. Critical eyes, not to say average good taste, cannot fail to notice a want of harmonious proportion in much of the carving placed at a considerable height from the ground, particularly about the finials of the turrets, and also in those forming the terminations for the pedestals of the balustrades (located at the bottom of the steep roofs). . . The ridges are crowned with a finely designed iron cresting. . . The building is deserving of credit in one particular which is not unfrequently overlooked. It presents four facades nearly in keeping with each other, and while three of the number are more elaborate, still the remaining facade (that on the west) is not treated as though, being in the rear, it was of no great importance and consequently called for little or no design. . .

"The dome (which weighs about 12,000 pounds) is now being built; when finished it will stands some 260 feet high and be crowned by a symbolic figure in bronze. (By 1879 it was reported: "A clossal wing bronze, typifying the Genius of Connecticut, stands on the lantern, and 12 figures are to crown the pillared buttresses of the dome below, which is dodecagonal in plan.") The diameter of the dome is nearly 60 feet. Whatever may be the aesthetic effect of this conspicuous feature externally, internally (in 1877) the vast piles of masonry which support it, and confront the visitor as he enters the

Form 10-300a (July 1969)	UNITEL	ATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE	TE		
(JUIY 1707)		NATIONAL PARK SERVICE	Connectic	ut	
	NATIONAL	REGISTER OF HISTORIC PLACES	COUNTY		
	INVENTORY - NOMINATION FORM		Hartford		
			FOR NPS USE ONLY		
(Continuation Shout)		ENTRY NUMBER	DATE		
		(Continuation Sheet)		1	
(Number all entrie	(8)				

7. Description

Continued

page 2

north vestibule, are almost appalling; and if the numberless columns about the masonry and the lumbering proportions of the costly marble staircase are included in the same view, the scene will be enough to confuse Connecticut statesmen for years to come. Interior work is being pushed forward. . .; and already McPherson of Boston is at work upon the wall decorations. The site of the Capitol is a fine one. The untrammelled nature of the ground, and its commanding elevation above the City Park, render it pre-eminently a good location for a public edifice; and its lofty dome, its towers and vast proportions of its marble walls set in a background of rich foliage, unite to attract the attention of the public. . ."

The interior columns are of marble and granite from Connecticut, Maine, Vermont and Rhode Island and the woodwork finish is oak, black walnut, and ash. The numerous marble columns, and gothic arches, the marble floors and walls, and the marble east and west staircases are elaborately decorated in blazing colors. The little-altered State House is in excellent condition, still serves as the seat of Government in Connecticut, and is open to visitors.

Form	10-300a
(July	1969)

NLY
DATE

NATIONAL REGISTER OF HISTORIC PLACES

INVENTORY - NOMINATION FORM

(Continuation Sheet)

(Number all entries)

8. Significance

page 1

entree or two of French chateaux and a dessert of Renaissance, and had then gone to bed and dreamed this horrible nightmare."

Continued

Except for the removal of the 15-foot bronze statue of the Genius of Connecticut, which originally stood on top of the dome, the New State House retains its original appearance. Sculptured by Randolph Rogers, this 4,000 pound statue was removed from the dome following a hurrican in 1938 and a replica of the original is now located in the north lobby of the building.

	Nove.	
Form 1		ERIOR
(July 1	269) NATIONAL PARK SERVICE	Connecticut
	NATIONAL REGISTER OF HISTORIC	PLACES COUNTY
	INVENTORY - NOMINATION FO	Hartford
		FOR NPS USE ONLY
	(Continuation Sheet)	ENTRY NUMBER DATE
	(Continuation Sheet)	
(Numb	er all entries)	
9.	Major Bibliogrphical References	Continued page 1
The	American Architect and Building News, O January 18, 1879 (Vol. V, No. 160, September 15, 1877, 295-96. February 17, 1877 (Vol. II, No. 60) January 31, 1885. March 20, 1885, 122.	17-18; March 29, 1879, 101-102.