National Register of Historic Places Inventory—Nomination Form

See instructions in How to Complete National Register Forms Type all entries—complete applicable sections

1. Namo

historic St. Paul's Catheoral

and or common

Location

CT	Doulla	Cathadra	~1	

street & number not for publication 125 Pearl Street city, town Buffalo ___ vicinity of New York state code county Erie code 3. Classification Category **Ownership** Status **Present Use** _ district public X occupied _ agriculture museum \underline{X} building(s) X private unoccupied _ commercial _ park ____ structure ____ both work in progress __ educational _ private residence ___ site **Public Acquisition** Accessible __ entertainment 🔀 rellalous __ government ___ in process X_yes: restricted scientific __ object ___ being considered ___ yes: unrestricted __ industrial transportation _ military no other:

Owner of Property 4.

name	Episcopal D	iocese of Wester	n New York			_
street & number	126 Pearl	Street				
city, town	Buffalo		vicinity of	state	New York	
5. Loca	ation of	Legal Des	scription			
courthouse, regi	stry of deeds, etc	Erie County	Courthouse			
street & number	126 Pearl S	Street				
city, town	Buffalo			state	New York	
6. Repi	resenta	tion in Ex	isting Su	rveys		
Historic tltle Building	c American js Survey		has this property	been determined e	ligible? yes	no
date 1965				X federal sta	ate county _	local
depository for su	urvey records	Library of Cong	ress			
city, town	Washington			state	DC	

For NPS use only

received

date entered

7. Description

Condition		CHECK ONE
X excellent	deteriorated	unaltered
good	ruins	$_X_$ altered
fair	unexposed	

Check one _X_ original site ____ moved date

Describe the present and original (if known) physical appearance

Chacks

St. Paul's Cathedral is located in downtown Buffalo on an irregular but basically triangular lot, bounded on the north by Church Street, the west by Pearl Street, on the southeast by Erie Street and on the east by a segment of Main Street. Set on a diagonal axis, the church was until recently hemmed in by office buildings set on a grid plan. In 1970, Cambridge Seven Architects designed Cathedral Park with trees and benches by closing Erie Street. Now Upjohn's church can be appreciated from a distance unlike its prototype, Trinity church in New York City.

The irregular plan was typical of English Parish churches so admired by America's Gothic Revivalists. The church is 175 feet by 96 feet with nine bays and a tower, and is built of local red sandstone set in a random ashlar pattern. The red medina sandstone was shipped via Erie Canal from a quarry near Hulberton that was church-owned. The walls are load-bearing and are braced by pier buttresses capped with decorative Gothic finials. Fireproof interior construction consists of a concrete floor, brick arches, steel beams on stone piers, and corrugated iron lath.

The plan is a retangular three-aisle nave with a chancel and sacristy at the northeast end and the narthex, tower and main entrance porch at the southwest end. A single transept to the northwest forms a large chapel which can be entered from Church Street. The main entrance is from Pearl Street on the west at a 135° angle to the nave. The large bell tower rises 275 feet and there is a smaller 125 foot high tower on the north end. Both are finished in sandstone, embellished with Gothic ornament and roofed in slate shingle as is the main The interior floors are also covered in slate tiles. The chancel aisle roof. between the choir stalls has a red and white Champlain marble floor laid in a geometric design with quatrefoils. A marble floor in a Greek-cross pattern of dull red on a white ground with borders of oak leaves and acorns is at the foot of the sanctuary step. The sanctuary has a marble mosaic floor, laid in a vineand-grape design. A central design in front of the altar depicts the four Evangelists around a Greek cross. This floor was made in Paris and laid by Burke and Company of New York and Chicago. The north-west porch has a marble mosaic floor.

All interior walls are painted plaster, the supporting columns sandstone "Special decorative features: The altar of Mexican onyx was designed by Robert W. Gibson. The inlay work was done by Lautz and Company of Buffalo. The stone reredos--also designed by Gibson--contains six panels of imported glass mosaics. The oak chancel furniture--sedilia, credence table and Bishop's chair--was designed by Gibson. He also designed the Scotch sandstone pulpit and font. The sandstone communion rail has a marble cap. The oak pews have carved ends consisting of a panel with a pointed arch, which encloses two smaller arches under a quatrefoil. The oratory altar located at the east end of the south transept features an elaborate triptych designed to frame the fourteenth-century painting by Jan Pollack. The chancel organ, built in 1952 by the Schlicker Organ Company, contains 2705

8. Significance

Period	National Areas of Significance-C			
prehistoric	archeology-prehistoric		landscape architecture	-
1400–1499	archeology-historic	conservation	law	science
1500–1599	agriculture	economics	literature	sculpture
1600-1699	<u>_X</u> architecture	education	military	social/
1700–1799	art	engineering	music	humanitarlan
_X_1800–1899	commerce	exploration/settlement	philosophy	theater
1900-	communications	industry	politics/government	transportation
		invention	•	other (specify)

Specific dates 1849–1851

Builder/Architect Richard Upjohn

Statement of Significance (in one paragraph)

St. Paul's Cathedral is the premier church in Western New York. Designed by Richard Upjohn in the early English or Decorative style, this commission is the direct result of his fame as the architect of Trinity Church (1846) in New York City. With Trinity, Upjohn's reputation was secure and he was acknowledged as the leading American Gothic-Revival architect of the nineteenth century. St. Paul's is an excellent example of the archaeologically correct church - the kind of church advocated by the Cambridge Camden Society, founded in England for the advancement of Medieval art and architecture.

They were deeply concerned with the quality of modern church architecture and one of its chief activities was the promotion of the simple Early English parish church as the model for new houses of worship. The Society's reverence for Gothic buildings was summed up by the Rev. George Ayliffe Poole: "A Gothic Church, in its perfection, is an exposition of the distinctive doctrines of Christianity, clothed upon with a material form; and is, as Coleridge has more forcibly expressed it, 'the petrification of our religion.'" The Cambridge Camden Society held that a revival of the building arts of the Middle Ages would serve not only to improve standards of architectural quality and taste, but to remind the beholder of the verities of Christian religion. It remained, however, firmly Anglican, with no thought that a reversion to Catholicism was necessary to achieve its aims.

The members of the Society identified themselves as "Ecclesiologists," and beginning in 1841 they published The Ecclesiologist, a periodical devoted to church building, restoration, ritual, and symbolism. A primary purpose was to propagate the aims of the Society throughout the English-speaking world.

The English Ecclesiologist influence and the growth of the Episcopal denomination in the 1840s led to the founding in 1847 of the New York Ecclesiological Society, American counterpart of the Cambridge Camden Society. This organization immediately started the <u>New York Ecclesiologist</u>, a journal intended to disseminate Ecclesiological precepts and educate the Episcopal clergy in church architecture, history, and liturgical tradition. The lack of architectural purity in many new churches outside eastern metropolitan areas prompted the American Society to try to control quality in Gothic design by recommending the Early English parish church as the most suitable model for religious edifices.²

9. Major Bibliographical References

SEE CONTINUATION SHEET

10. Geographical Data


Acreage of nomina Quadrangle name UTM References	• •	y <u>less than an a</u> <u>Northwe</u> st	<u>cre</u>	Quadrangle sc	ale1:24,000
A 1.7 6 7.3 Zone Easting	4 3 0	4 7 4 9 7 6 0 Northing	B Zone	Easting Nor	thing
C [] [_] E [] [_] G [] [_]			D [] F [] H []		
Verbal boundary	descripti	on and justification			
,		SEE CONTINUAT			
	nd countie	s for properties ove		county boundaries	
state	<u></u>	code	county		code
d d Eorr	- Dro		county		code
11. For	nre	pared By			
name/title Carol	yn Pitts	, Historian			
organization Hist	ory Divis	sion, National Pa	rk Service	date	
treet & number	1100 L	Street, NW	1	telephone (202)	343-8172
ty or town	Washing	jton	:	state DC 20	013-7127
12. Stat	e His	storic Pres	ervation	Officer Cer	tification
The evaluated sign	ificance of	this property within the	state is:		
	national	state	local		
65), I hereby nomi	inate this pr riteria and p	operty for Inclusion in rocedures set forth by	the National Registe	toric Preservation Act of 1 er and certify that It has be ervice.	966 (Public Law 89 en evaluated
itie				date	
For NPS use or I hereby cert	•	property is included in	the National Registe	r	
	National Da	niotor		date	···,
Keeper of the N	WILIONAL IVO	Arola.			
Attest: Chief of Regist	ration			date	

GPO 911-399

Continuation sheet

United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form



Page

7 2 pipes. The gallery organ, built by the English organ builder Robert Hope-Jones in 1908, has 1385 pipes. The gallery also contains an eightyfive-pipe Trompeta Real built by the Schlicker Company in 1964. St. Paul's Cathedral has several architectural fragments from European structures. A fragment of a pillar from the Cloth Hall, Ypres, Belgium, is mounted as a memorial to the Belgians who died in World War I. On the south wall of the sanctuary is a fragment of the high altar of Notre Dame Cathedral, Rheims. A stone fragment of the wall of Christ's Cathedral, Canterbury, c. 1000, is located near the Bishop's chair."1

Item number

In 1888, a fire destroyed the interior of St. Paul's but the towers and walls stood. The vestry hired an English architect, Robert W. Gibson to refurbish the interior. He made no significant changes on the exterior except the addition of a clerestory for increased light within. Gibson was a well known "Gothicist" and the present cathedral shows both of these great 19th century architects at their best.

National Register of Historic Places Inventory—Nomination Form

39

Continuation sheet			ltem i	number		8		Pag	ge 2	
It was logical	that the	largest	industrial	citv	in	western	New	York	should	

commission the architect of the acclaimed Trinity Church and accordingly the vestrymen of the major Episcopal church engaged Richard Upjohn. The first designs, presented in 1848 were modified in 1849 and construction began in the spring of 1850. There was a small carpenter Gothic church on the site. It was moved and construction was begun. The church was consecrated in October, 1851 and the tower or broach spire was not completed until 1870. From the very beginning, the architect was over budget. At the consecretion, the rector, Dr. William Shelton, while praising Upjohn profusely, also noted:

A refined, cultivated, and religious taste has been here giving to every object and to every part, to every line the impress of cultivated architectural skill. The cost has far exceeded, nearly doubled, his design and our intent. It has been his infirmity, and we may pardon that infirmity in consideration of the surpassing beauty he has achieved.³


Francis Kowsky in his article on St. Paul's compares the church with the better known Trinity church:

In addition to its greater picturesqueness the Buffalo church displays more strictly than Trinity the principles of ecclesiology, the science of church building that dictated the architectural requirements for Anglo-Catholic ritual. The altar, for example, is at the eastern end of the building. Moreover, St. Paul's, built with hammer dressed random ashlar, is Early English, the style of the thirteenth century which had come to be esteemed as a purer form of Gothic than the late Medieval Perpendicular style in which Trinity is cast. But the major ecclesiological advance over Trinity is the design of the chancel, the most important liturgical area of the church. As correct ecclesiology demanded, it is distinguished externally by a lower roofline than that of the nave, which it terminates. Upjohn further called attention to the sanctuary by placing a bell turret near it at the northeast angle of the building. To churchmen of the 1850s, the back of St. Paul's gave notice of an up to date parish.

The skill with which all of these elements--asymmetry, irregular stonework, Early English style, and low chancel--are united proclaims St. Paul's the fully evolved example of a mode of church design Upjohn had embarked upon in such post-Trinity works as the Church of the Holy Communion (1846), New York City, St. Mary's (1846), Burlington, New Jersey, and Grace Church (1847), Brooklyn. Trinity Church had made America aware of the movement to reinspirit Gothic architecture that had advanced to maturity in England under the banner of Pugin; St. Paul's confirmed that, since Trinity, America's most well-known religious architect had moved beyond the Gothic Revival based on Pugin to embrace the Parish Church Revival fostered by the Ecclesiological Society, the American branch of which thought highly Continuation sheet

United States Department of the Interior National Park Service

National Register of Historic Places Inventory—Nomination Form



of Upjohn. Upjohn's recognition of his own achievement may have prompted the statement attributed to him that he regarded St. Paul's as his best ecclesiastical work.

Item number

8

Inside, St. Paul's possessed the openness of a hall church, for there was no clerestory and the aisles reached almost to the height of the nave. The feeling of spaciousness, which was characteristic of Upjohn's metropolitan churches, gained impressively from the two-story chapel extending off of the north aisle. A hammerbeam roof, the boarding of which was painted dark blue and decorated with gold stars, covered the nave. Although the imitation plaster vaulting of Trinity Church was avoided, sham was nonetheless present: the piers and arches of the nave arcades were wood painted the color of the exterior stone. The stained glass was described as being of a rich salmon color.


Predictably, local citizens touted St. Paul's as the finest house of worship in the state outside of New York City. Buffalo, the "Queen City of the Lakes," had its first architectural landmark. Situated a short distance from the terminus of the Erie Canal and within a few blocks of Lake Erie, St. Paul's symbolized the progressive spirit of the young city which enjoyed growing prosperity from its pivotal location between the farmlands and resources of the west and the markets and industry of the east. In 1866 Upjohn's beautiful church was the natural choice to become the Episcopal Cathedral for the new Diocese of Western New York, a function it continues to perform.⁴

A decade after Upjohn's death in 1878, a fire nearly destroyed his magnificent church. The interior with its wooden arcading was gutted.

Late in the summer of 1888 Robert W. Gibson (1854-1927) took charge of repairing the damaged building. Gibson, like Upjohn an Englishman, had immigrated to this country in 1881. He had made his name two years later, when, in competition with H. H. Richardson, he had won the commission for All Saints Cathedral in Albany. For all of 1889 he supervised the work at St. Paul's. On January 3, 1890, the church reopened with the service of Reconciling and Hallowing.

Retaining the original walls, which had remained sound, Gibson introduced only minor changes to the exterior. The freestanding tower escaped the blaze and stands today unaltered from Upjohn's time. It still lifts its majestic spire 270 feet into the air, well above its newer and more famous "skyscraper" neighbor across the street, Louis Sullivan's Prudential (Guaranty) Building of 1894.⁵

National Register of Historic Places Inventory—Nomination Form



Continuation sh	neet
-----------------	------

Item number

8

Page 4

Several of Gibson's additions included using stone instead of wood for the structural parts while preserving the basic outlines of the original ground plan (nave, aisles and north chapel) but made the chancel longer and wider and added a clerestory. The final bay of the nave was also enlarged to create an expansive area at the ceremonial end of the church.

Gibson also took the opportunity afforded by the fire to endow St. Paul's with that special charm possessed by Medieval buildings that have various parts in different styles. More disposed toward archaeological picture-squeness than the cautious ecclesiologists of Upjohn's day, Gibson intro-duced conspicuous details from the Decorated style of English Gothic. Most obvious are the foliated capitals in the nave arcade (and elsewhere) that replaced the simply molded ones of Upjohn's design and the striking traceried window that now fills the end wall of the chancel where earlier existed triple lancets. Gibson carefully integrated his Decorated portions with what survived from the first church. In so doing he insured that St. Paul's, erected in the style of the thirteenth century and rebuilt in the style of the fourteenth century, remained the Niagara Frontier's finest church of the nineteenth century.⁶

Footnotes

¹Historic American Building Survey. Data Pages Recording project 1964, 1965, 1973. p. 7. HABS with Olaf William Shelgrin, AIA, Buffalo.

²Loth, Calder and Sadler, Julius. <u>The Only Proper Style</u>. Boston: New York Graphic Society, 1975.

³Evans, Charles W., et. al. <u>History of St. Paul's Church, Buffalo, New York</u>. Buffalo: Matthews and Northrup, 1903. (The parish vestry minutes and building records from the nineteenth century have been lost.)

⁴Kowsky, Francis R. <u>Richard Upjohn and the Gothic Revival in Buffalo</u>. Unpublished Article. July 1977. pp. 3-4.

⁵Ibid., p. 7.

⁶Ibid., p. 8.

National Register of Historic Places Inventory—Nomination Form

OMB No. 1024-0018 Expires 10-31-87

Kor subCruce, only An and a subcruce of the subcruce Countries South and a subcruce of the subcruce South and a subcruce of the subcruce of the subcruce South and the subcruce of the subcrue of the subcruce of the subcruce

Continuation sheet

Item number

9

Page

1


Bibliography

- Bartlett Papers. Manuscript Collection, Buffalo and Erie County Historical Society.
- Clinton, Mrs. George, Jr. "Points on the Architecture of Buffalo Churches." Unpublished manuscript, Buffalo and Erie County Historical Society.
- DeMille, George Edmund. <u>St. Paul's Cathedral, Buffalo.</u> 1817-1967. A Brief History. Buffalo: Hoffman Printing Co., 1966.
- Evans, Charles W. <u>History of St. Paul's Church, Buffalo, New York 1817-1888</u>. Buffalo: Matthews-Northrup Works, 1903.

Edited with footnotes, occasional additions in the text and a continuation of the history from 1888 to 1903 by Alice M. Evans Bartlett and G. Hunter Bartlett.

- Kowsky, Francis R. <u>Richard Upjohn and the Gothic Revival in Buffalo</u>. Unpublished article, July 1977.
- Loth, Calder and Sadler, Julius. <u>The Only Proper Style</u>. Boston: New York Graphic Society, 1975.
- New York Ecclesiologist. October, 1848; April, June, 1849; July, 1850; July, September, 1851.
- Stanton, Phoebe B. The Gothic Revival and American Church Architecture. An Episode in Taste, 1840-1856. The Johns Hopkins Studies in Nineteenth-Century Architecture. Baltimore: The Johns Hopkins Press, 1968.
- Upjohn, Everhard M. <u>Richard Upjohn, Architect and Churchman</u>. New York: Columbia University Press, 1939.

National Register of Historic Places Inventory—Nomination Form



Continuation sheet

Item number

10

Verbal Boundary

All those two small triangular pieces or parcels of land situate lying and being in the City of Buffalo in the County of Erie and State of New York and bounded and described as follows:

First. Commencing at a point in the southerly line of Church Street, being the northeasterly corner of Inner Lot number forty two (42) as the same is laid down upon the Map of the Village of New Amsterdam, being the northerly corner of said Lot nearest Main Street, and running thence easterly along the southerly line of Church Street produced to a point where such line would intersect the northwesterly line of Erie Street produced, thence southwesterly, along such line of Erie Street produced, to the southeasterly corner of said Inner Lot, thence northwesterly along the easterly line of said Inner Lot to the place of beginning on said southerly line of Church Street, according to the plan laid down in the margin hereof, and marked with the letter "A".

Second. Commencing at a point in the easterly line of Pearl Street, such point being the southerly corner of said Inner Lot number 42 on said Street, and running thence southerly, along said line of Pearl Street produced, to the northeasterly, along line of Erie Street, thence northeasterly on said line of Erie Street to the southeasterly corner of said Inner Lot on said street, and thence northwesterly, the southerly line of said Inner Lot, fifty (50) links to the place of beginning, according to the plan laid down in the margin hereof and marked with the letter "B".

Also All the right title and interest of the party of the first part of in and to so much of Court, Pearl, Erie and Main Streets in said City as abut upon and lie adjacent to said Inner Lot Number 42 as laid down upon the Map hereinbefore mentioned or the lands hereby conveyed.

Book 956, page 497 Erie County Court House.

