z 0

C \supset œ **-**S z

ш ш Form 10-300 (July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

STATE:						
Vermont						
COUNTY:						
Bennington						
FOR NPS USE ONL	Y					
ENTRY NUMBER	DATE					

NATIONAL R	Poppington								
INVENT	-	Bennington FOR NPS USE ONLY							
/m 11 /	, [ENTRY NUMBER	DATE						
(Type all entr	ons)	3116/	IPR 1 1 1973						
1. NAME				A 10 A	\				
N	North Bennin	gton Depo	ot 🗳		<u>∞</u>				
AND/OR HISTORIC:			3	JAN 8 1973					
2. LOCATION				NATIONAL					
STREET AND NUMBER:	STREET AND NUMBER: CAREGISTER								
S.E. Corner of	Junction o	of Main S	treet & t	he Vermont	Railway Tracks				
	North Bennin		•	161111	ITACKS	1			
STATE		CODE	COUNTY:	<u> </u>	cor				
processor in the contract of t	/ermont	50		Bennington	00	3			
3. CLASSIFICATION CATEGORY				1	ACCESSIBLE				
(Check One)		OWNERSHIP		STATUS	TO THE PUBL	1			
District X Building	Public	Public Acquisi	tion:	Occupied	Yes:				
Site Structure	i	☐ In Pro		Unoccupied	X Restricted Unrestricted				
□ Object	☐ Both	Deing	Considered	Preservation work	□ No				
PRESENT USE (Check One of	ne More as Appendiate	,		1	l				
	_	Park	·	Transportation	Comments				
	Industrial	Private Resid		Other (Specify)		_			
	Military	Religious				_			
☐ Entertainment ☐	Museum	Scientific				_			
4. OWNER OF PROPERTY OWNER'S NAME:								í	
	/illage of N	North Ben	nington			Ve	T A T		
STREET AND NUMBER:	TITUSO OT 1	tor on Bon.	in such			Vermont	TE:		
	(No street r	number)		·		lg E	ļ		
CITY OR TOWN:	Jameh Dannir		STATE:	Vermont	50	-	Ì		
5. LOCATION OF LEGAL DE	North Bennir SCRIPTION	igcon		VEIMONE	1 30		-		
COURTHOUSE, REGISTRY O						Be	CO		
STREET AND NUMBER:	Bennington T	Town Cler	k's Offic	<u>:e</u>		Bennington	1 N N O D		
	205 South St	treet	•			in	:		
CITY OR TOWN:	205 BOUCH BY	LIEGE	STATE		CODE	gt			
				77	5.0	9		<u> </u>	
6. REPRESENTATION IN EX	Bennington			Vermont	50				
TITLE OF SURVEY:	ISTING SURVETS					D	m		
Vermont Histori		d Structu	res Surve	ey		1	1 = 1	ъ	
DATE OF SURVEY: 197	· -	☐ Federal	X State	County] Local	1	ZCM	OR 1	
Vermont Division		ric Sites	•	.·		75	BBMC	PS	
STREET AND NUMBER:	JI	TC OTCOS				3		FOR NPS USE	
Pavilion Buildi	ing							ONLY	
CITY OR TOWN:	<i>*</i>	•	STATE:	77 ·	CODE	-		' ~	
Montpelier				Vermont	50		DAT		

7. DESCRIPTION						
			(Che	ck One)		
CONDITION	XX Excellent Go	od 🗌 Fair	☐ Det	eriorated	Ruins	Unexposed
CONDITION	(Chec		(Check One)			
	X Altered	Unaltered	3			X Original Site
DESCRIBE THE DE	BESENT AND ODICINAL G	(known) Duvere	A DDEA	DANCE		

ESCRIBE THE PRESENT AND ORIGINAL (II KNOWN) PHYSICAL APPEARANCE

The North Bennington Depot is located east of Main Street, south of the tracks of the Vermont Railway (formally the Rutland Railway).

The structure is built of brick on a rectangular plan, is two stories high, and rests on a foundation of cut marble blocks. A one story brick baggage room extends east a short distance from the main block of the structure.

The walls are articulated by a series of large rectangular recesses, the top of which are decorated by a crenellated brick moulding.

The first story windows and doorways are capped by ornate stone hood mouldings. The structure has a wood cornice with scrolled brackets surmounted by a mansard roof sheathed with alternating bands of light and dark slates. A series of pedimented dormers with round arched windows, which are further accentuated by flanking wood scrollwork, is located along the roof. A brick chimney, constructed with decorative rectangular niches, is located at each end of the structure.

The Depot's most prominent exterior feature is the two story central pavilion, located along the main (south) elevation, which is capped by a full, rectangular mansard roof clock tower. A corresponding pavilion, reflecting the shape of the interior ticket office, is located at the center of the trackside (north) elevation. Another outstanding feature is the generous canopy, supported by graceful carved wood brackets or outriggers, which extends out from the building between the first and second stories and encircles the entire structure.

The interior is divided into two waiting rooms, partially separated on the track side of the building by an octagonal shaped ticket office. These lower rooms are polychromed by utilizing wood casework and wainscoting executed in alternating strips of chestnut and cherry. The second floor rooms, probably used as offices, are of more utilitarian design. A large cistern is located at the second story level beneath the clock tower.

The depot retains almost all of its original fabric with the exception of the following alterations:

- 1. Large portions of the wood cornice were replaced in 1972.
- 2. The original clock tower was removed around 1940 and was reconstructed in 1972.

Form 10-300a (July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM


STATE	
Vermont	:
COUNTY	
Bennington	
FOR NPS USE ONLY	
ENTRY NUMBER 1 1 1974	TE
HILL T T 100 TO	

7		De	, <	cr	j	n	+	i	on	
1	•	DC	, 3	CI	1	μ	L	Ť	OIL	

(Number all entries)

(Continuation Sheet)

3. The window on the west side of main pavilion was enlarged in 1972 into a doorway to provide an outside access to the second floor offices.



SI	GNIFICANCE							
T	PERIOD (Check One of More as A	ppropriate)						
-	Pre-Columbian	☐ 16th Century	☐ 18th Century ☐ 20th Century					
1	☐ 15th Century	☐ 17th Century	19th Century					
-	SPECIFIC DATE(S) (If Applicable	and Known) 1880						
T.	AREAS OF SIGNIFICANCE (Chec	k One or More as Appropria						
1	Abor iginal	Education .	Political Urban Planning					
1	☐ Prehistoric	☐ Engineering	Religion/Phi-Other, (Specity)					
1	☐ Historic	☐ Industry .	losophy					
1	☐ Agriculture [X] Architecture	Invention	□ Science □ 1/4 0 1973 □					
1	Art Art	☐ Landscape Architecture	Sculpture Social/Human					
l	Commerce	Literature	Joseph Manual Control of the Control					
	Communications	Military	itarian Theater					
١	Conservation	Music	▼ Transportation					
-			TA Tronsportation					
15	STATEMENT OF SIGNIFICANCE							
	line and two maje result, the villa In 1880, in order	or lines to Ma age became a m r to provide a	ion of the Rutland Railway mainssachusetts and New York. As a ajor station stop better passenger facility at brick depot was constructed to					
	replace a wood frame station located on the same site. Shortly after the structure was erected, a contemporary account related that the building "receives the attention and commendation of travelers who may stop for a short or longer time at the station, as well as the admiration of the citizens generally". 1							
	For over half a century the depot served as the gateway to the village. Beginning in the 1930's the structure gradually fell into disrepair as a result of the general decline in the Rutland's passenger service.							
	ed only as a rem Fortunately, a h	inder of the v ighway project d. A citizens tate of Vermon	pot had become derelict and servillage's important railroad past slated to obliterate the struction group formed to acquire the tin order to convert the build-					
	1972. Few compr been made by the integrity of thi 19th railroad st project has the	omises to the architect. A s most importa ation architec added distinct ympathetic ada	ion is expected by the end of integrity of the structure have s a result, the architectural nt remaining example of late ture has been preserved. The ion of being one of the most ptive use projects to take place					
	1. Abby Ma (Chicago, 1887),		ed. Local History of Bennington					

SE

Z

æ ⊂

S

	1. (Child, Hamilto ton County,	n. Gazet Vt. Syr	teer	a	nd Bus	siness	Dire	ctory	of Be	nning-	
	2. I	lemenway, Abby Chicago: (Maria.	The 1	Lo	cal H	istorv	of B	Rennino	ton	- 33- 3 4	
	3. 8	Shaughnessy, J Howell-Nort	im. The	Rut1a	an	id Road	1887, <u>1</u> . Be	pp. rkele	48-49. y, Cal	lif:		
	4. V	Valbridge, Her	bert Steb	bins.		The I	listor	y and	l Devel	opme	nt of	
		North Benni p. 30.	ngton, ve	rmon	<u>.</u>	(no	pub 11	sher	given)	193	7,	
10		RAPHICAL DATA										
		LATITUDE AND LONGITU		- 1	O R	DEFI	NING THE	CENTER	POINT OF	A PROP	1	
	CORNER	LATITUDE	LONGITUD		••		ATITUDE		LC	NGITUD	E	
	NIW	Degrees Minutes Seconds	Degrees Minutes	Seconds		Degrees 420	Minutes 55,		Degrees 73°		,	
	NW NE	0 , ,	0 ,	,		42	33.	30"	/ 3°	14'	33 "	
	SE	0 , ,,	o ,						•		•	
	SW	. o , ,	۰,	,		'					:	
l	APPROX	MATE ACREAGE OF NOM	INATED PROPER	TY:	0	ne acr	`e			· .		
	LIST ALI	STATES AND COUNTIES	FOR PROPERTIE		-		TE OF CE	UNTYBO	UNDARIES			
	STATE:			CODE	┦'	COUNTY	(All D	1			CODE	
	STATE:	•		CODE	1	COUNTY	7 11/2	CEIVE			CODE	
					-	COUNTY	way.	8 <u>1973</u>	- [-]		CODE	
	STATE:			CODE	- '	יין ואטטט	NAT	IOMA			CODE	
	STATE:			CODE	1	COUNTY	REG	ISTER			CODE	
1	FORM	PREPARED BY			1		V En	7777)yy		1	
Ì		ID TITLE:	•		<u> </u>		>00		•	,		
ļ	Chest	er H. Liebs,	Superviso	r		•			DATE			
	• • • •	nt Division o	f Histori	c Sit	:e	s	·		12	/6/7	2	
- 1				1 () : () :				:				
	PAVII	ion Building			s	TATE					CODE	
	Month	elier	e e				Vermo	n t 🖟	• • • •		50	
12,		LIAISON OFFICER CE	RTIFICATION			N/	TIONAL	REGIST	ER VERIF	CATION	1	
					T				•)		
	As the	designated State Liaiso	on Officer for the	Na-							1	
		Historic Preservation A			I hereby certify that this property is included in the							
	89-665), I hereby nominate this	property for inc	lusion	National Register.							
	in the	National Register and c	ertify that it has	been	1	. (1) , 3	1 9	1			
		ted according to the crit		· · · · · · · · · · · · · · · · ·		- (/)	MUNI	mu	their			
		y the National Park Serv	and the second second second second	mended	- .	Chief, O	ffice of A	rcheology	y and Histo	ric Pres	servation	
		of significance of this notational \(\sum_{\text{'}} \) State	the state of the s	ń.								
		ational				Data	4/1	1/73				
	Name	Milliam B	Timey	%		Date			1			
						ATTEST		: 1	' / .	A		
	T:+1c	Director of H	istoric S	itec		•	12h	111	11,	文	フナー	
	1 101e			Tres	Keeper of The National Register							
		State Liaison	orricer									
Date12/6/72					Date 4.3.3							

9. MAJOR BIBLIOGRAPHICAL REFERENCES

Tracks CODE 003 DATE E Railway FOR NPS USE ONLY Bennington BB ENTRY NUMBER Vermont Bennington 1 1973 COUNTY 8 the 14N 8 COUNTY: (Type all entries - attach to or enclose with map) $\mathbb{S}_{>}$ series NATIONAL REGISTER OF HISTORIC PLACES S.E. Corner of Junction of Main Street CODE 50 7.5 minute PROPERTY MAP FORM Depot Bennington 1. Property broundaries where required. Latitude and longitude reference. Quadrangle TO BE INCLUDED ON ALL MAPS North Bennington :24,000 North STREET AND NUM BER: 1954 2. North arrow. AND/OR HISTORIC: MAP REFERENCE 4. REQUIREMENTS CITY OR TOWN: U.S.G.S. Vermont 2. LOCATION COMMON: SOURCE STATE: SCALE: DATE: NAME

S

В

2 E

3

Vermont

STATE

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

Form No. 10-301

١

S

0

INT: 155-72

