Form 10-300 (July 1969)

## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

## NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

STATE:	
Vermont	
COUNTY:	
Windham	
FOR NPS USE ONL	Υ
ENTRY NUMBER	DATE
Mai 2 1472	

	(Type all entries	s — complete applicabl	e sections)	,NUL 2 1937	/3	$\neg$			
1.	NAME								
	COMMON: Kidder Co	vered Bridge							
	AND/OR HISTORIC:	vered bridge		<del></del>		$\dashv$			
2.	LOCATION								
	STREET AND NUMBER: Town road across South Branch of Saxtons River,  0.3 mile southeast of Grafton village								
	Grafton								
	STATE	•	CODE COUNTY:	· · · · · · · · · · · · · · · · · · ·	COE				
	Vermont		50	Windham	025	$\dashv$			
3.	CLASSIFICATION								
<u> </u>	CATEGORY	OWNE	PSHIP	STATUS	ACCESSIBLE				
	(Check One)	, omite	COLLI		TO THE PUBL	IC			
	District Building	1-	c Acquisition:	X Occupied	Yes:				
	☐ Site		☐ In Process ·	☐ Unoccupied	Restricted Unrestricted	,			
	☐ Object	Both	Being Considered	Preservation work	W Unrestricted	1			
			<u> </u>	in progress					
	PRESENT USE (Check One or M	<del></del>				_			
		overnment Park		Transportation	Comments				
			ate Residence	Other (Specify)		-			
		ilitary ☐ Reli useum ☐ Scie	-			-			
Figure		0300III	-			_			
4.	OWNER OF PROPERTY OWNER'S NAME:					<del>                                     </del>			
	Town of Grafton					Ve			
	STREET AND NUMBER:				· · · · · · · · · · · · · · · · · · ·	Vermont			
	(no street numbe	r)							
	CITY OR TOWN:		STATE:		CODE	17			
17200	Grafton			Vermont	50				
5.	LOCATION OF LEGAL DESC					<del> </del>			
	Office of Town C					Windh			
	STREET AND NUMBER:					nd			
	(no street numbe	r)				Ø			
	CITY OR TOWN:		STATE		CODE	Ħ			
	G S.								
10000000	Grafton Vermont 10//,50								
٥,	REPRESENTATION IN EXISTING SURVEYS  TITLE OF SURVEY:  CO RECEIVED								
	Vermont Historic	Sites and Sta	cuctures Suri	rov (co) MEU	TINED >	UL 2			
	DATE OF SURVEY: 1973		Federal State		8 L. 1973 - 1-1	20			
	DEPOSITORY FOR SURVEY RE	CORDS:	<b>X</b>		IONAL	1973			
	Vermont Division	of Historic	Sites	PEG	ISTER				
	STREET AND NUMBER:			(O) NEC					
	Pavilion Buildin	.g							
	CITY OR TOWN:		STATE:		CODE	$\vdash$			
	Montpelier		!	Vermont	50				

	¢	4	
_	٠	•	1
_	r	•	
	•	•	1
	,	_	
	ſ	ı	ı
	_	_	
	2	7	_
	_		
	ι	,	1
	-	_	1
	7	τ	1
:			
	C	-	-
	(	-	١
	١		۰
	_		,
	-		•
	_	_	_
	C		)
	7	Z	_
	L	1	)

DESCRIPTION	T								
•	<b>S</b> - 11		(Check Or						
CONDITION	X Excellent	Good Fa	r Deterior		Unexposed				
	X Alter	(Check One) ed □ Unali	ered	(Ch ☐ Moved	veck One) √ Original Site				
ESCRIBE THE P		GINAL (if known) PHY:			X Original Site				
	<del></del>			•					
					an supported				
		mber queenpo							
uspensio	n rods au	gment the ve	rtical ti	nbers in t	he trusses.				
		ngitudinally							
		e under the							
form of a	narallal	ogram, with	a chaw of	15 degree	e from the				
roim or a	parattett	ogram, WILL.	a SNEW UI	TO GEREG	abutments				
		een the flan							
					ted of stone				
slabs faced with concrete. The bridge is 66 feet long and									
			15 feet wide, with a 12-foot roadway.						
				13 00 1001	long and				
15 feet w	ide, with	a 12-foot r	oadway.						
15 feet w On the ex	ide, with terior, the	a 12-foot r e heavy tim	oadway. bers whic	n form the	queenpost				
15 feet w On the ex trusses o	ide, with terior, the f the brid	a 12-foot r ne heavy tim dge are shea	oadway. bers whic thed with	n form the flush boa	queenpost rds hung				
15 feet w On the ex trusses o	ide, with terior, the f the brid	a 12-foot r ne heavy tim dge are shea	oadway. bers whic thed with	n form the flush boa	queenpost rds hung				
15 feet w On the ex trusses o verticall	ide, with terior, the f the brid y. Simila	a 12-foot r he heavy tim dge are shea ar siding pr	oadway. bers whic thed with otects th	n form the flush boa e ends of	queenpost rds hung the trusses				
15 feet w On the ex trusses o verticall immediate	ide, with terior, the f the brid y. Simila ly inside	a 12-foot relation in the heavy time dge are shear siding protes the portals	oadway. bers which thed with otects th . There	n form the flush boa e ends of are no win	queenpost rds hung the trusses dows or				
15 feet w On the ex trusses o verticall immediate openings	ide, with terior, the the bridge y. Simila ly inside in the side	a 12-foot relationship in a 12-foot relation	oadway. bers which thed with otects th There able ends	n form the flush boa e ends of are no win are flat	queenpost rds hung the trusses dows or and sheathed				
On the extrusses overticallimmediate openings	ide, with terior, the bridge y. Simila ly inside in the side ical flus	a 12-foot read to the heavy time dge are shead ar siding protals ding. The geat boards. The geat the boards.	oadway. bers which thed with otects th There able ends he roof o	n form the flush boa e ends of are no win are flat	queenpost rds hung the trusses dows or and sheathed				
15 feet w On the ex trusses o verticall immediate openings with vert	ide, with terior, the bridge y. Simila ly inside in the side ical flus	a 12-foot relationship in a 12-foot relation	oadway. bers which thed with otects th There able ends he roof o	n form the flush boa e ends of are no win are flat	queenpost rds hung the trusses dows or				
15 feet w On the ex trusses o verticall immediate openings with vert	ide, with terior, the bridge y. Simila ly inside in the side ical flus	a 12-foot read to the heavy time dge are shead ar siding protals ding. The geat boards. The geat the boards.	oadway. bers which thed with otects th There able ends he roof o	n form the flush boa e ends of are no win are flat	queenpost rds hung the trusses dows or and sheathed				
On the extrusses overticallimmediate openings	ide, with terior, the bridge y. Simila ly inside in the side ical flus	a 12-foot read to the heavy time dge are shead ar siding protals ding. The geat boards. The geat the boards.	oadway. bers which thed with otects th There able ends he roof o	n form the flush boa e ends of are no win are flat	queenpost rds hung the trusses dows or and sheathed				
On the extrusses overticallimmediate openings	ide, with terior, the bridge y. Simila ly inside in the side ical flus	a 12-foot read to the heavy time dge are shead ar siding protals ding. The geat boards. The geat the boards.	oadway. bers which thed with otects th There able ends he roof o	n form the flush boa e ends of are no win are flat	queenpost rds hung the trusses dows or and sheathed				
15 feet w On the ex trusses o verticall immediate openings with vert	ide, with terior, the bridge y. Simila ly inside in the side ical flus	a 12-foot read to the heavy time dge are shead ar siding protals ding. The geat boards. The geat the boards.	oadway. bers which thed with otects th There able ends he roof o	n form the flush boa e ends of are no win are flat	queenpost rds hung the trusses dows or and sheathed				
15 feet w On the ex trusses o verticall immediate openings with vert	ide, with terior, the bridge y. Simila ly inside in the side ical flus	a 12-foot read to the heavy time dge are shead ar siding protals ding. The geat boards. The geat the boards.	oadway. bers which thed with otects th There able ends he roof o	n form the flush boa e ends of are no win are flat	queenpost rds hung the trusses dows or and sheathed				
15 feet w On the ex trusses o verticall immediate openings with vert	ide, with terior, the bridge y. Simila ly inside in the side ical flus	a 12-foot read to the heavy time dge are shead ar siding protals ding. The geat boards. The geat the boards.	oadway. bers which thed with otects th There able ends he roof o	n form the flush boa e ends of are no win are flat	queenpost rds hung the trusses dows or and sheathed				

NATIONAL REGISTER

PERIOD (Check One or More as A			
	☐ 16th Century	. [] 18th Century	20th Century
15th Century	17th Century	19th Century	*
SPECIFIC DATE(5) (If Applicabl	e and Known) ci	rca 1870	
AREAS OF SIGNIFICANCE (Che		ate)	, , , , , , , , , , , , , , , , , , ,
Abor iginal	☐ Education	☐ Political	Urban Planning
Prehistoric	🕱 Engineering	Religion/Phi-	Other (Specify)
☐ Historic	Industry	losophy	
☐ Agriculture	Invention	Science	
Architecture	☐ Landscape	☐ Sculpture	
☐ Art ☐ Commerce	Architecture  Literature	Social/Human-	
Communications		itarian Theater	
Conservation	☐ Military	Transportation	
	Music	A) Transportation	
STATEMENT OF SIGNIFICANCE	, v		
Varmontle cover	ed bridges ar	a among the cta	tals most charish
and symbolic hi still stand in of covered brid integral parts physical settin until recently. grams are now dof the state. to extend the r	storic resourestees the state, the ges in the composition and cultura However, extrastically characters of the Vermont Decognition and jority of the	ces. About one greatest concuntry. I Many o hitectural envi l context have tensive highway anging the hist ivision of Hist d protection of	te's most cherish hundred bridges entration by area of these bridges a ronments whose been little alter construction proportic environment oric Sites wishes the National Regred bridges, in-

9.	MAJOR	BIBLIOGRAPHICAL RE	FERENCES								
	Morse, Victor (rev. by R. S. Allen), Windham County's Famous Covered Bridges, The Stephen Greene Press, Brattleboro,										
	Vt., 1960.  Allen, Richard Sanders, Covered Bridges of the Northeast, The										
	A116	en, Richard Sa Stephen Gr	nders, <u>Co</u> eene Pres	vered s, Bi	d ra	Bridg ttleb	es of oro,	the NVt., 1	Northe 1957.	ast,	The
10	. GEOGI	RAPHICAL DATA									
		ATITUDE AND LONGITU		1	0		иій в тн	AND LONG E CENTER F LESS THA	POINT OF	A PROP	
f	CORNER	LATITUDE	LONGITUD	E	R	L	ATITUD		<del></del>	ONGITUD	E
Ī		Degrees Minutes Seconds	Degrees Minutes S	Seconds		Degrees	Minutes	Seconds	Degrees	Minutes	Seconds
	NW NE	O 1 11	0 ,	,,		43 °	10 '	09 *	72°	36 '	20 "
	SE·	0 , ,	0	: ":		·	i 1:		**		
j	SW	MATE ACREAGE OF NOM	INATED PROPER	TY: ·	<u>. '</u>				110		
ŀ		STATES AND COUNTIES			LAI	one a	CTE OR C	SE FYNUO:	UNDARIE	12	
- F	STATE:		period of the	CODE		OUNTY		(3)	RECEIVE	70	CODE
	STATE:			CODE	6	OUNTY:		10 .01	7N 8 10	-	CODE
		e e e e e e e e e e e e e e e e e e e			1		*	1 N	19	73	
	STATE:		1213 - T.C	CODE	- 0	OUNTY:		(O) R	EGISTE:	LA	CODE
	STATE:			CODE	-	OUNTY:			721116		CODE
		PREPARED BY		•	1				<u> </u>	2/	
-{	4 . *	H. Henry, Re	searcher		,			•	12.12	• •	
ŀ	ORGANIZ		<u> </u>	<del></del>		•	· ·	<del></del>	DATE		
	Vern	nont Division	of Histor	ic S	it	es			May	16,	1973
	Pavi	AND NUMBER: 11ion Building	<i>iv</i> •	: :				<u> </u>	est det	41.5	:
	CITY OR				s	TATE			ers I	. '	CODE
	Mont	pelier					Vermo				50
12.	SIATE	LIAISON OFFICER CE	KIIFICATION		#	N.	AIIUNA	L REGISTI	EK VERIF	ICATION	1
	As the	designated State Liaiso	on Officer for the	Na-		I homoby	contify t	hat this no	onorty is	inaludad	in the
		Historic Preservation A			I hereby certify that this property is included in the National Register.						In the
		), I hereby nominate this				National	Kegiste	1.			
		National Register and c					$\mathcal{D}_{i}$	$\mathcal{O}_{\mathcal{O}}}}}}}}}}$	4, ,.	•	
		ted according to the crit				1	Kope	s Mr	Utle		
		y the National Park Serv of significance of this no		nended		Chief, O	ffice of	Archeology	and His	oric Pres	ervation
		ational 🗀 State		П					U		
	.,,	. /					7	/2/22			}
		1.111. 12	A.			Date		2/13		· · · · · · · · · · · · · · · · · · ·	
	Name	Milliam D	( Minist			ATTEST	:	. 5 /			
		<del>.</del>								250	,
	Title I	Director of Hi	.storic <sup>'</sup> Si	tes			b	9/1/	72226		

Title Director of Historic Sites
State Historic Preservation
Officer

Date June 1, 1973

Keeper of The National Register

Date \_\_\_\_\_

