N.J. Office of Cultural and Environmental Services, 109 W. State Street, Trenton, N.J. 08625 609-292-2023

Prepared by Heritage Studies, Inc. Princeton, N.J. 08540 609-452-1754

Survey # 7-8

NEW JERSEY TRANSIT RAILROAD STATION SURVEY

١,	IDEN	TIFICATION
	Α.	Name: Common Mountain Avenue Line: Hoboken Division - Boonton Historic (Erie)
	В.	Address or location:
		451 Upper Mountain Ave nue Upper Montclair, N. J. 07043 County: Essex Municipality: Montclair Town Block & lot:
	C.	Owner's name: New Jersey Transit Address: Newark N. J.
		Location of legal description: Recorder of Deeds, Essex County Courthouse, Raymond Boulevard, Newark, N.J. Representation in existing surveys: (give number, category, etc., as appropriate)
		HABS HAERELRR ImprovementNY&LB Improvement
•	,	Plainfield Corridor NR(name, if HD)
		NJSR (name, if HD)
		NJHSI (#)
		Northeast Corridor
		Local (date)
		Modernization Study: site plan χ floor plan χ aerial photo
		other views X photos of NR quality? X
2.	EVALU	ATION
	A.	Determination of eligibility: SHPO comment? (date NR det.? (date
	В.	Potentially eligible for NR: yes X possible no
		individual thematic $_{ m X}$
	С.	Survey Evaluation: <u>145/170</u> points 158

FACILITY NAME: Mountain Avenue

RR-0713-Survey # 7-8

3. DESCRIPTION--COMPLEX IN GENERAL

Describe the entire railroad complex at this site; mention all buildings and structures, with notation of which are not historic. Check items which apply and discuss in narrative:

Moved buildings (original location, date of and reason for move) XAny non-railroad uses in complex (military recruiting, etc.) private residence Any unusual railroad building types, such as crew quarters, etc. (specify) Known threats to complex or individual structures
Surroundings:urban <u>X</u> suburbanscattered buildingsopen spaceXresidentialwoodlandagriculturalindustrialdowntown commercialhighway commercialother (specify)
Relationship of station grade to track grade: X Station and track grade at same levelStation at street grade, track depress Station spans trackTrack elevated above street grade, multi-level station
of tracks: 2 Pedestrian access across tracks: Pedestrian bridge:at street gradeelevatedPedestrian/vehicular bridge:at street gradeelevatedTunnelX None provided

Discuss character of vehicular and pedestrian approaches to complex; landscaping; relationship to parking. Refer to, and key with, site plan.

The Mountain Avenue complex consisting of a one and one-half story, Shingle style station with platforms on either side of the tracks, is located near the southeast corner of Mountain Avenue and Laurel Place in an area of large houses and well landscaped lawns. Tracks are aligned generally north to south. Paralleling the tracks on the east is a small parking lot (1) which is connected to the platform via two short flights of steps (A) (B). Pedestrians may approach the platform from the parking lot or from neighboring streets. The north half of the station has been converted to a private residence.

. 3

FACILITY NAME: Mountain Avenue

RR-0713-Survey # 7-8

3. DESCRIPTION--PLATFORMS AND CANOPIES

X Inbound 466' asphalt platform. No canopy.

X Outbound 568' asphalt platform. No canopy.

Lighting consists of incan. fixs. on metal poles (orig)

Between tracks

Nature and extent of existing original material and alterations: roof type, material, supports; freestanding or attached to building; seating; lighting; signage; other.

-4

4. DESCRIPTION - BUILDINGS (EXTERIOR)

Fill out separate sheet for each building at facil key with, site plan.	•
Account for original materials and finishes where	different from existing
Station Shelter Freight House	Other(specify)
General architectural description, including style	, shape, roof type,

General architectural description, including style, shape, roof type, # stories, # bays, orientation to track, location of entrances, etc.

The Mountain Avenue station, located W of the tracks, consists of a 11/2story rectangular block with a gabled roof on the S and a hipped roof on the N. The E facade contains a central polygonal projection with a circular projection near the SE corner of the block. N of center in both the E and W facades are dormers, their roofs forming a cross gable whose plane continues as the hip on the N. Midway on the W facade is another much smaller hipped dormer. A large rubble chimney rises on the E side of the S facade. The E facade contains 3 windows in the polygonal projection, flanked on the S by a door and 3 windows on the circular projection; and on the N, by a window/panel, a door (originally a double leaf freight door), and a window. There are 4 windows in the dormer. The W facade contains a central window, flanked on the N by a door and window/panel (originally a double leaf freight door); and on the S by a door and 2 windows. There are 4 windows in the large dormer and one window in the small dormer. The S facade contains 2 windows with a fanlight in the gable; the N facade, a door on the E side and a window on the W side. Walls are stone rubble with stucco gable ends. Roofing is asphalt shingle, although originally was probably slate. Most other materials appear original.

Survey # 7-8

4.	DESCRIPTION	_	RITIDINGS	(FXTFRIOR)	CONTO.
	DECCMI I TON		כטוועונטו		CONTIDI

Fill out separate sheet for each building at facility.

Station X Shel	terFreight HouseOther	(specify)
EXTERIOR MATERIALS	AND SYSTEMS:	
	Original	Existing, if different
Structural system:	bearing wall/wood frame roof	
Foundation:	stone rubble	
Base course:	none	
Walls:	stone rubble (gray); stucco gable ends	
Trim:	rock faced sandstone sills, quoins, ½ timber-dormers and gable ends exposed wood framing, surrounds	(green paint)
Doors:	12/1 panel with art glass transom; 5 panel with art glass transom	· · · · · · · · · · · · · · · · · · ·
Roofing:	slate?	asphalt shingle
Soffit:	boards , possibly varn.	(gray paint)
Windows:	fanlight (S side) 6p. with art glass transom (doubled) 16/1; 1/1	(red paint)
Lighting:	(3) soffit attach. incan. with circ. shade	·
Signage:	(locational) board (soffit N side)	(repainted)
Drainage:	wood gutters?	alum. gutters and downspouts
Other:	(1) bench (concrete and board) rubble chimney (S wall) (NW side) metal cylindrical chimney (center at ridge)	•.

-5 RR 0713-

FACILITY NAME Mountain Avenue

Survey # 7-8

4. DESCRIPTION - BUILDINGS (INTERIOR)

Fill out skey with,			for each building a	t facility.	Refer to, and
Station	Х	_Shelter	Freight House	Other	(specify)
			escription of all space if known, any remode		ng original

The spaces of the Mountain Avenue station are on 2 levels with a basement. The S 2/5 of the 1st floor comprises the Waiting Room (1). It is notable for a semi-circular bay window on the E wall and a stone rubble fireplace on the S wall. There is a small toilet room (3) adjoining the N wall on the W and a central hall leading from the middle of the N wall past the Ticket Office (2) on the E and a bath and stairwell on the W. Originally, the Toilet and Bath were parts of the same room, most likely, a Rest Room. At the N end of the hall and comprising the N 2/5 of the building is the Baggage Room, now a Living Room. Two utility rooms, that in the NE corner containing stairs to the basement, have been partitioned off the N end of the space. Most of the materials are original but have been repainted (see finish schedules which follow).

The Second Floor was originally intended as a residence; its room configuration appears original although, with the exception of window trim, all materials and finishes are due to later remodeling.

RR 0713- 7-8 Survey #

FACILITY NAME: Mountain Avenue

4. DESCRIPTION - BUILDINGS (INTERIOR) CONTD.

STATION -	ROOM AND FINISH SCHEDULE	NUMBER	0F	ROOMS	13	
NAME	Waiting Room	NUMBER	ON	FLOOR	PLAN_	1
•	Original		Ex	isting	, if d	ifferent
Floors:	board					
Base:	none					
Wainscot:	vert. match. boards, probably	varn.		(greer	paint	:)
Walls:	hor. match. boards, prob. varn		*********	(1t. g	green)	
Ceiling:	match. boards, prob. varn.	-		(crear	n paint	:)
Trim:	wood molded surrounds, chairra frames, prob. varn.	il,		(g ree i	n paint	:)
Doors:	(2) 12/1 panel; (1) 5 panel, panel	rob. vari	n. 	(pair	nt)	
Seating:	wood built-in bench (S & W sider prob. warn.	es),		(gree	n paint	:)
Lighting:	incan. fixs. ?		. —	4 han		orescent
Other:	stained glass lights over wind (red, yellow) geometric patter iron radiators (E & W sides) wood counter under ticket wind massive rubble fireplace, (S w brick hearth	low				<u>_</u>

RR 0713-Survey # 7-8

(paint)

(2) fluorescent fixs. ceiling attach.

FACILITY NAME: Mountain Avenue

Doors:

Seating:

Lighting:

Other:

none

hang. incan. fix. ?

4.	DESCRIPTION	- BUILDINGS (INTERIOR)	CUNID.					
	STATION -	ROOM AND FINISH SCHEDULE		NUMBER	0F	ROOMS	13	
	NAMET	icket Office		NUMBER	ON	FLOOR	PLAN	2
	•	Original			Exi	isting,	, if di	fferent
	Floors:	boards				carpet	 	
	Base:	none						
	Wainscot:	vert. matched boards, pro	ob. varn			(green	paint)	
	Walls:	hor. matched boards, prol	o. varn.			(green	paint)
	Ceiling:	matched boards, cornice m	nolding,			(greer	paint)
	Trim:	wood, molded surrounds, s	ills,	• · · · ·		(pain	t)	

(1)/1/(2) with circular arch opening and counter, prob. varn.

built in desk under E windows

-5A 0713-RR Survey # 7-8

toilet

FACILITY NAME: Mountain Avenue

4.	DESCRIPTION	I - BUILDINGS (INTERIOR) CONTD.					
	STATION -	ROOM AND FINISH SCHEDULE	NUMBER	R OF	ROOMS	13	
	NAME	Toilet	NUMBER	RON	FLOOR PL	.AN	
		Original		Ex	isting,	f different	
	Floors:	boards			linoleum		•
	Base:	board, prob. varn.			(white p	aint)	
	Wainscot:	none			, ,	shave dk gr	,,,,,
	Walls:	vert. match. boards, orob. varn.		(lt pair	green tbelow) N wall d dow surr	pt.above dk. gr uts across win- ound	
	Ceiling:	match. boards, cornice molding, prob. varn.			(white p	aint)	
	Trim:	wood molded chairrail, surrounds prob. varn.	. . و		(paint)	·	
	Doors:	5 panel, prob. varn.			(lt. gr	een, dk. green p	aint)

Seating: none

Lighting: ceiling mounted incan. fix.

Other:

toilet tank originally attached to upper E wall iron radiator (W wall)

5 panel, prob. varn.

FACILITY NAME: Mountain Avenue

Other:

	· •		
DESCRIPTION	N - BUILDINGS (INTERIOR) CONTD.		
STATION -	ROOM AND FINISH SCHEDULE	NUMBER	OF ROOMS 13
NAMEBat	h Room (W of Ticket Office)	NUMBER	ON FLOOR PLAN
•	<u>Original</u>		Existing, if different
Floors:	board		asphalt tile (white)
Base:	none?		board (yellowspaint)
Wainscot:	none?	·	none
Walls:	match. boards, prob. varn.		(yellow paint)
Ceiling:	match. boards, prob. varn.		S wall cuts across window surround (yellow paint)
Trim:	wood molded chairrail, surrounds, prob. varn.		(yellow paint)
Doors:	4/2 panel, prob. varn.		(ivory paint)
Seating:	none		
Ligh ting:	incan. fix.?	-	ceiling mount, incan

RR 0713-Survey # 7-8

FACILITY NAME: Mountain Avenue

Other:

. DES	CRIPTION	- BUILDINGS (INTERIOR) CONTD.			
ST	TATION - I	ROOM AND FINISH SCHEDULE NUME	BER	OF ROOMS 13	
N	MEB	aggage Room NUME (N of Ticket Office)	BER	ON FLOOR PLAN	
	•	Original		Existing, if different	<u>:</u>
F	loors:	board		(cream paint)	<u>-</u>
Ва	ase:	unknown		wood floor molding (cr	eam paint
Wa	ainscot:	vert. match. boards, prob. varn.		(cream paint)	-
Wa	alls:	hor. match. boards, prob. varn.		(cream paint)	_
Ce	eiling:	match. boards, ceiling molding, prob. varn.		(cream paint)	
Tr	im:	wood molded surrounds, chairrail,		(cream paint)	-
Do	ors:	(2) 12/1 panel with stained glass transom, 5 panel to N Room, prob.		(cream paint)	•
Se	eating:	none			•
	lahtina	hang. incan. fix.			

4. DESCRIPTION - BUILDINGS (INTE	TKIOKY	COVID.
----------------------------------	--------	--------

STATION - I	ROOM AND FINISH SCHEDULE	NUMBER	OF ROOMS 13
NAME Util	lity room (NW corner) ginally part of the baggage room Original	NUMBER	ON FLOOR PLAN Existing, if different
Floors:	board		linoleum
Base:	?		simple wood
Wainscot:	<pre>probably vertical matched boards varnished</pre>	•	none
Walls:	probably vertical matched boards varnished	:	wall paper /plasterboard
Ceiling:	probably vertical matched boards varnished		acoustical tile, ceiling molding
Trim:	wood molded surrounds	•	paint
Doors:	5 panel, wood, probably varn.	·	paint
Seating:	none		
Lighting:	unknown		ceiling attach. incan. fix.
Other:			

RR 0713-Survey # 7-8

DESCRIPT	ION - BUILDINGS (INTERIOR) CONTD.	
STATION	- ROOM AND FINISH SCHEDULE N	UMBER OF ROOMS 13
NAMEL	Utility Room (NE corner) Originally part of the baggage room?	UMBER ON FLOOR PLAN
	<u>Original</u>	Existing, if different
Floors:	boards	linoleum
Base:	unknown	
Wainsco	t: unknown	
Walls:	unknown	plasterboard/open_beam
Ceiling	: unknown	acoustical tile
Trim:	wood molded surrounds, prob. varn.	paint
Doors:	5 light with transom, wood, prob.	varn. paint
Seating	: none	
Lightin	g: unknown	ceiling attach. incan. fix
Other:		

RR 0713-Survey # 7=8

4.	DESCRIPTION	- BUILDINGS (INTERIOR) CONTD.		
	STATION -	ROOM AND FINISH SCHEDULE	NUMBER	OF ROOMS 13
	NAMEBat	h Room, 2nd fl. in sm. gable	NUMBER	ON FLOOR PLAN
	•	Original		Existing, if different
	Floors:	board		linoleum (yellow)
	Base:		-su-densitivali	board (pink paint)
	Wainscot:			cer. tile (tan)
	Walls:	plaster		paper (pink)
	Ceiling:	plaster	-	paper (pink)
	Trim:			wood
	Doors:	(2/2), wood		(pink paint)
	Seating:	none		
	Lighting:	unknown		incan.
	Other			

· DESCRIPTION	- BUILDINGS (INTERIOR)	CONTD.		
STATION - F	ROOM AND FINISH SCHEDULE		NUMBER	OF ROOMS13
NAMEBedr	2nd fl. coom I (E of bath)	•	NUMBER	ON FLOOR PLAN
•	Original			Existing, if different
Floors:	board	······································	·	carpet (beige)
Base:				board (white paint)
Wainscot:				
Walls:				paper plasterboard
Ceiling:				paper simulates wood paneling
Trim:			a. a. a.	plain ceiling molding
Doors:				5 panel (closet)
Seating:				none
Ligh ting:	·		•	ceiling attach. incan. fix.
Other:				attic door stove pipe (S side)

-5A RR 0718-Survey # 7-8

DESCRIPTION	- BUILDINGS (INTERIOR) CONID.		
STATION -	ROOM AND FINISH SCHEDULE	NUMBER	OF ROOMS 13
NAME_Sitt	2nd floor ing Room (N of Bedroom I)	NUMBER	ON FLOOR PLAN
•	Original		Existing, if different
Floors:	board		carpet
Base:			board (white paint)
Wainscot:			none
Walls:			paper/plasterboard (tan)
Ceiling:			celatex (white)
Trim:	wood, molded surrounds		
Doors:			(2/2)
Seating:			none
Lighting:			ceiling mounted incan. fix
Other:			

-5 A RR 0713-Survey # 7-8

FACILITY NAME: Mountain Avenue

١.	DESCRIPTION	- BUILDINGS (INTERIOR) CONTD.		
	STATION - F	ROOM AND FINISH SCHEDULE	NUMBER	OF ROOMS 13
	NAMEKitc	2nd fl. hen (W of Sitting Room in dormer)	NUMBER	ON FLOOR PLAN
		Original Original		Existing, if different
	Floors:	board		asphalt tile
	Base:			board (white paint)
	Wainscot:			blond paneling
	Walls:			paper/plaster board
	Ceiling:		<u>-</u>	plaster .
	Trim:	wood, molded surrounds	• •••	chairrail
	Doors:		•	(2/2)
	Seating:		ni	none
	Ligh ting:		·	ceiling attach. fluorescent fix
	Other:	site of coal stove (E wall)		

FACILITY NAME:

Mountain Avenue

RR 0713-Survey # 7-8

4.	DESCRIPTION -	BUILDINGS	(INTERIOR)	COVID.
	DECONAL LIGHT		/ # 1 # 1 F 1 / # C 1 / /	0011121

STATION -	ROOM AND FINISH SCHEDULE	NUMBER	0F	ROOMS	13
NAME	Cellar	NUMBER	ON	FLOOR	PLAN_
	Original		Exi	sting,	if different
Floors:	concrete and earth				
Base:	none				
Wainscot:	none				
Walls:	coursed rubble		-		
Ceiling:	floor framing				
Trim:		-			
Doors:		Management of the con-			The state of the s
Seating:					· · · · · · · · · · · · · · · · · · ·
Ligh ting:			(6) inca to f	n. fixs attach loor framing
Other:	coal bin coal-fired boiler				

RR 0713= Survey # 7-8

FACILITY NAME:

Mountain Avenue

•	Office of Buildings and Bridges):
	Architect A. Mordercai, head source plans	
	Date 1893 Source plans Alteration dates Sc	ource
	Style Queen Anne	
	<pre># passenger trains/day (present) 12 in 1980 Peak (#, Yr.)</pre>	38 in 1941
	X Original station on site	33 in 1907
		19 in 1893

TORRICE OF COMPLEY (ADCILITECTUDAL MICHARDICAL)

The Mountain Avenue station is a fine adaptation of the Shingle Style to the functions of a suburban combination station. Of particular note are the large stone rubble fireplace in the Waiting Room and the art glass transoms over the doors. The station was designed "in house" by the Erie Railroad staff under the direction of A. Mordercai. The first on the site, it was intended to serve the growing numbers of commuters in the Upper Montclair area. The second floor of the building comprised the living quarters for the agent. Since the 1930s the same agent has lived there, and has remodelled much of the building for his personal use.

Mountain Avenue FACILITY NAME:

6. GEOGRAPHIC DATA

Verbal boundary description (if Block/Lot not available)

Boundaries are outlined on attached site plan.

Acreage: less than 1/4 acre UTM coordinates: Zone: 18 / Easting: 5 6 6 9 5 0 / Northing: 4 5 2 2 1 0 0 USGS Quad Orange Scale 1:24,000

7. REFERENCES

BIBLIOGRAPHIC:

Plans, Mountain Avenue station (New Jersey Transit)

ICONOGRAPHIC:

(1909) The Next Station Will Be Vol. III, Photo:

Railroadians of America, 1975.

Photos and postcards: Montclair Public Library plans, Ibid.

8. PHOTO

Negative index # unknown Date 1978 or NJT photo # Photographer Richard Browne Assocs. Loc. of negative NJ Transit Direction of view: station from east

9. CRITERIA FOR EV	ALUATION	
--------------------	----------	--

Α.	HIS:	TOR I	CAL	SIGN	IFICA	NCF
<i>n</i> .	1120	1 01/1		J 1 411.		11 1 U L

A. HIS	TORICAL SIGNIFICANCE			
i.	Associated with important even in his		ements	
	· · ·	nationally state-wide locally		•
ii.	Representative of significant of and/or	changes in railm	road history	
	andy or	rare unusual common	(30) (25) (10)	
iii.	Original station on site		<u>X</u> (15)	
iv.	Representative of a line's star	ndard design	(10)	
٧.	Constructed prior to 1900		<u>X</u> (15)	
vi.	Junction station		(10)	
vii.	Former long-distance service		(10)	
viii.	Other		(10)	
ix.	Less than 50 years old		(-30)	
B. ARCI	HITECTURAL SIGNIFICANCE			30
i.				
••	a. Example of a particular arc	chitectural styl	e (check one)	
	h Dama sumuiyan of style	Outstanding Excellent Very good Good Fair	(50) (40) 30 (30) (20) (10)	
	b. Rare survivor of style	nationally state-wide locally	(20) (15) (10)	
	c. As example of railroad arch	nitecture rare unusual or earl	y(30) y(15)	

RR	0713-	^
Survey #	7-8	-9

FACILITY NAME: Mountain Avenue CRITERIA CONT.

		·		
ii.		HITECT (check one) building by architect important		4
		S	ationally tate-wide ocally	(25) (20) (15)
	b.	building designed by railroad and i or appears to be the work of the su architect or engineer or chief desi	pervising	(20)
	с.	building designed by railroad and i or appears to be the work of the st		<u>x</u> (5)
	d.	architect identified but not consid to be of special importance	lered	(5)
iii.	OVEI a.	RALL ARCHITECTURAL QUALITY (check or Outstanding composition, siting, or craftsmanship		(40)
	b.	Notable composition, siting, or cramanship, or possessing especially picturesque or unusual exterior det		_X_(25) siting, esp.
	c.	Possessing some detail(s) of partic interest and/or quality	ular	(15)
	d.	Average quality or interest		(5)
iv.	a.	CIAL QUALITIES Noteworthy overall interior design detailing	or	(15)
	b.	Some noteworthy interior detailing (interior not accessible)		X (5)stone rubble fireplace, art
	c.	Part of cohesive complex 1) station and shelter 2) more than two buildings	ì	glass transoms(5)(10)
٧.	CONS	TRUCTION Noteworthy example of particular construction method	٠	(30)
	b.	Rare or early survivor of particula method	ır	(20)
	с.	Interesting example of method		(5)
				65

170

RR 0718~-10 Survey # 7-8

FACILITY NAME: Mountain Avenue

CRITERIA CONT.

C. CONDITIONS

i.	INT	TEGRITY (of public space only)		
	a. b. c. d.	Original condition Alterations and/or additions, beneficial Alterations and/or additions, not detrimental Minor detrimental alterations and/ or additions, not affecting overall integrity Detrimental alterations and/or additions, reversible at considerable expense	(40)(30)X(20) ne(10)(-25)	w roofing
	f.	essentially irreversible	(-75)	
ii.	PHYS	SICAL CONDITION		
		Fair Poor	(10) (5) (0) (-10) (-25)	
iii.	REL	ATIONSHIP TO COMMUNITY		
	a. b. c. d.	Integral part of townscape Compatible with townscape Unrelated to townscape	(40) (30) (20) (0) 30)	
iv.	SUI	TABILITY FOR ADAPTIVE USE (of public space	only)	
	c. d.	Very Good	(30) (25) <u>x</u> (20) (15) (10)	75

TOTAL

RR 0713-Survey # 7-8 -11


FACILITY NAME: Mountain Avenue

Attach copy of site plan

____continuation sheets attached

FORM PRE	PARED BY:	Richard Meyer	Date:	4/1981

HERITAGE STUDIES, INC. RD 4 Box 864, Mapleton Road Princeton, N.J. 08540 609-452-1754





Sel1 888


MOUNTAIN AVE.

NOV, 1978










This attractive, homelike station at MOUNTAIN AVE. in Upper Montclair was originally constructed with three living rooms. In 1935, the agent, Mr. Chet Volski, remodeled half of the building into a five-room, duplex apartment, and moved in with his family. They lived there for over twenty years.

SUMMARY

Station:	Mountain Avenue Line	: Boonton
Index:		Field Survey Conducted December, 1978
X	 Track Crossings and Barriers Parking Access and Circulation Information System Notes on Community & Security 	
Information	n File:	
X	Aerial Photograph at 1" = 200' Station Location Plan from USGS Proposed Taking Lines of 900 Day Summer 1970 Ground Survey of Ro September 1974 Survey - NJ DO Tri-State Aerial Photo Survey of Conrail Data Survey for Station TOPICS or Traffic Improvements R Community Renewal Plans for Station Schedule of Trains and Buses Other	Option Station Parcels III Parking – NJ DOT I (Dept. of Commuter Services) Rail Parking 1970 Ilanned in Station Area
Conrail Cou	unt May 1977 – All Day (Week Day	
Station Ride	ership Category: 6 Owners	hip: N.J.D.O.T.
Agent: Yes	s Hrs/Days:	

Rehabilitated (10 years or less) & Description:



3 PLATFORMS & CANOPIES Station: MOUNTAIN AVE.

	In-Bound (NY,H,N)* Out-I		ctive1.BO.B.
	(Walls) Cross Slope X		pankment Structure
Stroight Curved To Board must Commuter walk		em Yes No icket Agent). Note other obstructions	
	yes	toker Agenty. Note officer obstractions	on the same a senseek lyndin.
PLATFORMS	IN-BOUND SIDE	OUT-BOUND_SIDE	ISLAND BET'N TRACK
Length X Width	466 x 8 ²	568 x 87	× NA.
Height Above Top of Rail	FLLISH	FLUSH	
Platform Material	DSPH.	ASPH	
Edge Material	STONE + CONC.	STONE + COUC.	·
Safety Line, Material	VESDO WHITE STRIPE	FESDIO WHITE STEIPE	yes/no
Guardrail (Locate)	yes(ño)		
In-cut/Retaining Walls	, , ,	7	
Lighting - Type,	NOUS	INCAND,	
O.C., Setback f/roil		95'o.c. 109/R	
Seating-Mat'l & Oty .	WOOD BENCH 3	Nove '	
Stairs: (ramps used: A	vert.rise width "	vert.rise width	vert.rise width
yes / no) B	6-0" 4'-0"		
Locote: C			
PLATFORMS -	GOOD COND, EXCEPT OUT BOUND SIPE.	EDGE SOMEWHAT	PREFGULDE OU
α.	DONE ON INBOUND ITBOUND SIDE - 15' M	ETAL POLES - RUSTED,	RETCACE.
57	RAILING HISSING		
			Continue on back of page
CANOPY/OVERHANC	IN-BOUND SIDE	OUT-BOUND SIDE	ISLAND BET'N TRACK
Length x Width	x	X	X
Height (Lowest)			
Setback from Rail			
Structure w/Spacing			
Setback-Rail to Support			
Deck Material			
Roofing			
Shape	Slope / Gable / Flat		
Drain o g e			
Lighting			
CONDITION (Notes and the control of	near conditions on by):		

In-Bound (NY, M, N)	4 5 I A I I U	N BUILDING _	<u>_</u>	. 3 nc	LIEN.		
In-Bound (NY, N, N). In-Tub. 2. Cut-Bound In-Tub. 1. Number of Levels. 1.B. C.8. Relation of fairs to Track Under. 2007. Edition of fairs to Street Ceret 1.B. O.8. Roof Overhong - width: SEE SKETCH Location: (refer to Floor Plan.) Roof Overhong - width: SEE SKETCH Location: (refer to Floor Plan.) Interior and Entry Sains, Romp, ecololors, elevators: (Note vertical rise; locate (refer to Floor Plan & Indeed For cross-reference): of width. J.A. vertical rise of width. LOCATION of the vertical rise is well as the vertical rise. EXTERIOR MATERIALS AND SYSTEMS: Foundation. ASSUL QD STOLE Doors Bose Course Doors Bose Course Note: STOLE IN PROSTE DID MERONING ASPM SINGLES Tracked System (convoluent) NASSUL QD STOLE PROSTE DID MERONING ASPM SINGLES Tracked System (convoluent) NASSUL QD STOLE STOLE STOLE DID MERONING ASPM SINGLES Tracked System (convoluent) NASSUL QD STOLE STOLE STOLE DID MERONING ASPM SINGLES Tracked System (convoluent) NASSUL QUE STOLE	_			9	TATION:	MOGNT SIN	∆vē.
Roof Overhamp - width: \$80 SECTCH Location: (refer to Floor Plan) Interior and Entry States, Romp, ascelation, elevatoris: (Note vertical rise; locate (refer to Floor Plan & label for cross-reference): o) width	In-Bound (NY, H, N)_	In-Use ; Out-Bo	undIn-Use	; Number d	of Levels	1.B	
Interior and Entry Statis, Rampy, escalators, elevators: (Note vertical rise; b) width	Roof Overhang - width:	SEE SKETCH LOS	ation: (refer to Floor	Plan)		O.D.	
c) width	Interior and Entry Stairs	, Ramps, escalators, elevators:	(Note vertical rise;	locate (refer			
Foundation ASSULUED STONE (photo) Doors WEED Bose Cover (photo) Doors WEED Bose Cover (photo) Soffin ASPH. SAUGHES TIME BOSON STONE (PROSTEE DID PERSONING ASPH. SAUGHES TIME BOSON STONE (PROSTEE DID PERSONING ASPH. SAUGHES STONE) DOOP STONE (PROSTEE DID PERSON ASPH. SAUGHES DOOP DOOP SAUGH SOOP SOOP SOOP SOOP SOOP SOOP SOOP SOO	c) width	vertical rise		d) width		_vertical rise	
Bose Course (photo) Roof Deck COD Wolls STONE IST RE PROSTE UD PR	EXTERIOR MATER	IALS AND SYSTEMS:					
Wolls STONE (STRE PLASTEE AND MERSORING ASPH. SANGES) I'M BEAUNS TOWN (consultant.) MADOURY BEAUNG WALLS, WOOD FRAME DOOP. Windows - operable - yes / (Go) Structural System (consultant.) MADOURY BEAUNG WALLS, WOOD FRAME DOOP. INTERIOR ROOM AND FINISH SCHEDULE: (Locate on Floor Plan) Space* Floor Base W/Cot Walls Ceiling Ceiling Hgt. Lighting 1. Waiting Room S.F. WOOD WOOD CATH, 17th FLOR. 2. Tricket Office WOALCESS WOOD WOOD CATH, 17th FLOR. 3. Mens Toilet SWE WOOD WOOD 9th INVANISH 4. Womens Toilet SWE WOOD WOOD 9th INVANISH 5. Number of Public Phones and Locations: ONE WITS 1 DOF D. Indicate Visibility of approaching trains from waiting area, and direction of visibility, 1.8. PAIL O.8. POOR E. Describe visibility for surveillance for waiting rooms with and without agents: GOOD 1. Are public toilets, telephones and other station conveniences identified: yes / (Go) H. Are lockers provided: yes / (Go); trash receptacles: yes / (Go) (photos) J. Water fountain: yes / (Go); trash receptacles: yes / (Go), location: woiting room f platform 1.8. (NY) f platform 0.8. f pick/up areas:							
Soffi word Notices - coperable - yes (GO) Structural System (consultant)	Walls 5700		Roof E	eck <u>wo</u> 2 1591	0D 1. SAINGO		
Structural System (consultant	Trim BROWNS	rove + wood					
Drainage METAL GUTERS + LOES. INTERIOR ROOM AND FINISH SCHEDULE: (Locate on Floor Plan) Space* Floor Bose W/Cot Walls Ceiling Ceiling Hgt. Lighting 1. Weiting Room S.F. WOOD - WOOD 3 WOOD CATH, 17th FLOR. 2. Ticket Office Do ACCESS 3. Ments Toilet 4. Womens Toilet 4. Womens Toilet 5. Wolting Room Seating: describe (photo): WOOD SAUGE DEUCHS C. Number of Public Phones and basinesses: Fast Other: 6. Wolting Room Seating: describe (photo): WOOD SAUGE DEUCHS C. Number of Public Phones and basinesses of a proproaching trains from waiting area, and direction of visibility, 1.8. **ALR O.8. **POOP* 6. Describe visibility of approaching trains from waiting area, and direction of visibility, 1.8. **ALR O.8. **POOP* 6. La passage from the station to platforms sheltered; yes / (Character description D.) 6. Are public toilets, telephones and other station conveniences identified: yes / (Character description D.) 6. Are public toilets, telephones and other station conveniences identified: yes / (Character description D.) 6. Water fountain: yes / (Character description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. Water fountain: yes / (Character described Deck description D.) 7. La proproache described Deck description Deck description D.) 7. La proproache described Deck description Deck description D.) 7. La	Windows - operable -	yes /(no;) ultoot) HASOURY	BEDRING 1	ALCS C	VOOD FR	AME ROOF	
INTERIOR ROOM AND FINISH SCHEDULE: (Locate on Floor Plan) Space* Floor Base W/Car Walls Ceiling Ceiling Hgt. Lighting 1. Waiting Room S.F. WOOD							
Space* Floor Bose W/Cot Wolls Ceiling Ceiling Hgt. Lighting 1. Waiting Room S.F. WOD — WOD — WOD CATH. 17th FLOR. 2. Ticker Office DO ACCESS 3. Mens Toilet Womens Toilet SME W/Womens Toilet SME Womens Toilet	•						
1. Waiting Room S.F. WOOD	INTERIOR ROOM		•	•		~	• "
2. Ticket Office 3. Mens Toilet 4. Womens Toilet 5. Womens Toilet 6. Womens Toilet 7. Number of Public Phones and Locations: 6. One cuts to so 6. Number of Public Phones and Locations: 6. Describe visibility of approaching trains from woiting area, and direction of visibility, I.B. FAIR O.B. POOR 6. Describe visibility for surveillance for waiting rooms with and without agents: 7. La passage from the station to platforms sheltered: yes / 60 (photo description). 7. Are public toilets, telephones and other station conveniences identified: yes / 60 7. H. Are locken provided: yes / 60; trash receptacles: yes / 60, location: waiting room fine platform I.B. (NY) fine platform O.B. fine plat	•		•		-	, ,	
A. Concessions and Businesses: Faxt Newspaper-stand/coin box Pay Toiles. A. Concessions and Businesses: Faxt Newspaper-stand/coin box Pay Toiles. B. Waiting Room Seating: describe (photo): Wast SELLES Capacity (O. Number of Public Phones and Locations: ONE AUTS (Def. D. Indicate Visibility of approaching trains from waiting area, and direction of visibility, I.B. FAIL O.B. POOR E. Describe visibility for surveillance for waiting rooms with and without agents: GOD F. Is passage from the station to platforms sheltered: yes / ((a)) (photo description). G. Are public toilets, telephones and other station conveniences identified: yes / ((b)) H. Are lockers provided: yes / ((b)); trash receptacles: yes / ((b)), location: waiting room function of platform I.B. (NY) function (photos) J. Water fountain: yes / ((b)); trash receptacles: yes / ((b)), location: waiting room function (photos) J. Water fountain: yes / ((b)); location: K. Describe other commuter conveniences: DOFEN SHELTER - location: I.B. (NY, H, N)			wood 35	WOOD	WOOD	CATH. 1710	FLOR.
A. Concessions and Businesses: Foxt Newspaper stand/cein box Pay Teiles I Vending Machines Other: B. Waiting Room Seating: describe (photo): Was Sexues Sexues Capacity 10 C. Number of Public Phones and Locations: Oue atts par				11100 D	(. 10m2 D	96	IAICAAT
Other: B. Waiting Room Seating: describe (photo):	4. Womens Toilet						
Other: 8. Waiting Room Seating: describe (photo):						_	
Other: 8. Waiting Room Seating: describe (photo):							
Other: 8. Waiting Room Seating: describe (photo):						_	
Other: 8. Waiting Room Seating: describe (photo):	<u> </u>						
Other: 8. Waiting Room Seating: describe (photo):	*				· · · · · · · · · · · · · · · · · · ·		
Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility for surveillance for waiting rooms with and without agents: E. Describe visibility for surveillance for waiting rooms with and without agents: E. Describe visibility for surveillance for waiting rooms with and without agents: E. Describe visibility for surveillance for waiting rooms with and without agents: E. Describe visibility for surveillance for waiting rooms with and without agents: E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP E. Describe visibility of approaching trains from waiting rooms with and without agents. E. Describe visibility of approaching trains from waiting rooms with and without agents. E. Describe visibility of approaching trains from waiting rooms. E. Describe visibility of approaching trains from one visibility. E. Describe visibility of approaching trains from one visibility. E	A. Concessions and Bus		raper sta nd/ coin box		Pay Toilet	≸ ∀enc	ling Machines -
Describe visibility of approaching trains from waiting area, and direction of visibility, I.B. POOP Describe visibility for surveillance for waiting rooms with and without agents: E. Describe visibility for surveillance for waiting rooms with and without agents: E. Describe visibility for surveillance for waiting rooms with and without agents: E. Describe visibility for surveillance for waiting rooms with and without agents: E. Describe visibility for surveillance for waiting rooms with and without agents: E. Describe visibility for surveillance for waiting rooms with and without agents: E. Describe to the station to platforms sheltered: yes / ((indicate on site plan or agents)) H. Are public to ilets, telephones and other station conveniences identified: yes / ((indicate on site plan or agents)) H. Are locken provided: yes / ((indicate on site plan or agents)) E. Mailbox: yes / ((indicate on site plan or agents)) D. Water fountain: yes / ((indicate on site plan or agents)) D. Water fountain: 1.B. ((NY, H, N)	3. Waiting Room Seatin	na: describe (photo): wa	PD GAUG B	EUCHES		Сара	city 10
E. Describe visibility for surveillance for waiting rooms with and without agents: F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platforms sheltered: yes / ((indicate on site plan or aerial; photos or sketch) F. Is passage from the station to platform on the plan or aerial; photos or sketch)						•	,
F. Is passage from the station to platforms sheltered: yes / no (photo description). G. Are public toilets, telephones and other station conveniences identified: yes / no H. Are lockers provided: yes / no; trash receptocles: yes / no, location: waiting room # platform I.B. (NY) #, platform O.B. #, pick/up areas: (photos) I. Mailbox: yes / no J. Water fountain: yes / no; location: K. Describe other commuter conveniences: DPEN SHELTER - location: I.B. (NY, H, N) C.B (indicate on site plan or aerial; photos or sketch) Size	D. Indicate Visibility o	of approaching trains from waiti	ng area, and directio	n of visibility,	1.B	<u> </u>	POOR
F. Is passage from the station to platforms sheltered: yes / no (photo description). G. Are public toilets, telephones and other station conveniences identified: yes / no H. Are lockers provided: yes / no; trash receptocles: yes / no, location: waiting room # platform I.B. (NY) #, platform O.B. #, pick/up areas: (photos) I. Mailbox: yes / no J. Water fountain: yes / no; location: K. Describe other commuter conveniences: DPEN SHELTER - location: I.B. (NY, H, N) C.B (indicate on site plan or aerial; photos or sketch) Size	E. Describe visibility f	or surveillance for waiting room	ns with and without a	gents:	600 D		
H. Are lockers provided: yes / 6; trash receptocles: yes / 6, location: waiting room # platform I.B. (NY) #, platform O.B. #, pick/up areas:(photos) I. Mailbox: yes / 6; location: J. Water fountain: yes / 6; location: K. Describe other commuter conveniences: DPEN SHELTER - location: I.B. (NY, H, N) C.B(indicate on site plan or aerial; photos or sketch) Size		-		=			
H. Are lockers provided: yes / 66; trash receptocles: yes / 66, location: waiting room #	G. Are public toilets, t	telephones and other station co	nveniences identified	: yes / (no)			
platform I.B. (NY) #, platform O.B. #, pick/up areas:(photos) I. Mailbox: yes / 60 J. Water fountain: yes / 60; location: K. Describe other commuter conveniences: DPEN SHELTER - location: I.B. (NY, H, N) C.B(indicate on site plan or aerial; photos or sketch) Size				_			
I. Mailbox: yes / 6 ; location: Water fountain: yes / 6 ; location: K. Describe other commuter conveniences: NOWE OPEN SHELTER - location: I.B. (NY, H, N) C.B(indicate on site plan or aerial; photos or sketch) Size	T. Are lockers provide:	d: yes / no); trash receptoch	es: yes / no), loca	orion: waiting	.\ .\		
Water fountain: yes / 6; location: K. Describe other commuter conveniences: NONE OPEN SHELTER - location: I.B. (NY, H, N) O.B (indicate on site plan or aerial; photos or sketch) Size	planoim t.b. (NT	,, plotions O.b	, pick, up areas:	(buoto	>)		
K. Describe other commuter conveniences: OPEN SHELTER - location: I.B. (NY, H, N) C.B (indicate on site plan or aerial; photos or sketch) Size	1. Mailbox: yes / (180) :4					
K. Describe other commuter conveniences: OPEN SHELTER - location: I.B. (NY, H, N) C.B (indicate on site plan or aerial; photos or sketch) Size	J. Water fountain: yes	/ 60 ; location:		·····			
OPEN SHELTER - location: I.B. (NY, H, N)O.B(indicate on site plan or aerial; photos or sketch) Size WidthLengthHeight Material Base Lighting		_					
Size Width Length Height Material		NONE					
Size Width Length Height Material	OPEN CHEITED = I	nn. IR (NIV H NI)	C B /	ndicate on tita	plan or cerie	l: photos or sketch)	
Base Lighting					F.G.1 01 0E110	, photos of skerelly	
Lighting							
	_ •						

4a STATION	BUILDING
------------	----------

SHELTER

STATION: HOGWTSIN

Record Photograph______197__

CONDITION: *

Exterior (indicate board-up areas; locate elements being described using floor plan/photos) (Consultant)

Foundations: ASSUMED GOOD

Walls/Doors/Windows:

WALLS - GOOD CONDITION DOORS/WINDOWS - OCD + WORN - REPLACE

Stairs: WA.

ROD! Droinage: FRONT - GOOD COND., COOKS NEW, NEW ALUM GUTTERS + C PRS. GOOD COND, GUTTERS + LDRS RUSTED THRY = REPLACE.

Cther SOFFIT - OLD + ROTTED - REPLACE.

Interior (locate elements by room; photograph poor conditions)

Walls ' Doors Windows:

WOLLS - HOLIZONTAL SIDING - FLIR COND, - GAPS BETWEEN BOAFDS POOR COUD - WATER DAMAGED AT TICKET POOR - TO JOHN - OLD WD. , PANELS CRACKED

Floor: OLD + WORN - ZESURFACE

+ COND. AS Ceiling: SAME MAT.

Stairs: NA.

^{*}Note: Indicate apparent poor conditions only, not routine maintenance conditions. Write informal recommendations, i.e., suggestions for improvements on reverse side.

8 Community & Security Aspects

Station: Mountain Avenue

1. Describe the setting of the station in terms of the activity in the surrounding area (land use and condition described in section 6). Describe the visibility of the station and site from surrounding areas of streets in terms of security through surveillance. Describe screening and shielding (note #6, page 4) and shadows, nooks and crannies, and other hiding places).

The station is situated in the middle of a residential community. Upper Mountain Road is very busy with vehicular traffic, but has light pedestrian activity. The station can easily be seen from all sides. Surveillance by a motorized police patrol would be easily done and adequate.

There are no real hiding places.

2. Is the station out of the "main stream" of pedestrian/vehicular activity, or is it part of the fabric of life in the community? Do non-commuters walk through the station building or use any part of the station facilities/site to shorten their path to a final destination; to shop; to conduct business such as banking (refer to #4 Station Building/Interior Space _____):

This station faces a heavily travelled street, Upper Mountain Road; however, it is out of the main stream of pedestrian traffic. The station and its setting fit in well with the surrounding residences.

Non-commuters, mostly school children, use the platforms as a pathway or shortcut to and from school.

3. Vandalism: Graffiti (hone) / low / medium / high; location:

Property damage - hone / low / medium / high (describe):

4. Question the ticket agent about vandalism problems.