### National Register of Historic Places Inventory-Nomination Form

	63.Q	i ju			<u></u>
•					0
				1.	4.
				*	
			1277	91	
				8 - S .	

Item number 7

**Page** 10

A "non-contributing" resource does not reflect the historic associations, architectural characteristics or informational potential for which a property is significant because it a) was not present during the period of significance, or b) due to alterations, disturbances, additions, or other changes, no longer possesses historic integrity reflecting its character at that time or, in the case of archeological resources, enabling it to yield important information about the period.

This definition applies to resources that, even if compatible with the functions and architectural character of a property, were built or substantially altered after the period of significance.

No historic contexts (or themes) applicable to Minot have been prepared by the North Dakota State Historic Preservation Office. Therefore, a variety of contexts were developed by RTI specifically for the purpose of assessing the significance of Minot's buildings. However, some historic buildings in Minot have been so thoroughly altered that they no longer convey associations with those contexts. In response to the varying degrees of change, a set of criteria were developed by which to assess integrity. These criteria grow out of the National Register criteria for evaluating significance:

Location: The building or feature should be in the location it occupied during Minot's period of significance.

<u>Design</u>: The principal characteristics of the original design of the building or feature should be evident. These are measured by recording the major elements of massing, composition, rhythm, texture, and decoration on the exterior surfaces of the building or feature visibe from the public right-of-way (not including alleys).

<u>Setting</u>: The building or feature should retain proximity to other associated building or features with which it functioned or was used. There should be an absence of intrusive buildings or featurew which overwhelm the building or feature in question making it difficult to recognize its historic use or function.

<u>Materials</u>: Original materials which were historically visible to public view should still be exposed.

### National Register of Historic Places Inventory—Nomination Form

#### Continuation sheet

Item number 7

<u>Workmanship</u>: Historic qualities of workmanship should still be evident.

<u>Feeling and Association</u>: Given alterations over time, the building or feature should still convey feelings and associations from Minot's period of significance both with regard to the building's own use and function and with regard to its relationship with the buildings and features which comprise its setting.

More specific criteria for assessing integrity for buildings within the districts included in this nomination appear in following portions of the nomination that address those districts.

The intensive survey area included a total of 267 sites which includes 58 (21.6%) commercial, 8 (2.9%) religious and fraternal, 5 (1.9%) public and institutional, 22 (8.3%) industrial, 171 (63.8%) residential, and 4 (1.5%) structural (mostly bridges). After the buildings and structures covered by the survey were evaluated, boundaries were drawn for three districts and one individual building as part of this Multiple Resource Area Nomination. Minot's Commercial Historic District includes a total of 62 buildings. Forty-seven (75.8%) of these are commercial, 6 (9.7%) are religious/fraternal, 5 (8%) are public/institutional, 3 (4.9%) are residential, and 1 (1.6%) is industrial. The city's Industrial Historic District encompasses 38 buildings and structures. Of these, 20 (52.7%) are industrial, 11 (28.9%) are commercial, 6 (15.8%) are residential, and 1 (2.6%) is structural. The Eastwood Park Historic District of 167 buildings and structures includes 162 residences (97%), 2 religious buildings (1.2%), and 3 structures (1.8%). The individually-eligible building outside of these districts is a small one-story "domestic" style gasoline filling and service station.

Buildings and structures in the reconnaissance survey area include some which are likely eligible for the National Register. Having the reconnaissance survey data, the North Dakota SHPO can now make plans for an intensive survey of these sites and districts at a later date. Once they are surveyed at the intensive level, the SHPO intends to nominate these sites and districts to the National Register as addenda to this Multiple Resource nomination.

RTI used three criteria in selecting sites for recording at the reconnaissance level: 1) sites which are known to have historical significance, based on background research completed in developing historical contexts for Minot, 2) sites which have excellent integrity and appear to have architectural significance, and 3) sites which may lack individual distinction but which are located in districts which appear to

# National Register of Historic Places Inventory—Nomination Form

#### Continuation sheet

Item number 7

**Page** 12

have architectural and/or historical significance.

RTI recorded 654 sites at the reconnaissance level. They include 23 sites which are likely to be individually eligible for the National Register. The remainder fall within three potentially eligible districts. A preliminary assessment shows that these districts total 543 contributing sites and 88 non-contributing sites. Preliminary historical research in the reconnaissance survey area helped RTI to recognize sites with historical significance.

The Intensive and Reconaissance Survey of Minot recorded several buildings and structures already entered onto the National Register of Historic Places. These include: the Eastwood Park Bridge (21 April 1975), the Soo Line Depot (20 January 1978), the U.S. Post Office (14 October 1980), the Carnegie Library (10 November 1980), the Tufveson House (12 April 1984), and the Carr House (26 April 1984).

A more detailed report on the findings of the reconnaissance and intensive surveys and a more detailed discussion of the contexts developed for assessing signifiance in Minot may be found in the <u>Final Report on the</u> <u>Intensive and Reconnaissance Surveys for Minot, North Dakota</u> prepared by RTI as part of the Minot contract and on file at the North Dakota State Historic Preservation Office, North Dakota State Heritage Center, Bismarck. Continuation sheet

### United States Department of the Interior National Park Service

# National Register of Historic Places Inventory—Nomination Form

aliain.			
		¥	<u> </u>
	10		

		0
Itom	number	- 8
100111		

**Page** 13

- 5. LOCATION OF LEGAL DESCRIPTION: Ward County Courthouse, Minot, North Dakota
- 6. REPRESENTATION IN EXISTING SURVEYS:

Title: Intensive and Reconnaissance Survey of Minot, North Dakota Date: 1985 Determined Eligible: no State: X Depository for survey records: State Historical Society of North Dakota City: Bismark State: North Dakota

7. DESCRIPTION:

Condition: good Check one: altered Check one: original site

The Commercial Historic District is largely comprised of buildings and structures dating from the district's period of significance, 1894-1929. The majority of these are commercial. The Commercial Historic District also contains, however, a variety of public (including governmental and educational), transportation, religious, and fraternal buildings. These resources feature an array of architectural styles, including Romanesque, Second Renaissance, Italianate, Neo-Classical, Art Deco, and Gothic Revival. Brick is the predominant building material.

Minot's Commercial Historic District is concentrated around the intersection of Main Street and Central Avenue. From this intersection a dense business core comprised of adjoining buildings arranged with no setbacks extends south along Main Street for several blocks. A similar concentration of buildings lines Central Avenue for a few blocks east and west of Main. Other commercial buildings are dispersed on adjacent streets and avenues. Public, transportation, religious, and fraternal buildings are located on the fringes of the downtown commercial core. Minot's Commercial Historic District can be briefly characterized as dense mass of large historic buildings, many of brick and similar architectural styles, located within a "downtown" commercial core centered on the intersection of Main and Central. These functional, spatial, material, and stylistic traits distinguish the Commercial Historic District from other historic districts and areas within Minot.

# National Register of Historic Places Inventory—Nomination Form

And Sectors (

Page

14

Continuation sheet

Item number 8

Minot's historic commercial architecture is typical of an agriculturally-based community on the northern Great Plains during the early twentieth century. Most commercial buildings are of brick (either bearing wall or veneer over wood frame), two or three stories, and rectangular in shape conforming to narrow lot sizes. Most feature store fronts with large display windows and recessed entries on the ground level and residential or office space on upper stories.

One of Minot's oldest commercial buildings, the Lee Block (1894 and 1904)(32WD862), exhibits some characteristics of both the Romanesque and Second Renaissance styles. The Scofield Block (1905)(32WD865) on Main Street serves as an excellent example of popular early twentieth century commercial architecture that borrowed from the Italianate style of the late 1800s. The majority of Minot's commercial buildings are of an early twentieth century, simple commercial design. Rather than an emphasis on ornamentation, a more restrained and perhaps more abstract use of decorative details characterizes this popular architecture. Good examples of early twentieth century commercial buildings include the Flat Iron Building (1914)(32WD835) on West Central Avenue, the Saunders Block (1917)(32WD421) on First Avenue, the McCoy Block (1917)(32WD896) on South Main, and the Granite Springs Manufacturing Company building (1915)(32WD893), also on South Main. Other styles represented in Minot, although present in fewer numbers of buildings, include Neo-Classical and Art Deco. An outstanding example of the Neo-Classical style is the Union National Bank (1924)(32WD112). A good example of a building with Art Deco elements is the First National Bank (1928)(32WD17) on North Main Street.

Public buildings in Minot also predominantly feature Neo-Classical and Art Deco styles. The Minot Free Public Library (1912)(32WD14), for example, located on Second Avenue, is a Neo-Classical design. The original wing of Minot High School (1916-1918)(32WD468), also on Second Avenue, also features Neo-Classical details. The Ward County Courthouse (1929)(32WD16) on Third Street is an outstanding example of Art Deco public architecture.

Most of Minot's religious and fraternal buildings were erected in two styles: churches featured traditional Gothic Revival details and fraternal lodges were housed in the upper floors of typical early twentieth century commercial buildings. On the edge of Minot's commercial district stand two outstanding examples of religious architecture dating from the city's period of significance. St. Leo's (1906)(32WD598) on First Street and Bethany Lutheran (1915-1916)(32WD486) on Third Avenue are both characteristic examples of the Gothic Revival style, and both are visual landmarks in the city. Continuation sheet

### United States Department of the Interior National Park Service

# National Register of Historic Places Inventory—Nomination Form

				ale de la
Martin 1997 - 1977 - 19			24. CA 10.	
	10. 3 M. A.			M
			1.14	
				A
and the second second		1990 (C)		
				30 C 4
Station Alabian	e side davidi		10.00	
			200 - A	

Item number 8

**Page** 15

Minot's historic fraternity buildings are best represented by two structures, the Italianate Masonic Hall (1907)(32WD881) on Main Street and the Sons of Norway building (1915)(32WD837) on the corner of Central and Broadway. The Sons of Norway building is an eclectic mixture of Neo-Classical elements dominated by a central three-story facade with Renaissance Revival details. Both buildings included commercial shops on the ground level floors.

Transportation buildings in the Commercial Historic District include a Gothic Revival passenger station (1912)(32WD11) belonging to the Soo Line.

Non-Contributing buildings in the Commercial Historic District include a variety of altered historic buildings (especially facades) and buildings erected after the period of significance. None of these however, significantly detract from the historic character of the district, especially its overall composition--that is, dense blocks of adjoining buildings, most of them laid out in a "T-town" configuration.


Many of the buildings within Minot's Commercial District have not sustained significant alterations. Furthermore, more significant changes on other buildings have not compromised the important overall characteristics of the Commercial District. Typical changes include alteration of storefronts, alteration of windows, and additions (usually to the rear and smaller than the original building). Despite these changes, the original design, feeling, association, and relationship with setting are maintained when the buildings are viewed from the street. Most significantly, important design features, such as important elements of the street-facing facade (brickwork, parapets, window configuration, decorative detailing, etc.) survive to convey the significant character of the Commercial District.

In some instances, however, alterations in the Commercial District have been so drastic that buildings have lost too much integrity and therefore no longer contribute to the district. Examples include buildings with facades that have been entirely altered with the application of such material as stucco, sheet metal, or brick. These retain no semblance to the historic original buildings. Examples of these include Josef's at 21 East Central Avenue (32WD810), 20 West Central Avenue (32WD832), and Greengard's at 8 South Main (32WD870). A few other buildings were erected after the period of significance for the Commercial District and therefore do not contribute to the district.

# National Register of Historic Places Inventory—Nomination Form

Continuation sheet

Item number 8



Page

SEE ATTACHED BUILDING LIST (p.20-21)

8. SIGNIFICANCE

Period: 1800-1899, 1900--Areas of Significance: architecture, commerce, community planning, transportation Specific Dates: 1894-1929 Builder: multiple


The Minot Commercial Historic District is significant for its associations with railroad expansion and planned settlement, and for its associations with the growth of North Dakota's agriculture and a related commercial network dominated by major distribution centers such as Minot. The Minot Commercial Historic District is also significant because its built environment contains commercial, educational, governmental, religious, social, and transportation buildings that depict historical developments and architectural trends in the city during the late 19th and early 20th centuries, between 1894 and 1929. Architectural styles represented include Romanesque, Second Renaissance, Italianate, Neo-Classical, Gothic Revival, Art Deco, and simpler, less ornamented commercial early 20th century designs.

Minot was founded in 1886 by the Great Northern during a period when major railways were building transcontinental routes. Companies such as the Great Northern established towns at regular intervals along their lines in order to foster economically sound communities that would supply them with business. Minot was such a town. Furthermore, the Great Northern designated Minot as a division point, a major regional location of maintenance and administrative facilities. Later, Minot's trade area was penetrated by the Soo line, a competitor of the Great Northern.

During the late 19th and early 20th centuries the United States became a largely urban, industrial society and its population grew rapidly. Demand for food increased and prices rose, stimulating a new wave of agricultural settlement in the west, including North Dakota. There, the railroads and the advent of new, mechanized farm implements made dryland wheat farming on a large scale possible. Because of Minot's strategic position on two major rail lines, the city easily became the dominant trade center for industrial and agricultural products in northwestern North Dakota.

The built environment of Minot's Commercial Historic District depicts its orientation to railroads and its relationship to North Dakota's agricultural economy. Minot, especially as illustrated by the layout of its downtown commercial core, is a "T-town," a spacial arrangement common to many railroad communities in the west. In particular this is shown by the orientation of the Commercial District on its north end to the tracks

# National Register of Historic Places Inventory—Nomination Form



#### Continuation sheet

Item number 8

Page 17


of the Soo Line and the Burlington Northern. The intersection of Central Avenue and Main Street, the locus of the district's intensively developed core, is only about one-half of a block south of the railroad tracks. Next to the tracks at the head of North Main Street, just north of Central and Main, is the Gothic Revival style Soo Line Depot (1912)(32WD11), which further illustrates Minot's arrangement with respect to railroads. The large size of Minot's Commercial Historic District reflects its importance to the surrounding northwestern North Dakota Great Plains. Such massive buildings as the Art Deco First National Bank (1929) (32WD17), the Neo-Classical Union National Bank (1924)(32WD112), and the Art Deco Ward County Courthouse (1929)(32WD16) testify to the regional economic and governmental importance of the Commercial Historic District. The Commercial Historic District also encompasses several pre-1900 commercial buildings, including the Lee Block (1894)(32WD862), a mixture of Romanesque and Second Renaissance styles.

The evolution of the buildings in the Commercial Historic District also illustrates the role of North Dakota's "boom-bust" agricultural economy in the shaping of Minot's built environment. Nearly all of Minot's historic commercial buildings resulted from two "booms" that occurred in North Dakota between 1900 and 1917 and during the 1920s. During these booms the Commercial District expanded outward from its center at the intersection of Main and Central. Buildings that represent this growth include the Granite Springs (1915)(32WD893), the McCoy Block (1917)(32WD896), and the Dwire Apartments (1916)(32WD899). These buildings also are examples of simple early 20th century commercial architecture that lack the ornamentation of other structures. Examples of buildings started just before the ends of "booms" and left unfinished because of "busts" include the Kermot Block (1917)(32WD834) and the Parker Hotel (1928, and 1947-1948)(32WD422).

Minot's Commercial Historic District also helps to depict the historical development and activities of the community during its period of significance. In addition to buildings such as those described above, a variety of religious, social, educational, and military buildings were erected in the Commercial Historic District during the period of significance. These buildings illustrate Minot's maturation as a stable community supported by a variety of institutions.

Minot's Commercial Historic District has several examples of religious architecture, among them Bethany Lutheran Church (1915-1916)(32WD486) and St. Leo's Catholic (1906)(32WD598), both outstanding Gothic Revival designs. Buildings that housed important social institutions include the Italianate Masonic Temple (1907)(32WD881) and the Neo-Classical Sons of Norway Building (1916)(32WD837). Educational buildings are best represented by Neo-Classical Minot High School (1916-1918)(32WD468). Minot also has one educational and military building, the Minot Military Training School and armory (ca.1910-1912)(32WD633), which resembles a Gothic castle.

# **National Register of Historic Places Inventory—Nomination Form**



Page

18

Continuation sheet		Item number <sup>8</sup>	3	
As mentioned above	the Minot Commerci	al Historic	Dietrict	incl.

As mentioned above, the Minot Commercial Historic District includes several churches that contribute to the district: St. Leo's (32WD598), Bethany Lutheran (32WD486), and All Saint's Episcopal (32WD900). These churches have been determined to be contributing because they help to depict the historic religious life of Minot, and because they are intact examples of the Gothic Revival architectural style. Bethany Lutheran and St. Leo's in particular are outstanding examples of the Gothic Revival. Because of their architecture, these two churches have also been determined to be of "primary significance" (individually eligible).

- 9. MAJOR BIBLIOGRAPHICAL SOURCES: See section 9 of cover form.
- 10. GEOGRAPHICAL DATA:

Acreage: 103 Quadrangle: Minot, North Dakota Quad Scale: 1:24,000 UTMs:

A11 Zone 14.

Α.	N-5344900;	E-329550
Β.	N-5344930;	E-329890
C.	N-5344790;	E-329890
D.	N-5344790;	E-329780
Ε.	N-5344680;	E-329770
F.	N-5344700;	E-329990
G.	N-5344620;	E-329990
Η.	N-5344610;	E-328100
HH.	N-5344550;	E-328100
I.	N-5344550;	E-328210
J.	N-5344460;	E-328210
K.	N-5344470;	E-328190
L.	N-5344520;	E-328190
LL.	N-5344550;	E-329810
Μ.	N-5344540;	E-329760
N.	N-5344680;	E-329710
0.	N-5344820;	E-329710
Ρ.	N-5344830;	E-329550

# National Register of Historic Places Inventory—Nomination Form



Continuation sheet

Item number 8

Verbal boundary description and justification:

The Minot Commercial Historic District includes the following parcels of land. In the Original Townsite: all of block 2; lots 1-12 and lots 18-24 of block 3; lots 1-7 and lots 18-24 of block 4; lots 1-12 and the east 48.25 feet of lots 21-24 of block 6; lots 9-12, block 8; all of lot block 9; all of block 10; lots 16-18 of block 15; the section of block 19 south of the Soo's mainline tracks which altogether includes portions of lots 5-7 and 10-12, and all of lots 8 and 9. In Minot's First Addition: all of block 25; lots 1-2 and 7-8 of block 27; lots 4-9 of block 28. All of block 3 in Ramstad's Riverview Subdivision.

The boundary of Minot's Commercial Historic District encompasses those areas within Minot which have a predominance of structures which are of primary significance or which contribute to the significance of the Commercial Historic District as established in the 1985 Minot inventory. The Commercial Historic District contains commercial, public, religious, fraternal, and transportation buildings that depict Minot's relationship to railroads and North Dakota wheat agriculture during its period of significance. These buildings also depict city's local history during its period of significance. The Commercial Historic District does not include all areas within Minot's downtown central business district. Areas outside the historic district were excluded because they have a predominance of buildings which were built after Minot's period of significance and/or have been modified to the point where they could not contribute to the historic district.

# National Register of Historic Places Inventory—Nomination Form

received

For NPS use only

date entered

Contin		haat	Item nur	mber <sup>8</sup>	Page <sup>20</sup>	*
COM						-
are liste Resource address (	d by Area. all a nce (	their SITS number Entries for each ddresses are for Sig.) of the site	es located in Minot's Co which is keyed to the include: site name and Minot, ND 58701 unless e (P-Primary, C-Contribu	accompaning maps o d address; property otherwise specifie	f the Multiple owner name and d); and	
SITS Number			Site Name	Owner Name		Sig
70UD14		Nain ST N	er van den vers vers vers een aan dan dan den vers een aan dan dan dan dan aan aan aan aan aa	ανα του 1989 του	999 999 999 999 999 999 999 999 999 99	 ,
				Frank Montgomery Physician's Reality		P
32WD16	300	3rd ST SE	Ward Co. Courthouse	Ward County	County Auditor 315 3rd ST SE	P
32WD17 .	1	Main ST N	lst National Bank	Main Limited c/o Paul Storsteen		Ŭ.
32WD112 32WD421	2 17	Main ST N 1st AVE SE	Union National Bank Saunders Block	Clayton Johnson H. Vardsveen c/o James Ommen		P C
32WD422	21	ist AVE SE	Parker-Johnson	V. Johnson	505 Main ST S	С
32WD458	13	ist AVE SW	lst AVE Building	Investors Real Estate Trust	15 ist AVE SW	С
32WD466	24	2nd AVE SE	NPS	Northern States Power	414 Nicollet Mall Minneapolis, MN 55402	ły
32WD468	200	2nd AVE SE	High School	City of Minot	City Auditor 1025 31st ST SE	C_
32WD485		3rd AVE SE	YWCA	YWCA	205 3rd AVE SE	N
32WD486		3rd AVE SE		Bethany Church		C
32WD487	216	3rd AVE SE	Emerson Apartments	Ward County	County Auditor 315 3rd ST SE	C
32WD488	224	3rd AVE SE	Ellison Apartments	Hall of Minot	108 Burdick Express E	C
32WD598	216	ist ST SE	St Leo's	St Leo's.	216 1st ST SE	Ρ
32WD616	6	1st ST S₩	Great Plains Orthope		616 Lincoln AVE	N
32WD617	10	ist ST NW	Brays	Paul Storsteen	PO Box 848	Ν
32WD620	10	ist ST SW	Shaw Building	J.D. Caldwell	1541 Broadway S	С
32WD633	215	2nd ST SE	Armory	Minot Public School District 1	PO Box 192	C
32WD808	15	Central AVE E	Town Crier	Thomas Wold		
32WD809		Central AVE E	Clutes	James Clute		С
32WD810	21	Central AVE E	Josefs	Joseph Quivieri	-	N
32WD831		Central AVE W	Smart Block	Helen Hoberman	o 14 Central AVE W	С
32WD832	20	Central AVE W		Paul Storsteen	PO Box 848	? <b>N</b> -
32WD833		Central AVE W	MAHS	MAHS	PO Box 848	N
32WD834		Central AVE W	Kermott Block	CBD Corporation	モービン しんえんばん 二世 とうてん しょうんそう	C
32WD835		Central AVE W	Flat from Building		PO Box 1696	<b>C</b> -
32WD836		Central AVE W	Salvation Army	C.H. Westlie et a		- C.
32WD837	121	Central AVE W	Sons of Norway	Sons of Norway	2132 1st AVE SW-	1 C

# **National Register of Historic Places** Inventory-Nomination Form

received

For NPS use only

date entered

Contin	uation	sheet			Item	number <sup>8</sup>	Page <sup>21</sup>	
								5
SITS Number	Sit: Nami				Site Address	Öwner Name	Owner Address	Sig
32WD842		 Main	ST.		Tompkins Block	Clayton Johnson	PO Box 1577	 C
32WD843	5 10	Main			Fauchalds	Charles Barer	118 N 29th	C
				.,	2 for her but is her as her and	Billings, MT	مشيعة لمت التي المشيرة	0
32WD844	12	Main	ST	N	Slocums	Fauchald Holding c/o Dennis Grad	14 Main ST N	С
32WD845	14	Main	ST	N	Mansfields	Warren R <b>. Brey</b>	14 Main ST N	N
C 3WD862	2	Main	от	r.	felmen 7 - i man h tu m	c/o Dennis Grad		~
. IWD04	4	fiet 1 fi	31	3	Woolworths	Brady, Martz & Assoc.	PO Box 848	С
02WD863	6	Main	ST	S	Jacobson	Brady, Martz & Assoc.	PO Box 848	Ν
32WD864	8	Main	ST	S	<b>John Ehr</b> Block	Floyd Kolobakken	408 13th AVE NE	С
32WD865		Main			Scofield Block	W.J. Piehl	13 Main ST S	Ĉ
32WD866		Main			Buttery's	Majorie Kermott	200 7th AVE SE	Ċ
32WD867	15	Main			Samuelsons	Alice Samuelson		N
32WD868	16	Main	ST	5	L. Interiors	Wayne Patton Surrey, ND	PO Box 333	С
32WD869	17	Main	ST	S	Temple Court	Kenneth Kruse	628 AVE NE	C
32WD870	18	Main			Greengards	Marvin Greengard	7 Souris Court	N
32WD871	19	Main			Le Sueur Block	Knowles Jewelry Bismarck, ND	119 N 4th ST	N
32WD872	21	Main	ST	S ·	Braver Block	Waldo Schoenwald	628 7th AVE NE	. c
32WD873		Main			Kempler Block		PO Box B	- č
32WD874	24	Main			Montgumery Ward	James Ommen	2508 10th AVE NW	
32WD876		Main			B & B Drug		PO Box 2064	N
32WD678		Main			Peter Ehr Block	Ruth Farker	PO Box 1770	Ċ
						Flowers Wood	Los Gatos, CA	
32W0879	106	Main	ST	S	D's	Melvyn Obedin	106 Main ST S	N
32WD881	108	Main	ST	S	Masonic Temple	Floyd Roll	10 Parkway	C
32WD883		Main			Carols	Harvey Levich	34 Hacienda Hills	
32WD886		Main			Yeomens	investors Real Estate Trust	PO Box 2064	C
32WD889	120	Main	ST	с I	The Fair-Ellisons	Waldo Schoenwald	PO Box 544	C
32WD892		Main			Herritage Place	Hugh McCotcheon	203 Souris Court	N
32WD893		Main			Granite Springs	Ben Rude Estate	PO Box 365	C C
32WD894		Main			Minot Plumbing	Investors Real	15 1st AVE SW	C.
		÷ • •		-		Estate Trust		
32WD895	209	Main	ST	S	Polyanna Shop	Ward Robinson	1524 10th ST SW	
32WD896		Main			McCoy Block	Andrew Niditenko	215 Main ST S	
32WD897		Main			Ringos	Minot Reality and	PO Box 1577	N.
	144					Loan Inc	and a start of the second s And a start second se	나라 가장 1911년 - 1941
32WD898	219	Main	ST	S	Knights of Pythias	H		C
32WD899	- 221	Main	ST	( <b>S</b> )	Dwire Apartments	Paul Rasmussens	800 ist ST NE	C
32WD900	301	Main	ST	S	All Saints Episcopa		301 Main ST S	<b>C</b>

301 Main ST S All Saints Episcopal All Saints 301 Main ST S

Episcopal Church

Lade T

		. J	
I. SITE I.D.	Field Code $R, \overline{1}, \overline{9}, \overline{5}, \overline{10}, \overline{3.5}, 10$ $10$ Site Name $Carco, 1, 5, 10$ $19$ $38$ $39$ Map Quad $51$ $68$ $69$	SITS # State County Site Number <u>3</u> <u>2</u> <u>10</u> <u>88</u> <u>7</u> <u>11</u> <u>13</u> <u>15</u> <u>18</u> Twp R Sec QQQ QQ Q <u>40</u> <u>47</u> <u>48</u> <u>49</u> <u>50</u> Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub> <u>70</u> <u>77</u> <u>78</u> <u>79</u> <u>80</u> <u>18</u> <u>2</u> <u>18</u> <u>18</u> <u>18</u> <u>18</u> <u>18</u> <u>18</u> <u>18</u> <u>18</u>	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>4</sub> 5. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
II. SITE DESCRIPTION	City Mising Product for the second	BUILDING MATERIALS 24 Unknown 43 Asbestos Siding/Shingle 44 Sphalt Siding/Shingle 45 Brick 50 Clay Tile 57 Composition Board 61 Concrete Block 65 Concrete, Poured/Cast 69 Earth/Clay 73 Earthen Brick 77 Glass, Block 1 Glass, Pigmented 4 Log 7 Metal, Decorative 10 Metal, Frame 14 Metal, Horiz. Siding 18 Metal, Sheet 22 Perma-Stone 26 Plastic, Vinyl 30 Pole 33 Stone, Cut 37 Stone, Uncut 41 Stucco/Plaster	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
OFFICE USE ONLY	Fieldwork Date $0 10 21785$ 10 15 Other Info. $1287$ 22 OFFICE USE ONLY Soil Association Ecozone Area Signf CR Type Ver 41 43 44 45 46 47 48 State Registry National Register E C F T F 50 51 52 53	16       18       18       18       18       18       18       18       18       18       18       18       19       10       17       18       19       10       17       18       18       18       16       10 <td< td=""><td>0=Unknown 1=Known</td></td<>	0=Unknown 1=Known
	אַן עַר איירא אירא איר אירא איר אירא אירא איר	DATE CODED STATES - SWEET	

-

#### NDCRS ARCHITECTURAL SITE FORM

Field Co	ode RTI85MT035	Page 2		SITS NUP	HBER 32WDFAZ
ACCESS_					
DESCRIP	TION OF SITE Orig	inal Minot Addit	ion, Lot 7 B	lock 6	
SIG. FE	AT. commerical	block -1			
NON-SIG	. FEAT				
OWNER'S Boyc	NAME, ADDRESS, AN e; 34 Hacienda Hi	D PHONE NUMBER 11s, Minot, N.D.	Harvey Levi ; (701) 839-	ch et al., c/0 6445	o Loren and Carol
FEATURE	#1	NAME IN NAME B	LOCK		
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone X Poured Concrete Refaced Unknown Other	$ \begin{array}{c}                                     $	CORNICE x Metal Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel x Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1913 Sanborn Map(s) Topo Map(s) undated Other City Assessor's Card
Work of Ma High Artis X Rep. of ty	tic Values	Visual Landmank	in Ass	ociated with	GNIFICANCE significant person significant event development of

FEATURE DESCRIPTION: Originally the 3-story facade (east) of this building set 3' back from the sidewalk which flanks Main St. In 1954, a single story store front, flush with the sidewalk was added. It is likely that the wrought iron balustrades, which incircle the 3rd floor windows, and the wood lintel above the 2nd floor windows were added at this time, as well. Since then, stuccoed infills with aluminum sash windows have been installed in these openings (City Assessor's Card). Intact elements on this brick wall, laid in a running bond, likely include: the block parapet coping faced with sheet metal; and the plain metal cornice supported by large brackets which also serve as keystones for the flat arch lentils above the 3rd floor windows. The brick rear (west) wall, laid in American bond, displays segmented several arch openings (boarded).

OTHER HISTORICAL INFORMATION: Elias H. Boyer originally owned as well as resided at this building. At the time, Boyer was part owner of Boyer and Lindberg, a retail store offering "clothing and mens furnishings goods." This store was located one block north on Main (1910-11 Polk's City Directory). Building contractor, Henery Hurd, reportedly did \$100,000 worth of construction work in 1909, the year he erected this feature (WCI Dec. 30, 1909, p.1).


COMMENTS/REFERENCES:

Recorded by RTI-MEM

# Field Code RT185mT035

SITS Number 22WD883

Feature B.W. Photo I.D. Code <u>RTI85MT-Roll</u> 27 Frame 26




Feature B.W. Photo I.D. Code\_RTI85MT-Roll

Date 12 85

Frame

Storage Location NDCRS Recorded By TLH



SITS Number 32WD803

Feature



B.W. Photo I.D. Code RTI85MT-Roll 20 Frame 2

Feature\_\_\_\_

	B.W. Photo I.D. Code	RTI85MT-Roll Frame	
Storage Location	NDCRS		
Recorded By ME	Μ	Date 12/85	

ARCHI	TECTURAL	SITES
-------	----------	-------

٦

.

IUYC I

С

	[		1
	Field Code	SITS # State County Site Number	1. N <sup>1</sup> 2
	R.T. L. B.S. M.T. 03.6		2. E <sup>1</sup> 2
ġ.	10	11 13 15 18	3. 5 <sup>1</sup> 2
	Site Name LTL		4. W <sup>1</sup> 2
SITE	$\frac{1}{19} \xrightarrow{38} 39$	40 47 48 49 50	5. NEL
SI	19 38 39 Map Quad LTL	40 47 48 49 50 Turp D Sec 000 00 0	6. SE¼ 7. SW¼
•	Map Quad LTL	a Twp $R_a$ Sec QQQ QQ $Q_a$ Q	8. NW <sup>1</sup> <sub>4</sub>
	51 68 69	70 77 78 79 80	9. C
		1812 MAIN ENTRANCE	
	$\begin{array}{c} \textbf{City}  \underline{M} ,  \underline{n} e ^{\frac{1}{2}}  \underline{1}   \underline$	18 CLIMAIN ENIRANCE	
		BUILDING MATERIALS	
	19 23	24LUnknown	
	Street Name $15   M a ,  a    2 +            4$	Asbestos Siding/Shingle	
		Asphalt Siding/Shingle	struct.
	SITE COMPONENTS FEATURE DATA 46 PLJ # of Features 48 PLJ Feature #	45L3_Brick 50L_Clay Tile	system
	46 OIL # of Features 48 OIL Feature # 51 III Barn 53 IIII Const. Date	57 Composition Board	
	58 LL Chicken Coop 60 L pre-1880	61 Concrete Block	2=
	$62 \sqcup \Box$ Corral/Enclosure $64 \sqcup 1880-1900$	65L_Concrete, Poured/Cast	Primary
	66 [] General Storage 68 [] 1900-1915	69LlEarth/Clay	exterior
	Grain Storage 72 لــل 1915-1930 لــل	Earthen Brick السا73	finish
	74 Privy 76 1930-1945	77LJGlass, Block	
	78 Well/Windmill 80 post-1945	1 Glass, Pigmented	
N	2 لــــا Workshop	4LJLog	
DESCRIPTION	B لينا Dwelling:Multiple CONDITION	7∟⊥Metal, Decorative 10∟⊥Metal, Frame	3=
ΠP	السلىك Dwelling:Multiple CONDITION 11 السلىك Dwelling:Sngl/Mobile الملاحك Excellent	14 Metal, Horiz. Siding	.Both
SCR	15 Dwelling:Sngl/Perm 17 Log Good	18 Metal, Sheet	1 & 2
ES	19 Hotel/Motel 21 H Fair	22L_JPerma-Stone	
	23 Garage/Carriage House 25 Poor	26_Plastic, Vinyl	
SITE	27 Gravestone/Marker 29 Destroyed	30 Pole	
S	32 [O]] Commercial/Office SIGNIFICANCE	33日 Stone, Cut	4=
11	34 Educational 36 Eligible	37L Stone, Uncut	Second exterior
	38∟⊥⊥⊥ Engineering Struc. 40∟⊥ Not Eligible 42∟⊥⊥⊥ Governmental 44∟⊥ Contributing		finish
	42 LineGovernmental44 LineContributing46 Line48 LineNon-contrib.	• •	1 111 311
	50 Industrial/Utility PLAN SHAPE	52 Wood, Frame	
	53 Military 55 Circular	56 Wood, Horz. Siding	
	57 Religious 59 Irregular	60L_ Wood, Shingle/Shake	
	61 Social/Recre/Arts 63 LJ L-Shaped	64 Wood, Vert. Siding	
	65 Transportation 67 Polygonal	68L_1 Other	l
	69 Varehouse 71 Rectangular		
	73 Ulther 75 Square 78 J T-Shaped	<b>PORCH</b> 79السا79 ا	
		Addition/Altered	
	7LJ Other	8LLI Removed/None	
	Fieldwork Date 016 218 815	16 LOIO Ethnic 18 OBuilder	0=Unknown
	10 15	Engineer المسلية Style	1=Known
	Other Info.	46 Designer/	
~	OFFICE USE ONLY	45 Architect	ł
ONLY		erified Site Non-Site	
			l
USE	<u>41 43</u> <u>44 45 46</u> <u>47</u> <u>41</u>		Į
щ	State Registry National Register E C F T F	MS Number	<b>.</b> .
OFFICE	50 51 52 53	here a describer of the sector	<b>I</b> . '
Ы		54 60	1
	Padau m	Date Coded and a contract	

	NDCRS A	RCHITECTURAL	SITE FORM		
Field (	Code_RTI85MT036_	Page 2		SITS NUM	MBER 32WD886
ACCESS					
DESCRIP	PTION OF SITE Original	Minot, Lot 8	B, Block 6		
SIG. FE	AT. physicians office	-1			
NON-SIC	G. FEAT				
OWNER'S	S NAME, ADDRESS, AND PHO 4, Minot, N.D.; (701) 85	NE NUMBER			
FEATURE	E # NAM	E IN NAME BL	.0CK		
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$\frac{\text{STORIES}}{1}$ $\frac{1}{1}$ $\frac{1}{2}$ $\frac{2}{2}$ $\frac{1}{2}$ $\frac{1}{$	CORNICE Metal Brick None Wood x Other stone	ROOF TYPE Gable Hipped Deck Gambrel x Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) 1918-24 Other Tax Assessment Records
ARCH	ITECTURAL SIGNIFICANCE			HISTORICAL SI	GNIFICANCE
Work of Ma High Artis x Rep. of ty method of	aster Visua stic Values Too n vpe, period, Lacki construction x Not F	l Landmark ew to be eli ng integrity ligh Style	g. Ass / Ass / X Ass	ociated with ociated with ociated with locality	significant person significant event development of

FEATURE DESCRIPTION: Symmetrical fenestrations and a slightly pitched gable parapet, with a single step, define the 2-bay composition of the 3-story facade (east) of this building. The parapet features limestone coping, underscored by a course of header set brick, and a limestone drip course. The upper story fenestrations have stacked brick surrounds with limestone block corners as well as limestone sills. In 1956, the store front was remodeled, the third floor balcony constructed, and wood framed doors set in the 3rd floor openings (City Assessor's Card). The second floor windows were likely altered at this time as well. In 1926 a 2-story (25' x 56') addition was constructed along the rear (west) wall (City Assessor's Card). Since then, a single story brick and concrete block addition has been attached.

OTHER HISTORICAL INFORMATION: It appears that in 1924 Truman Yeomens, a physician, demolished a 1-story building (which housed the Savings and Loan Trust Co.) situated on this lot and erected this 3-story brick block. Originally, the main level served as office space for Yeomens and his partner, Dr. Thomas Strong (1922-27 Polk's City Directory).

COMMENTS/REFERENCES:


Recorded by RTI-MEM


Date 6-28-85

### Field Code RT185MT 036

SITS Number 32002886

Feature B.W. Photo I.D. Code RTI85MT-Roll 27 Frame 25






Feature B.W. Photo I.D. Code RTI85MT-Roll 26 Frame 3

Storage Location\_\_\_NDCRS\_\_\_\_\_ Recorded By JCH

Date 1285



SITE DESCRIPTION

ONL Y DFFICE USE

iade T

I. SITE I.D.	SITS #SITS #SITS #Site County Site Number $\underline{B.T.1.85.M.T.0.3.7.}_{1}$ $\underline{3.2}_{10}$ $\underline{W.P}_{12}$ $\underline{28.9}_{12}$ $\underline{10}$ $\underline{10}$ $\underline{11}$ $\underline{12}$ $\underline{12}$ $\underline{15}$ $\underline{18}$ Site NameLTL Twp R Sec QQQ QQ Q $\underline{19}$ $\underline{38}$ $\underline{39}$ $\underline{40}$ $\underline{47}$ $\underline{48}$ $\underline{49}$ $\underline{50}$ Map QuadLTL Twp R Sec QQQ QQ Q $\underline{51}$ $\underline{68}$ $\underline{69}$ $\underline{70}$ $\underline{77}$ $\underline{79}$ $\underline{80}$	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 2 6. SE <sup>1</sup> 2 7. SW <sup>1</sup> 2 8. NW <sup>1</sup> 2 9. C
	City MINION ON THE AND	
II. SITE DESCRIPTION	117BUILDING MATERIALSStreet Name192324Street Name192324Street Name19111125SITE COMPONENTSFEATURE DATA46474841511111115111111151111152111153111154111155111158111159111150111151111152111153111154111155111156111157111158111159111150111151 </td <td>1= struct. system 2= Primary exterior finish 3= Both 1 &amp; 2 4= Second exterior finish</td>	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
	Fieldwork Date 10 15 19 Uld Style 21 Ulengineer 22 45 OFFICE USE ONLY Fieldwork Date 10 15 10 15 10 16 OQ Ethnic 18 Ulengineer 10 16 OQ Ethnic 18 OQ E	0=Unknown 1≃Known
ONLY	Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
OFFICE USE C	41 43 44 45 46 47 48 49 State Registry National Register E C F T F MS Number	
OFF	50         51         52         53         54         60	•

#### NDCRS ARCHITECTURAL SITE FORM

Field C	ode_RTI85MT037	Page 2		SITS NUM	IBER 32WD889
ACCESS_		-			
DESCRIP	TION OF SITE <u>Original</u>	Minot, Lots	9 <b>-</b> 12, Bloc	k 6	
SIG. FE	AT. commercial block	-1; commerci	al block -2		
NON-SIG	. FEAT				
	NAME, ADDRESS, AND PHO ; (701) 852-2100	DNE NUMBER W	aldo W. Scho	enwald; P. O.	. Box 544, Minot,
FEATURE	# NAM	E IN NAME BLO	DCK The	Fair 1910	
BASEMENT <u>x</u> yes no unknown other <u>WINDOWS</u> <u>x</u> Original Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone Poured Concrete Refaced X Unknown Other	STORIES     1     1     1/2     2     2     1/2     X     3     Other     1	CORNICE Metal Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel x Flat Other	DATING METHOD Plat Map(s) County Atlas 1910 Date Block Sanborn Map(s) Topo Map(s) Other
Work of Ma High Artist	tic Values Too n pe, period, Lacki	l Landmark ew to be elig ng integrity ligh Style	gAsso Asso Asso	ciated with s	GNIFICANCE significant person significant event development of

FEATURE DESCRIPTION: In 1956 (City Assessor's Card), the store front of this building was remodeled along with that of the building to the south (see Feature 2) to serve as a single business, Ellison's occupying both. However, the upper two floors are intact with stone continuous sills and lintels, and a stone architrave beneath the pressed metal cornice with modillions. Two large rectangular window openings on each floor each have a pair of large fixed lights flanked on each side by 1/1 double-hung sash, all topped with transoms. The third floor windows are covered with aluminum storm sash.


OTHER HISTORICAL INFORMATION: Original owner of this building, "The Fair", was Engle Ellison. His business, Ellison & Sons, was the proprietor of The Fair, a store selling dry goods, notions, cloaks and suits and ladies', misses', and children's shoes (1910 and 1911 Ward Co. Tax Assessor's Lists and 1910-11 Polks City Directory). The local architectural firm of Woodruff & McGulpin provided the buildings design, and D.A. Dinnie, contractor, supervised its construction (WCI, August 11, 1910, p. 2).

С	OMME	NTS	/RE	FER	ENCES:

Recorded by RTI-FLQ

Date 6-23-85

INAC T



### NDCRS ARCHITECTURAL SITE FORM

Field	Code_RT185MT037_	Page 2	SITS NU	MBER 32WD889
ACCESS	S			
DESCR	IPTION OF SITE			
SIG. F	FEAT			
NON-S	IG. FEAT			
OWNER	'S NAME, ADDRESS, AND	PHONE NUMBER		
FEATU	RE #	NAME IN NAME BLOCK		
BASEMENT 	FOUNDATION MATERIAL Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$ \begin{array}{c}                                     $	RNICEROOF TYPEMetalGableBrickHippedNoneDeckWoodGambrelOtherX Flatrra cottaOther	DATING METHOD Plat Map(s) County Atlas Date Block 1932 Sanborn Map(s) Topo Map(s) undated Other City Assessor's Card
Work of M High Arti x Rep. of t	istic Values To type, period,La	sual Landmark	HISTORICAL SI Associated with Associated with x Associated with locality	significant person significant event
building was serve a sing this facade intact. Eac ornamentatic patterns of motifs. The courses brok openings.	CRIPTION: In 1956 (Cit s remodeled, along wit gle business, Ellison as well as the comple ch of these brick wall on, most notable, the zigzags (with sunburs is embellishment inclu- ken by the 3rd floor w Terra cotta also comp- box shape (level 2) a	th that of the adjo s, which occupied ete south and east s, laid in America elaborate use of t sts at each apex) a udes the parapet co vindows, and the co rises window lintel	ining structure to th both. However, the t (rear) elevations rem on bond, express a sim cerra cotta trim embos and lotus buds-popular oping, the stylized co ontinuous sill which u s (level 1 and 2), lu	e south, to op floor of ain virtually ilar design and sed with running art deco rnice, 2 belt nderlies these gsills molded
Realty Co. a owned and op Fair (Featur	RICAL INFORMATION: Wa as the property owner perated by Engle Ellis re 1). The Ellison's this buildings' desig	when this building son and his sons Ot engaged the St. Pa	) was erected. At thé to and Norman, also p aul architectural firm	time, this firm was roprietors of The

COMMENTS/REFERENCE	5:
--------------------	----

.

•

Recorded by RTI-MEM

Date 6-28-85

#### Continuation Form

SITS Number 32WD 889

#### Item No. FEATURE DESCRIPTION - RTI85MT037

which surrounds the side (south) entrance. Other decorative elements include: on the parapet, panels of skintled brick set in vertical alignment with the 3rd floor windows; and a marble base evident along the south facade. The symmetrically spaced 3rd story openings are each comprised of a fixed window (with 2 vertical lights) topped with a hopper window. The lower two floors both possess 1/1 double-hung windows which are grouped in three's on the south elevation. Several windows have been boarded or bricked.


Recorded by: RTI/FLQ


Date: 6-23-85


Page 1

Field Code RT185MT037

SITS Number 32 W D899








Recorded By MEM


Date 12/85



B.W. Photo I.D. Code RTI85MT-Roll 27 Frame 22

₹ ELLISO






B.W. Photo I.D. Code RTI85MT-Roll 26 Frame 5 Storage Location NDCRS Recorded By MEM Date 12 85

Field Code\_RTI85MT037

SITS Number 32WD \$89

Feature 2



B.W. Photo I.D. Code RTI85MT-Roll Z4 Frame 5

Feature

	B.W. Photo I.D. Code_	RTI85MT-Roll	Frame
Storage Location	NDCRS		
Recorded By	Ξ.Μ	Date_	12185

IUYE I

C

	ANONT LETONAL STILS	
I. SITE I.D.	Field Code $\underline{A}, \underline{T}, \underline{A}, \underline{S}, \underline{M}, \underline{T}, \underline{O}, \underline{7}, \underline{O}$ $\underline{A}, \underline{T}, \underline{A}, \underline{S}, \underline{M}, \underline{T}, \underline{O}, \underline{7}, \underline{O}$ $\underline{10}$ Site Name $\underline{H}, \underline{e}, \underline{r}, \underline{f}, \underline{A}, \underline{q}, \underline{e}, \underline{P}, \underline{A}, \underline{C}, \underline{e}, \underline{38}$ $\underline{19}$ $\underline{79}$ $\underline{79}$ $\underline{79}$ $\underline{79}$ $\underline{70}$	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>4</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
II. SITE DESCRIPTION	City ICIU: IndeltifierIde Main EntranceIde Main EntranceIde Main EntranceIde Main EntranceStreet Name (SI Main Index SITAddition Material SiteStreet Name (SI Main Index SITIde Main Index SITIde Main Index SITE COMPONENTSFEATURE DATAStreet Name (SI Main Index SITStreet Name (SI Main Index SITStreet Name (SI Main Index SITIde Main Index SITE COMPONENTSFEATURE DATA44 List Index SITE COMPONENTSFEATURE DATA44 List Index SITE COMPONENTSFEATURE DATA44 List Index SITE COMPONENTSFEATURE DATA45 Colspan="2">Composition Board51 List Const. Date50 List Const. Date<	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
OFFICE USE ONLY	Fieldwork Date $\bigcirc 10^{1}$ 1885101516 $\bigcirc 10^{1}$ Ethnic181 $\bigcirc$ Builder19 $\bigcirc 7$ Style21 $\bigcirc$ Engineer0ther Info.111122454647450FFICE USE ONLY Soil AssociationEcozoneArea SignfCR TypeVerified SiteNon-Site4143444546474849State RegistryNational RegisterE C F T FMS Number505152535460	0=Unknown 1=Known
	Coder DTI /AAFAA Date Coded 25Jone 85	-

#### NDCRS ARCHITECTURAL SITE FORM

Fie	Pld Code RTI85MT070 P	Page 2	SITS NUMBER 32WD892
ACO	CESS		
DE	SCRIPTION OF SITE <u>Original Mi</u>	not, Lots 23 and 24, Block	10
SI	G. FEAT. commerical block -1		
NO	-SIG. FEAT		
0WI	IER'S NAME, ADDRESS, AND PHONE N.D.; (701) 852-3578	NUMBER Hugh McCotcheon;	203 Souris Court, Minot,
FE/	NTURE # NAME	IN NAME BLOCK	
BASEMENT x yes no unknow other WINDOWS Origin x Altere		$\begin{array}{c ccccc} \hline 1 & & & & \\ \hline 1 & 1/2 & & \\ \hline x & 2 & & \\ \hline 2 & 1/2 & & \\ \hline 3 & & & \\ \hline 0 & \\ \hline x & x$	F TYPE DATING METHOD Gable Plat Map(s) Hipped County Atlas Deck Date Block Gambrel 1913 Sanborn Map( Flat Topo Map(s) Other Undated Other City Assessor's Card
High /	of type, period, x Lacking	Landmark Associate to be elig. Associate integrity Associate	RICAL SIGNIFICANCE ed with significant person ed with significant event ed with development of ality

FEATURE DESCRIPTION: By 1958 the 2 buildings which occupied these lots (1 each) were modified into a single structure. Since then (1970) the exposed elevations were completely remodeled including a new brick veneer, new windows and a new store front (City Assessor's Card).

OTHER HISTORICAL INFORMATION: The original buildings at this site were constructed by 1913 and were first occupied by Blaisdell Bird Co., a real estate firm (Lot 23) and Consumer Power Co. (Lot 24) which offered "Electric, Light, Power, Steam Heat and Telephone" (1912-13 Polk's City Directories). By 1934 a single business, Northern States Power Co., operated out of this location.


#### COMMENTS/REFERENCE'S:

Recorded by RTI-MEM

Date 6-25-85

# Field Code\_RTL85MT070

SITS Number 32WD892



	B.W. Photo I.D. C	Code <u>RTI85MT-R</u>	011 <b>24</b> Frame <b>24</b>
Storage Location	NDCRS		
Recorded By ME	M	Ţ	Date 12/85

.

inde T

I. SITE I.D.	Field Code $\mathbb{R}$ .T.L. $\mathbb{E}$ .S.MT. $\mathcal{O}$ . $\mathbb{G}$ $1$ $10$ Site Name $\mathbb{E}$ .c.a.n.i.t. $\mathbb{E}$ . $\mathbb{E}$ .c.a.n.i.t. $\mathbb{E}$ . $\mathbb{E}$ .s.a.n.i.t. $\mathbb{E}$ . $\mathbb{E}$ <td< th=""><th><u>1.5.51.8.3.2.4</u> <u>6</u> <u>7</u> <u>8</u> 40 <u>47</u> <u>48</u> <u>49</u> <u>50</u></th><th>1. N 2. E 3. S 3. S 5. NE 5. NE 5. SE 4. S 8. SE 4. S 8. NW 4 9. C</th></td<>	<u>1.5.51.8.3.2.4</u> <u>6</u> <u>7</u> <u>8</u> 40 <u>47</u> <u>48</u> <u>49</u> <u>50</u>	1. N 2. E 3. S 3. S 5. NE 5. NE 5. SE 4. S 8. SE 4. S 8. NW 4 9. C
NOI.	1       17         Street #       19       23         Street Name       19       23         Street Name       19       10         25       14         SITE COMPONENTS       FEATURE DATA         46       14       15         51       16       14         52       14       15         53       14       15         54       16       15         55       17       16         56       16       17         66       17       16         66       17       16         66       17       17         70       17       17         74       17       17         74       17       17         78       17       17         78       17       17         78       17       17         78       17       17	45 G Brick 50 Clay Tile 57 Composition Board 61 Concrete Block 65 Concrete, Poured/Cast 69 Earth/Clay 73 Earthen Brick 77 Glass, Block 1 Glass, Pigmented 4 Log 7 G Metal, Decorative	1= struct. system 2= Primary exterior finish
II. SITE DESCRIPTION	8       Dwelling:Multiple       CONDITION         11       Dwelling:Sngl/Mobile       13       Excellent         15       Dwelling:Sngl/Perm       17       Good         19       Hotel/Motel       21       Fair         23       Garage/Carriage House       25       Poor         23       Garage/Carriage House       25       Poor         24       Garavestone/Marker       29       Destroyed         31       Commercial/Office       SIGNIFICANCE         34       Engineering Struc.       40       Not Eligible         34       Governmental       44       Contributing         36       Industrial/Utility       PLAN SHAPE       55         50       Industrial/Utility       PLAN SHAPE       55         57       Religious       59       Irregular         61       Social/Recre/Arts       63       L       Shaped         65       Transportation       67       Polygonal         69       Warehouse       71       Rectangular         73       Other       75       Square         74       Other       75       Square	45L_1 Tarpaper	3= Both 1 & 2 4= Second exterior finish
OFFICE USE ONLY	Fieldwork Date 016 1985 10 15 Other Info. 22 OFFICE USE ONLY Soil Association Ecozone Area Signf CR Type Ve 41 43 44 45 46 47 44 State Registry National Register E C F T F 50 51 52 53	3 49	0=Unknown 1=Known

·	N	DCRS ARCHITECTURAL S	ITE FORM	
	Field Code RTI85MT069	Page 2	SITS N	1UMBER 32 WD893
<b>~</b> .	ACCESS			
	DESCRIPTION OF SITE Orig	ginal Minot, Lot 22,	Block 10	
	SIG. FEAT. commerica	block -1		
	NON-SIG. FEAT			
	OWNER'S NAME, ADDRESS, AN phone number not avail		n Rude Estate; P.O. E	Box 365, Minot, N.D.;
	FEATURE #	NAME IN NAME BLOC	KGranite_Springs	
ot	es Brick concrete Block known Fieldstone	$\begin{array}{c} & & & \\ & & \\ & & \\ \hline & & \\ & \\ \hline & & \\ & \\$	ORNICE ROOF TYPE Metal Gable X Brick Hipped None Deck Wood Gambre Other X Flat Other	County Atla 1915 Date Block Sanborn Mar
	ARCHITECTURAL SIGNIFIC	CANCE	HISTORICAL	SIGNIFICANCE
Hi x Re	ork of Master gh Artistic Values p. of type, period, thod of construction x	Visual Landmark Too new to be elig. Lacking integrity Not High Style	Associated wit Associated wit <u>x</u> Associated wit locality	h significant person n significant event h development of
in 19 most ing b tils name	URE DESCRIPTION: Remodelin 974 (City Assessor's Card) of its original fabric in prick surrounds and limesto and three large brackets, (Granite Springs) and date rear (west elevation).	, otherwise the uppe cluding paired 1/1 d one lugsills. Corbe underscores a press	r level of this tan ouble-hung windows w led brick simulating ed metal sign declar	brick structure retains ith wood sash, project- a cornice with den- ing the building's
Grani	R HISTORICAL INFORMATION: te Springs Manufacturing ( d and operated by Lewis El	Co. which produced s	oda water and ciders	tail outlet for the . The company was
	ENTS/REFERENCES:			-
COMME		•	· · · · · · · · · · · · · · · · · · ·	


Field Code RT185MTOL9

SITS Number 32WD 893

Feature

B.W. Photo I.D. Code RTI85MT-Roll 24

Frame 8




#### Feature\_\_\_\_


B.W. Photo I.D. Code\_RTI85MT-Roll


Date 12/85

Frame

Storage Location\_\_\_NDCRS\_\_ Recorded By JLH







Feature\_\_\_\_

	B.W. Photo I.D.	CodeRTI85MT-Ro	oll Frame
Storage Location	NDCRS		
Recorded By ME	Μ		Date 12/85

iaye 1

<.....

	r		
I. SITE I.D.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$TL_a$ Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub>	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 3 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
	Street # $1 2017$	BUILDING MATERIALS	
	Street Name $15   1/  0    0    0    0    1   1   1   1   1 $	43 Asbestos Siding/Shingle	
	25 SITE COMPONENTS FEATURE DATA	42 44_Asphalt Siding/Shingle 4513.Brick	struct. system
	46 ULJ # of Features 48 ULJ Feature #	50LIClay Tile	3y300m
	51 Barn 53 Const. Dat	e 57 Composition Board	
	58 LILI Chicken Coop 60 LI pre-1880	61 Concrete Block	2=
	62       General/Enclosure       64       1880-1900         66       General Storage       68       1900-1915	65∟」Concrete, Poured/Cast 69∟」Earth/Clay	Primary exterior
	$70 \sqcup$ Grain Storage $72 \sqcup$ 1900-1915	73 La Earthen Brick	finish
	74 L Privy 76 1930-1945	77LJGlass, Block	
	78 Well/Windmill 80 post-1945	ILGlass, Pigmented	
NO	2 Laure Workshop	4∟lLog 7∟lMetal, Decorative	
DESCRIPTION	B السلا Dwelling:Multiple CONDITION	10 Metal, Frame	3=
RI	الله Dwelling:Sngl/Mobile السبا Excellent	14 Metal, Horiz. Siding	Both
ESC	15 Dwelling: Sngl/Perm 17 Good	18 L Metal, Sheet	1 & 2
	19 Hotel/Motel 21 Fair 23 Garage/Carriage House 25 Poor	22∟⊥1Perma-Stone 26∟⊥Plastic, Vinyl	
SITE	27 Gravestone/Marker 29 Destroyed	30 Pole	
S	31 مل Commercial/Office SIGNIFICANCE	33L_J Stone, Cut	4=
11.	34 Educational 36 Eligible	37LStone, Uncut le <u>41</u> LStucco/Plaster	Second exterior
	3840Not Eligib42Governmental44Contributi		finish
	46 Health Care 48 Non-contri	b. 49 Thatch	
	50 Industrial/Utility PLAN SHAPE	52 Wood, Frame	
	53 Lilitary 55 Li Circular 57 Lilitary 59 Li Irregular	56لیا Wood, Horz. Siding 60لیا Wood, Shingle/Shake	
1	61 Social/Recre/Arts 63 L L-Shaped	64 Wood, Vert. Siding	
	65 Transportation 67 Polygonal	68 U Other	
	69 لا Warehouse 71 م Rectangula		
	73 Ulther 75 Square 78 T-Shaped	<b>PORCH</b> ۲۶۱ السار	
	July U-Shaped	4 Addition/Altered	
	7L Other	8LLI Removed/None	
	Fieldwork Date C16118815	16 00 Ethnic 18 01 Builder	0=Unknown
	10 15	19 Ligi Style 21 의Engineer	1=Known
	Other Info.	46 Designer/	
~	OFFICE USE ONLY	45 Architect	
ONLY		Verified Site Non-Site	
USE	41 43 44 45 46 47 State Registry National Register ECFT	48 49 E MS Numbon	
ЦC		F MS Number	,
OFFICE	50 51 52 53		
•	Coder OTHMENA	Date Coded 74 Summe 25	-

\*

Field	Code_RT185MT068_	Page 2		SITS NU	MBER 32 W 0 8 14
ACCESS			**************************************		
DESCRI	PTION OF SITE Origina	1] Minot, Lot	21, Block 10		
SIG. FI	EAT. commerical bloc	:k -1			
NON-SI	G. FEAT				
OWNER'S	S NAME, ADDRESS, AND F ., Minot, N.D.; (701)	HONE NUMBER		eal Estate Tr	ust; 15 1st Ave.
FEATUR	E #N	AME IN NAME B	LOCK		
BASEMENT 	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	1	Metal Brick X None Wood Other	Gambrel	DATING METHOD Plat Map(s) County Atlas Date Block 1913 Sanborn Map( Topo Map(s) 1909-15 Other Tax Lists
ARCI	HITECTURAL SIGNIFICANC	<u>E</u>		HISTORICAL SI	GNIFICANCE
Work of Ma High Artis x Rep. of t method of	aster Vis stic Values Too ype, period, Lac construction x Not	sual Landmark o new to be el cking integrit High Style	ig. Ass y X Ass	ociated with	significant person significant event development of

FEATURE DESCRIPTION: This 2-story, commerical building is faced with brown brick in a running bond. Decorative elements on the facade (west) included a corbeled parapet with a frieze of recessed brick in a diamond pattern. Two Chicago-type windows with transoms, and wooden sash intact pierce the upper level. Remodeling of the store front occurred in 1964 (City Assessor's Card). Since then, a one story carport (rear) has been removed.

OTHER HISTORICAL INFORMATION: Charles A. Wiley constructed this building ca. 1910 to house his business, Minot Plumbing and Heating Co., which operated out of this location for over twenty years (1910-1931 Tax Lists and Polk's City Directories).


COMMENTS/REFERENCES:

Recorded by RTI-MEM

Date 6-24-85

# Field Code RT185MT068





Feature B.W. Photo I.D. Code\_RTI85MT-Roll 29 Frame ZZ


Date 1285

Storage I	location	NDCRS
Recorded	By J	H

ARCHITECTURAL SITES

C

IUYE 1



SITE DESCRIPTION

OFFICE USE

1925
------

Fi	eld Co	ode_RTI85MT067	Page 2		SITS NUM	MBER 32 WD 895
AC	CESS					
DE	DESCRIPTION OF SITE Original Minot, Lot 20, Block 10					
SI	G. FE/	AT. commerical blo	ck -1			
NO	N-SIG	. FEAT				
OW	INER'S 1524	NAME, ADDRESS, AND 10th St. S. W., Min	PHONE NUMBER Not, N.D.; (701	Mard C. Robi ) 838-2945	nson, c/o Norr	man Anderson;
FE	EATURE	#	NAME IN NAME B	LOCK		
BASEMENT yes no unkno other 	- - 	FOUNDATION MATERIAL Brick Concrete Block Fieldstone Cut Stone X Poured Concrete Refaced Unknown Other	$\frac{S}{2} \qquad \frac{STORIES}{1} \qquad \frac{1}{1} \qquad \frac{1}{1/2} \\ \frac{x}{2} \qquad \frac{2}{2} \qquad \frac{1}{2/2} \\ \frac{3}{0} \qquad 0 \text{ther} \qquad \frac{1}{1/2} \\ \frac{1}{1/2} $	CORNICE Metal Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) <u>undated</u> Other City Assessor's Card
x Rep.	of Mas Artist of typ	cic Values To be, period, La	 sual Landmark o new to be el	ig. <u>Ass</u> y <u>x</u> Ass	ociated with s	<u>GNIFICANCE</u> significant person significant event development of

FEATURE DESCRIPTION: Although the store front windows of this 2-story building were replaced in 1964 (City Assessor's Card) many original elements of the principal (west) facade are intact including the original main entires (wood framed) and fixed 2nd floor windows with wood sash. Faced in variegated brown brick in a running bond, this facade displays subtle decorative touches including bands of tan header over soldier brick stacked along the parapet, above the 2nd floor windows and at the floor division. Recessed panels of stacked header brick are also aligned above the upper level openings. The brick south wall has been faced with a veneer of concrete.

OTHER HISTORICAL INFORMATION: Lillian B. Hertiage owned this property when this block was built and for several years thereafter (Tax Lists 1924-31). Polk's City Directories, however, do not provide a listing under this name.

COMMENTS/REFERENCES:

Recorded by RTI-MEM

Date 6-22-85


Field Code RT185M TOLY

SITS Number 32 WD 895

Feature |

B.W. Photo I.D. Code RTI85MT-Roll 24

Frame D



Feature


B.W. Photo I.D. Code\_RTI85MT-Roll\_

Frame

Storage I	Location	NDCRS
Recorded	By JLH	-

Date 285

SITS Number 32WD 895



Storage Location \_\_\_ NDCRS

Recorded By MEM

Date 12185

ARCHITECTURAL SITES

inde T

I. SITE I.D.	SITSField CodeState Cour $R$ $I$ <th>nty Site Number 1 2 <math>3940</math> 2 15 18 3 000 00 0 4 6 7 2 5 48 49 50 6 <math>000_a 0_a 0_a</math> 7 78 79 80 9</th> <th>1. N<sup>1</sup>/<sub>2</sub> 2. E<sup>1</sup>/<sub>2</sub> 3. S<sup>1</sup>/<sub>2</sub> 4. W<sup>1</sup>/<sub>2</sub> 5. NE<sup>1</sup>/<sub>4</sub> 5. SE<sup>1</sup>/<sub>4</sub> 7. SW<sup>1</sup>/<sub>4</sub> 3. N<sup>1</sup>/<sub>4</sub></th>	nty Site Number 1 2 $3940$ 2 15 18 3 000 00 0 4 6 7 2 5 48 49 50 6 $000_a 0_a 0_a$ 7 78 79 80 9	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>4</sub> 5. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 3. N <sup>1</sup> / <sub>4</sub>
II. SITE DESCRIPTION	25       44       Asphalt         31TE       COMPONENTS       FEATURE DATA       45       Barn         46       14       of       Features       48       14       45       Barl         51       Barn       53       14       Const. Date       57       Composi         58       Chicken Coop       60       pre-1880       61       Concret         62       Corral/Enclosure       64       1880-1900       65       Concret         64       General Storage       68       1900-1915       69       Earth/C         70       Grain Storage       72       1915-1930       73       Earth/C         74       Privy       76       1930-1945       77       Glass,         78       Well/Windmill       80       post-1945       11       Glass,         71       Dwelling:Sngl/Mobile       13       Excellent       14       Metal,         11       Dwelling:Sngl/Perm       17       Good       18       Metal,         12       Dwelling:Sngl/Perm       17       Good       18       Metal,         13       Dwelling:Sngl/Perm       17       Good       18       Metal, <td>s Siding/Shingle Siding/Shingle Siding/Shingle I le tion Board e Block e, Poured/Cast Pr lay Brick Block Pigmented Decorative Frame Horiz. Siding Sheet tone , Vinyl Cut Uncut Plaster r fi frame lorz. Siding Shingle/Shake Yert. Siding</td> <td>1= truct. ystem 2= imary terior nish 3= oth &amp; 2 4= cond cterior nish</td>	s Siding/Shingle Siding/Shingle Siding/Shingle I le tion Board e Block e, Poured/Cast Pr lay Brick Block Pigmented Decorative Frame Horiz. Siding Sheet tone , Vinyl Cut Uncut Plaster r fi frame lorz. Siding Shingle/Shake Yert. Siding	1= truct. ystem 2= imary terior nish 3= oth & 2 4= cond cterior nish
OFFICE USE ONLY	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	211⊡Engineer 1= 46∐JDesigner/ Architect -Site	=Unknown =Known

Field C	ode_RTI85MT066	Page 2		SITS NUM	MBER 32 WD 896
ACCESS					
DESCRIP	TION OF SITE Orig	inal Minot, Lots	17 and 18,	Block 10	
SIG. FE	AT. commerical b	lock -1			
NON-SIG	. FEAT				
	NAME, ADDRESS, ANI ; (701) 852-2049	O PHONE NUMBER	Andrew Niki	tenko; 215 S.	Main St., Minot,
FEATURE	#	_ NAME IN NAME B	LOCK		
BASEMENT 	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone X Poured Concrete Refaced Unknown Other	$ \begin{array}{c}                                     $	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel Stlat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1913 Sanborn Map(s) 1917 Other Business Bulletin
ARCH	ITECTURAL SIGNIFIC	ANCE		HISTORICAL SI	GNJFICANCE
Work of Ma High Artis Rep. of ty method of	tic Values	Visual Landmark Too new to be el Lacking integrit Not High Style	ia. — Ass	ociated with	significant person significant event development of


FEATURE DESCRIPTION: Symmetrical window treatment and a central entrance define the 4-bay composition of the principal (west) facade of this multi-colored brick structure. The single stepped parapet, faced with brown running bond brick, is broken by tan soldier brick stacked horizontally and placed in vertical alignment above the second floor windows. The glass and storms of these openings have been replaced, however, original flat arch lintels of brick and limestone lugsills are intact. The store front was remodeled in 1951 (City Assessor's Card), however, the first floor corner pilasters of red brick on a marble base remain unaltered. Painted advertisements (faded) are displayed on the north elevation which is faced with brick laid in American bond. Industrial windows with rowlock lintels and sills, pierce the rear (east) wall.

OTHER HISTORICAL INFORMATION: This building design by architect A. Fraser, was constructed in 1917 at a cost of \$25,000 by Paul McCoy to house his business known as McCoy Furniture Co. Inc. (Business Bulletin, November 15, 1917, pg. 14). By 1922, however, McCoy had closed his store and moved to Great Falls (1922 Polk's City Directory).


COMMENTS/REFERENCES:


Recorded by RTI-MEM

Date 6-20-85



SITS Number 32WD894





Feature

	B.W. Photo I.D. Code_	RTI85MT-Roll	Frame
Storage Location	NDCRS		
Recorded By MEA	Щ	Date	2185


# Field Code RTI85MT O66

## SITS Number 32WD890

Feature

B.W. Photo I.D. Code RTI85MT-Roll 24

Frame 20



### Feature\_\_\_\_

B.W. Photo I.D. Code RTI85MT-Roll

Date 12 85

Frame

Storage Location NDCRS Recorded By JLH ARCHITECTURAL SITES

inde T

	ANOTITEOTORAL STIES	1
I. SITE I.D.	Field Code $R_{-1} + 8.5 + 10 + 6.5 + 10 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + $	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
II. SITE DESCRIPTION	City Min India Hill Hill Hill Hill       17       18 C MAIN ENTRANCE         Street Name 151 Might Indix 151+1       17       BUILDING MATERIALS         23       23       24 UMnown         Street Name 151 Might Indix 151+1       42       43 Asbestos Siding/Shingle         46 (DDix) # of Features       48 (D) Feature #       50 Clay Tile         51 Line Barn       53 UMBEQ Const. Date       57 Composition Board         62 Line Corral/Enclosure       64 1880-1900       65 Line Concrete Block         64 Line Privy       76 Line 1930 - 1945       77 Glass, Block         70 Line Grain Storage       72 Line 1930 - 1945       73 Learthen Brick         74 Line Privy       76 Line Sign/Perm       17 Line Good       12 Line Garage/Carriage House         21 Line Owelling:Sngl/Perm       17 Line Good       12 Line Metal, Sheet         19 Line Gravestone/Marker       29 Line Stroyed       33 Line Contributing         19 Line Gravestone/Marker       29 Line Stroyed       33 Line Contributing         19 Line Stroit       14 Line Care       14 Line Care         14 Line Care       14 Line Care       14 Line Care         24 Line Stone, Uncut       34 Line Stone, Cut       34 Line Care         19 Line Stone       21 Line Cangular       36 Lingible       37 Line Care	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish 0=Unknown
ONLY	Image: Prelowork Date [0.1011/101015]       Image: Prelowork Date [0.1011/101015]       Image: Prelowork Date [0.1011/101015]         10       15       Image: Prelowork Date [0.1011/101015]       Image: Prelowork Date [0.1011/101015]         0ther Info.       10       15       Image: Prelowork Date [0.1011/101015]         0ther Info.       10       15       Image: Prelowork Date [0.1011/101015]         0ther Info.       11       11       11       11       11       11         22       45       Architect       45       Architect         0FFICE USE ONLY       Soil Association       Ecozone Area Signf CR Type Verified Site Non-Site	1=Known
OFFICE USE	41       43       44       45       46       47       48       49         State Registry       National Register       E C F T F       MS Number         50       51       52       53       54       60	, ,
	Product Control of the second se	

Field C	Code_RT185MT065	Page 2		SITS NUM	MBER 32WID897
ACCESS					
DESCRIF	TION OF SITE Orig	inal Minot, Lot	16, Block 10		
SIG. FE	AT. physician's	office -1			
NON-SIG	G. FEAT				
OWNER'S		D PHONE NUMBER			nc; P. O. Box 1577,
FEATURE	= #	NAME IN NAME B	LOCK		
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIA Brick X Concrete Block Fieldstone Cut Stone Poured Concreta Refaced Unknown Other	$\frac{ALS}{ALS} \qquad \frac{STORIES}{-1} \\ \frac{-1}{1} \frac{1}{1/2} \\ \frac{x}{2} \frac{2}{-2} \frac{1}{2} \frac{1}{2} \frac{1}{2} \\ \frac{-3}{-2} \frac{1}{-2} \frac{1}{2} $	Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel x Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1932 Sanborn Map(s Topo Map(s) undated Other City Assessor's Card
	HITECTURAL SIGNIFIC			HISTORICAL SI	
Work of Ma High Artis Rep. of ty method of	aster stic Values <u>x</u> /pe, period, construction	Visual Landmark Too new to be el Lacking integrit Not High Style	igAss yAss	ociated with ociated with ociated with locality	significant person significant event development of
	RIPTION: The stor				sor's Card). Since the entire main

facade painted. Original intact elements include terra cotta disks above header stacked window divides, stacked soldier and strecher brick window surrounds, a continuous limestone sill, and corner pilasters of header stacked brick with base and caps of limestone. Additionally, the wood framed glass door with transom, offset to the south (and leading to upper level), remains unaltered.

OTHER HISTORICAL INFORMATION: Originally this building served as an office for owner, G. Roy Ringo, a physician. Earlier (1916) Ringo erected a hospital/clinic north on Main St. (see RTI85MT049), however, by the 1930s this facility no longer exisited (1930-33 Polk's City Directory).

COMMENTS/REFERENCES:

.

Recorded by RTI-MEM

Date 6-22-85


Field Code RT185MT065


SITS Number 32WD897

Feature


B.W. Photo I.D. Code RTI85MT-Roll 24

Frame 12






Feature 065 B.W. Photo I.D. Code\_RTI85MT-Roll 24 Frame 19



Date 285

ARCHITECTURAL SITES

IUYE 1



Date Coded

Field (	Code_RT185MT064	Page 2		SITS NU	MBER 32WD898
ACCESS_					
DESCRIF	PTION OF SITE <u>Origina</u>	1 Minot, Lot	15, Block 16	)	1997 1997 1997 1997 1997 1997 1997 1997
SIG. FE	EAT. meeting hall	-1			
NON-SIC	G. FEAT				
OWNER'S Minc	5 NAME, ADDRESS, AND P ot, N.D.; (303) 852-01	HONE NUMBER 36	Minot Realit	y and Loan In	c.; P. O. Box 1577,
FEATURE	E # N	AME IN NAME B	LOCK <u>K-19</u>	911-P	
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone X Poured Concrete Refaced Unknown Other	$\frac{\text{STORIES}}{1}$ $\frac{1}{1} \frac{1}{1/2}$ $\frac{x}{2} \frac{2}{1/2}$ $\frac{3}{0}$ $\frac{1}{2} \frac{1}{2}$	CORNICE Metal X Brick None Wood Other	Gable	DATING METHOD Plat Map(s) County Atlas 1911 Date Block Sanborn Map( Topo Map(s) Other
ARCH	ITECTURAL SIGNIFICANC	<u>E</u>		HISTORICAL SI	GNIFICANCE
Work of Ma High Artis Rep. of ty method of	aster Vis stic Values Too /pe, period, Lac construction <u>x</u> Not	ual Landmark new to be el king integrit High Style	ig. Ass y X Ass	ociated with	significant person significant event development of

FEATURE DESCRIPTION: This building sets back an additional 4' from the sidewalk which flanks Main St. The entire main (west) facade has been painted and is partially obscured from view by a pre-cast concrete screen erected in 1965 (City Assessor's Card). Behind the screen, however, it is evident that many original elements remain. The parapet, with concrete coping, is divided by 3 recessed panels of brick underscored by a corbeled cornice. The frieze is composed of two oblong brick panels which flank a smaller pressed metal plate which reads "K-1911-P". Projecting brick corner pilasters are set on concrete pedestals, the southern pedestal has the raised initials F, C and B arranged in a triangular pattern. The store front display consists of a large fixed window with original wood sash, boarded transom headed by a voussoir with a large scrolled bracket in the keystone position, and a limestone lug sill. Similar treatment is evident above the transom (now bricked) of the original doorway. This entry is now open and leads to the recessed and remodeled main door. A basement entry, accessed by a stairwell along the facade, retains its original wood framed glass panel door with transom.

OTHER HISTORICAL INFORMATION: This building was erected by, and served as a meeting hall for, the Knights of Pythias which is listed under secret societies in the 1910-1911 Polk's City Directory.

COMMENTS/REFERENCES:


Recorded by RTI-MEM


# Field Code RT185MTOGA


Feature

B.W. Photo I.D. Code RTI85MT-Roll 24


Frame 3







Feature B.W. Photo I.D. Code RTI85MT-Roll Z4 Frame 14




Field Code RT185MTO64

SITS Number 22WD898

Feature

B.W. Photo I.D. Code RTI85MT-Roll 24

Frame 18



Feature

B.W. Photo I.D. Code\_RTI85MT\_Roll

Frame

Storage I	location_	NDCRS
Recorded	By J	H

Date 12/85
------------

ARCHITECTURAL SITES

iade T

I. SITE I.D.	SITS #SITS #Site County Site Number $\underline{B,T,1,85,M,T,0,6,3}{1}$ $\underline{State}$ County Site Number $\underline{3,2}$ $\underline{MD}$ $\underline{8,9,9}{11}$ $\underline{10}$ $\underline{11}$ $\underline{13}$ $\underline{15}$ Site Name $\underline{Dwin,r,e}$ $\underline{A,paic,t,me,n,1,5}$ $\underline{38}$ $\underline{19}$ $\underline{38}$ $\underline{ITL}$ Twp RSec $QQQ$ $\underline{0}$ $\underline{15,57}$ $\underline{3,2,14}$ $\underline{C}$ $\underline{17}$ $\underline{21}$ $\underline{19}$ $\underline{38}$ $\underline{11}$ $\underline{10}$ $\underline{11}$ $\underline{23}$ $\underline{12}$ $\underline{12}$ $\underline{19}$ $\underline{38}$ $\underline{17}$ $\underline{48}$ $\underline{49}$ $50$ $\underline{112}$ $\underline{10}$ $\underline{112}$ $\underline{12}$ $\underline{12}$ $\underline{12}$ $\underline{19}$ $\underline{10}$ $\underline{111}$ $\underline{12}$ $\underline{12}$ $\underline{12}$ $\underline{19}$ $\underline{10}$ $\underline{111}$ $\underline{12}$ $\underline{12}$ $\underline{12}$ $\underline{19}$ $\underline{10}$ $\underline{111}$ $\underline{12}$ $\underline{12}$ $\underline{12}$ $\underline{10}$ $\underline{111}$ $\underline{12}$ $\underline$	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
II. SITE DESCRIPTION	117BUILDING MATERIALSStreet Name51Main512324UnknownStreet Name51Main514244Asphalt Siding/Shingle464181414243434343434611414144Asphalt Siding/Shingle4444Asphalt Siding/Shingle4611111142444531114551111111111157111157115211111111115711 <td>1= struct. system 2= Primary exterior finish 3= Both 1 &amp; 2 4= Second exterior finish</td>	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
OFFICE USE ONLY	Fieldwork Date $0:60:1:8:8:5:1 \\ 10:15:10:1$	0=Unknown 1=Known

Field C	ode_RTI85MT063	Page 2		SITS NU	MBER 32WD 899
ACCESS_					
DESCRIP	TION OF SITE Orig	inal Minot, Lots	13 and 14,	Block 10	
SIG. FE	AT. apartment ho	use -1			
NON-SIG	• FEAT.				
OWNER'S St.	NAME, ADDRESS, AN N.E., Minot, N.D.;	D PHONE NUMBER (701) 838-0185	Paul R. and	Marlene D. Ra	usmussens; 800 1st.
FEATURE	#1	NAME IN NAME B	LOCK		
BASEMENT 	FOUNDATION MATERI Brick Concrete Block Fieldstone Cut Stone x Poured Concret Refaced Unknown Other	$ \begin{array}{c} \hline     1 \\ \hline     1 \\ \hline     x \\ \hline     2 \\ \hline     2 \\ \hline     1/2 \end{array} $	CORNICE Metal Brick xNone Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1918 Sanborn Map( Topo Map(s) undated Other City Assessor's Carc
ARCH	ITECTURAL SIGNIFIC	ANCE		HISTORICAL SI	GNIFICANCE
<pre>Work of Ma High Artis X Rep. of ty</pre>	ster tic Values pe, period,	Visual Landmark Too new to be el Lacking integrit	ig. Ass y XAss	ociated with	significant person significant event development of

FEATURE DESCRIPTION: This rectangular 2-story apartment building is situated on the northeast corner of S. Main St. and 3rd Ave. S.E. The principal (west) facade, faced in brown brick laid in a running bond, features a parapet with header brick coping and recessed panels of brick screen which are vertically aligned over the first and second story windows. Alteration's (1970) include aluminum sash windows placed in these openings and a single door replacing a former double door entry (1964 photo, City Assessor's Card). Original rowlock window sills and rounded arch door transom, shaded by an arched hood on scrolled brackets are intact. Additionally, 6/6 double-hung windows with wood sash are in place in the basement openings. The south elevation, which faces 3rd Ave. S.E., displays similar design as well as alterations. Although the main facade joins the building to the north (217 S. Main St.) a small walkway (accessed from the rear) exists between the two buildings.

locality

x Not High Style


OTHER HISTORICAL INFORMATION: Known as the Dwire apartments, this building was originally owned, as well as occupied, by Mary Dwire (1916 Tax Lists). Dwire is listed as the boarding house proprietress in the 1917 Polk City Directory. An older and small structure existed on the eastern portion of this property (1964 City Assessor's photo labeled as Dwire Apartment Annex). This area now serves as a parking lot.

#### COMMENTS/REFERENCES:

method of construction

Recorded by RTI-MEM

Date 6-22-85



ARCHIT	<b>TECTURAL</b>	SITES
--------	-----------------	-------

.

inde T

Ler?

I. SITE I.D.	Field Code $R \rightarrow 1 \otimes 5 \otimes M \rightarrow 1 \otimes 8 \otimes 4$ $1 \qquad 10$ Site Name $A \rightarrow 1 \otimes 1$	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
	City       Min       1 <td>1= struct. system 2= Primary exterior</td>	1= struct. system 2= Primary exterior
SITE DESCRIPTION		3= Both 1 & 2
II. S	31Commercial/OfficeSIGNIFICANCE33Stone, Cut34Educational36Eligible37Stone, Uncut38Engineering Struc.40Not Eligible41Stucco/Plaster42Governmental44Contributing45Tarpaper46Health Care48Non-contrib.49Thatch50Industrial/UtilityPLAN SHAPE52Wood, Frame53Military55Circular56Wood, Horz. Siding57Religious59Irregular60Wood, Shingle/Shake61Social/Recre/Arts63LShaped6465Transportation67Polygonal68Other69Warehouse71RectangularContext68	4= Second exterior finish
	73 L Other       75 J Square       PORCH         78 J T-Shaped       79 J Original         3 J U-Shaped       4 J Addition/Altered         7 J Other       8 J Removed/None         Fieldwork Date 08 J 20 15         10       15         15       16 0 J 20 18 J 20 Engineer         0ther Info. 122       46 D Designer/         22       45	0=Unknown 1≖Known
OFFICE USE ONLY	OFFICE USE ONLY       Soil Association       Ecozone       Area Signf       CR Type       Verified Site       Non-Site         41       43       44       45       46       47       48       49         State Registry       National Register       E C F T F       MS Number         50       51       52       53       54       60         Date Coded WE A with Site	

Field C	ode <u>RTI85MT084</u>	Page 2	SITS N	IMBER 32WD900
ACCESS				
DESCRIP	TION OF SITE Orig	ginal Minot, Lots 16	, 17, 18, Block 15	
SIG. FE	AT. <u>church -1</u>			
NON-SIG	. FEAT			
OWNER'S Mino	NAME, ADDRESS, AN t, N.D.; (701) 83	ND PHONE NUMBER All 9-1037	Saint's Episcopal Ch	urch; 301 S. Main,
FEATURE	#1	NAME IN NAME BLOCH	<pre>&lt;_All Saint's Episcol</pre>	pal Church
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATER Brick Concrete Block Fieldstone x Cut Stone Poured Concret Refaced Unknown Other	$\begin{array}{c} \begin{array}{c} \begin{array}{c} x \\ 1 \\ 2 \\ 2 \\ 2 \\ 1/2 \end{array} \end{array} \begin{array}{c} \\ \end{array}$	DRNICE ROOF TYPE Metal x Gable Brick Hipped None Deck Wood Gambrel Other Flat Other	DATING METHOD Plat Map(s) County Atlas 1920 Date Block Sanborn Map(s) Topo Map(s) Other
ARCH	ITECTURAL SIGNIFI	CANCE	HISTORICAL S	IGNIFICANCE
Work of Ma High Artis Rep. of ty method of	tic Values pe, period,	Visual Landmark Too new to be elig. Lacking integrity Not High Style	Associated with Associated with X Associated with locality	

FEATURE DESCRIPTION: This brick church, designed in the Gothic Revival style, is situated on a sandstone base (finished ashlar) and is in the form of a Latin cross with a steeply pitched, cross-gable roof. In 1983 the original main entry, formerly located in a north facing vestibule (northeast corner) was filled with a fixed stained glass window and a new vestibule of slightly different brick, constructed along the west elevation ("All Saints' Episcopal Church, <u>People, Places and Events: Minot-Ward Co.</u>). Windows are predominately stained-glass set in pointed arch openings with sandstone trim. Some transcept openings, however, have been altered with a lower opaque light. Other sandstone details include: the coping and cross finals atop the gable parapets; the beveled caps adjoining the brick buttresses which deliniate each wall breck and the bays (4-each) which compose the side elevations; the beveled water table; and the cornerstone (northwest) which reads, "ALL SAINTS EPISCOPAL CHURCH 1920". A small brick vestibule, leading to the church basement, has been added to the east elevation.

OTHER HISTORICAL INFORMATION: Constructed in 1920, this church replaced the original wood building (1901) which housed the All Saints Episcopal Congregation. Rev. Daniel Gallager held the first services in the new church in February of 1921. ("All Saints Episcopal Church," People, Places and Events: Minot-Ward Co.)

COMMENTS	/REF	ERE	NCES	;
----------	------	-----	------	---

Recorded by RTI-MEM

Date 8-15-85

Field Code RTIBSMT084





B.W. Photo I.D. Code RTI85MT-Roll Z4 Frame 35



	B.W. Photo 1.D. Code	RT185MT-Ro11 <b>24</b>	Frame 5
Storage Location	NDCRS		
Recorded By ME	<u>m</u>	Date	12185

Field Code\_RTI8SMT084

SITS Number 32WD900



Feature\_\_\_\_

В.W.	Photo I.D. Code_	RTI85MT-Roll	Frame	
Storage Location NDCR	S			1
Recorded By MEM		Date	12185	,

		ARCHITECTURAL SITES	, age T	C.
I. SITE I.D.	Field Code <u>A.T.I.8.5.M.T.I.0.5</u> 1 Site Name 19 Map Quad 51	<u> </u>	SITS # State County Site Number 3.2 $12$ $13$ $15$ $18wp R Sec QQQ QQ Q47$ $48$ $49$ $50wpa Ra Seca QQQa QQa Qa77$ $78$ $79$ $80$	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
	City Minolt IIII		1813 MAIN ENTRANCE	
	Street # $[ 1 ] 20 ]$ 19 23 Street Name $[W_1] \subseteq [ 1] 1 ] [ 25 ]$		BUILDING MATERIALS 24 Unknown 43 Asbestos Siding/Shingle 44 Asphalt Siding/Shingle	l= struct.
ION	SITE COMPONENTS 46 QILJ # of Features 4 51 LIJ Barn 53 LL 58 LIJ Chicken Coop 62 LIJ Corral/Enclosure 66 LIJ General Storage 70 LIJ Grain Storage 74 LIJ Privy 78 LIJ Well/Windmill 2 LIJ Workshop	FEATURE DATA         8       1         9       1         12       1         60       1         04       1         1880-1900         68       1900-1915         72       1915-1930         76       1930-1945         80       1         90       1930-1945	45LL Brick 50L Clay Tile 57L Composition Board 61L Concrete Block 65L Concrete, Poured/Cast 69L Earth/Clay 73L Earthen Brick 77L Glass, Block 1L Glass, Pigmented 4L Log 7L Metal, Decorative	system 2= Primary exterior finish
II. SITE DESCRIPTION	8       Jowelling:Multiple         11       Jowelling:Sngl/Mobile         15       Jowelling:Sngl/Perm         19       Jowelling:Sngl/Perm         23       Jowelling:Sngl/Perm         23       Garage/Carriage House         27       Garage/Carriage House         27       Gravestone/Marker         31       Commercial/Office         34       Educational	CONDITION 13 L Excellent 17 J Good 21 Fair 25 Poor 29 Destroyed SIGNIFICANCE 36 J Eligible	<pre>10 Metal, Frame 14 Metal, Horiz. Siding 18 Metal, Sheet 22 Perma-Stone 26 Plastic, Vinyl 30 Pole 33 Stone, Cut 37 Stone, Uncut</pre>	3= Both 1 & 2 4= Second
Ι	38       Image: Second structure         42       Governmental         46       Health Care         50       Industrial/Utility         53       Military         57       Religious         61       Social/Recre/Arts         65       Transportation         69       Other	40 L Not Eligible         44 L Contributing         48 L Non-contrib.         PLAN SHAPE         55 L Circular         59 L Irregular         63 L L-Shaped         67 L Polygonal         71 L Rectangular         75 L Square         78 L T-Shaped         3 L U-Shaped	4112 Stucco/Plaster 45 I Tarpaper 49 I Thatch 52 Wood, Frame 56 Wood, Horz. Siding 60 Wood, Shingle/Shake 64 Wood, Vert. Siding 68 Other PORCH 79 Original 4 Addition/Altered	exterior finish
٨	Fieldwork Date $0.7 0 9815$ 10 $15$ Other Info. $12$ $22$ OFFICE USE ONLY	1	8 A Removed/None 6 0 0 Ethnic 18 0 Builder 9 0 0 Style 21 0 Engineer 1 46 0 Designer/ 45 Architect	0=Unknown 1≖Known
USE ONLY		Signf CR Type Verif	49	
<b>OFFICE</b>	50 51		S Number 4 60	j

-

Field Code RTI85MT105

.

Page 2


SITS NUMBER 22010832

ACCESS
DESCRIPTION OF SITE Original Minot, West 65' of East 90' of Lots 17, 18 and 19, Block 20
SIG. FEAT. commercial block -1
NON-SIG. FEAT.
OWNER'S NAME, ADDRESS, AND PHONE NUMBER <u>Main Limited, c/o Paul Storsteen; P. O. Box</u> 848, Minot, N.D.; (701) 852-0196
FEATURE # NAME IN NAME BLOCK
BASEMENT       FOUNDATION MATERIALS       STORIES       CORNICE       ROOF TYPE       DATING METHOD         x yes       Brick       x 1       Metal       Gable       Plat Map(s         no       Concrete Block       1 1/2       Brick       Hipped       County Atl         unknown       Fieldstone       2       x None       Deck       Date Block         other       Cut Stone       2 1/2       Wood       Gambrel       Sanborn Ma         x Poured Concrete       3       Other       x Flat       Topo Map(s         wINDOWS       Unknown       Other       Other       Other       City Assessor's Ca         wINDOWS       Other       Altered       Other       State       State
ARCHITECTURAL SIGNIFICANCE HISTORICAL SIGNIFICANCE
Work of MasterVisual LandmarkAssociated with significant personHigh Artistic ValuesToo new to be elig.Associated with significant eventRep. of type, period,x Lacking integrityx Associated with development ofmethod of constructionNot High StyleIocality
FEATURE DESCRIPTION: Sometime after 1964, this facade was completely remodeled to its curre condition which includes a mansard-like roof with wood shingles, stuccoed walls, and metal sash store fronts. A prior photo, on file at the City Assessor's, shows the original facade to be brick with stone details. The rear wall adjoins Bray's Cleaners .
OTHER HISTORICAL INFORMATION: Second National Bank owned the proerty when this structure was built (Ward Co. Tax Lists). The 1930 Polk's City Directory lists 4 businesses, includin a shoe shine store, clinic, barbers and a Western Union Telegraph Office, at this location.
COMMENTS/REFERENCES:
Recorded by RTI-MEM Date 7-10-85

# Field Code RTI85MT105

SITS Number 32-WD932






B.W. Photo I.D. Code RTI85MT-Roll 7 Frame 3

Feature\_\_\_\_

	B.W. Photo I.D. Code	RTI85MT-Roll	Frame
Storage Location	NDCRS		
Recorded By M	EM	Date	12185

ARCHI	TE	CTI	JRAL	SI	TES
-------	----	-----	------	----	-----






V INO OFFICF USF

•• ·

	ded by RTI-MEM				Date 7-9-85					
COMME	NTS/REFERENCES:	- · · ,								
OTHER	HISTORICAL INFORMATION:									
FEAIU	RE DESCRIPTION: modern	ealtace			<u>.</u>					
Hi Re me	gh Artistic Values p. of type, period, thod of construction	Lacking integrity Not High Style	. Assoc	ciated with s	ignificant person ignificant event evelopment of					
	ARCHITECTURAL SIGNIFIC			ISTORICAL SIG						
ot WINDO Or	ENT FOUNDATION MATERI sBrick Concrete Block knownFieldstone	$\frac{ALS}{\underline{\qquad}} \underbrace{\begin{array}{c} \text{STORIES} \\ \underline{\qquad} 1 \\ \underline{\qquad} 1 \\ \underline{\qquad} 1 \\ \underline{\qquad} 2 \\ \underline{\qquad} 2 \\ \underline{\qquad} 2 \\ 1/2 \end{array}}$		ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) <u>undated</u> Other City Assessor's Card					
	OWNER'S NAME, ADDRESS, AN P.O. Box 848, Minot, N FEATURE #1	.D.; (701) 852-019	6	on, Hovdestad	, Storsteen;					
	NON-SIG. FEAT									
	SIG. FEAT. commercial block -1									
ACCESS DESCRIPTION OF SITE Original Minot, on West 50' Lots 17, 18 and 19, Block 10										



	•	ARCHITECTURAL SITES	י מאב ד	С.
I. SITE I.D.	Field Code <u>RJLE5MTO22</u> 1 Site Name <u>Kerrmott</u> . <u>Bloc</u> 19 Map Quad 51	LTL TW NFINISHED Bunding	SITS # State County Site Number 3.2 $WD$ $BZ4$ 11 13 15 18 P R Sec QQQ QQ Q 7.3.2.4.7 $Z$ $QQ$ QQ 47 $48$ $49$ 50 a Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub> 7.7 $78$ $79$ 80 MAIN ENTRANCE	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 5 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 3 6. SE <sup>1</sup> 3 7. SW <sup>1</sup> 3 8. NW <sup>1</sup> 3 9. C
II. SITE DESCRIPTION	Street # 1990 23 Street Name W1 C K r 25 SITE COMPONENTS 46 201 # of Features 51 Barn 58 C Corral/Enclosi 66 General Storad 70 Grain Storage 74 Privy 78 Well/Windmill 2 Workshop 8 Dwelling:Sngl/Mobile 15 Welling:Sngl/Perm 19 Hotel/Motel 23 Garage/Carriage House 27 Gravestone/Marker 21 Commercial/Office 23 Governmental 46 Health Care 50 Governmental 46 Health Care 50 Military 57 Religious 61 Social/Recre/Arts 65 Transportation 69 Warehouse 73 Other	76       1930-1945         80       post-1945         13       Excellent         17       Good         21       Fair         25       Poor         29       Destroyed         SIGNIFICANCE         36       Eligible         40       Not Eligible         44       Contributing         48       Non-contrib.         PLAN SHAPE         55       Circular         59       Irregular         63       L-Shaped         67       Polygonal         71       Rectangular         75       Square         78       T-Shaped         3       U-Shaped         7       Other	<pre>(LDING MATERIALS</pre>	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
ONLY	Fieldwork Date OIG I 685 10 15 Other Info. 461=15 Hold 4 22 OFFICE USE ONLY Soil Association Ecozone Are	19		0=Unknown 1=Known
OFFICE USE C	4143444546State RegistryNational Reg5051	47 48	49 Number 60	
	A (		Date Coded 237 ac	

•						
Field C	ode <u>RTI85MT022</u>	Page 2		SITS NUM	MBER 22	WD834
ACCESS						
DESCRIP	TION OF SITE Orig	inal Minot, Lots	1 and 2, B1	ock 4	ويتقاول فرواد بالمناكر الكرار والمعيدين	
SIG. FE	AT. commerical b	lock -1				
NON-SIG	. FEAT					
OWNER'S	NAME, ADDRESS, AN ; phone number not	ID PHONE NUMBER			ve. S.W.,	, Minot,
FEATURE	#1	NAME IN NAME B	LOCK <u>Cent</u>	ral		
BASEMENT <u>x</u> yes no unknown other WINDOWS Original <u>x</u> Altered	FOUNDATION MATERI Brick Concrete Block Fieldstone Cut Stone Poured Concret Refaced X Unknown Other	$\begin{array}{c} ALS \\ ALS \\ \hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING 1918 undated City As	Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s)
Work of Ma High Artis	ITECTURAL SIGNIFIC ster tic Values pe, period, construction <u>x</u>	Visual Landmark Too new to be el Lacking integrit	ig. Ass y XAss	HISTORICAL SIG ociated with ociated with ociated with locality		


FEATURE DESCRIPTION: This ornate, early 20th century commerical block has had its store fronts and windows altered. All store fronts are now plate glass with aluminum frames and all windows have been replaced with aluminum sash. Other architectural details survive including the seven bay facade configuration (and 2-1/2 bays on the secondary or 1st. St. N.W. facade), the marble base blocks, the first floor of beveled-edge, cut limestone, the second floor with rough-faced dark red brick with light brown brick window surrounds, the false brick keystones in the decorative lintels, and the simple soldier course parapet leading to more elaborate central pediments and corner elements.

OTHER HISTORICAL INFORMATION: Original owner of this building was Louis H. Kermott, a Minot physician and surgeon to the Great Northern R.R. Robert B. Stacy-Judd, a local architect, completed the buildings' design which called for 5 floors topped with a mansard roof. The contracting firm of W. S. Kingsley, supervised the construction of the only 2 floors ever erected (Business Bulletin Dec. 1, 1917, pg. 6).


COMMENTS/REFERENCES:

Recorded by RTI-FLQ

Date 6-23-85




SITS Number 32 WD 834



Field Code RT185MT022

SITS Number 32WD.834

Feature\_\_\_\_\_ B.W. Photo I.D. Code <u>RTI85MT-Roll</u> 17 Frame\_\_\_\_\_



Feature\_\_\_\_\_ B.W. Photo I.D. Code<u>RTT85MT-Roll</u>\_\_\_\_\_

Frame\_\_\_\_\_

Storage 1	Location	NDCRS
Recorded	By JL	H

Date 12/85
------------

ARCHITECTURAL SITES

•

•

raye 1

I. SITE I.D.	Field Code $\underline{RTI} \underline{SSMTIO} \underline{S}$ 1  10 Site Name $\underline{FI} \underline{a} \underline{t} \underline{J} \underline{r} \underline{o} \underline{n} \underline{B} \underline{o} \underline{v} \underline{J} \underline{d} \underline{v}$ Map Quad $\underline{MI} \underline{MI} \underline{N} \underline{O} \underline{T} \underline{I} \underline{I} \underline{I} \underline{I} \underline{I} \underline{I} \underline{I} I$	LTLa	SITS # State County Site Number 3.2. $WD$ $0.25$ 11 13 15 18 Twp R Sec QQQ QQ Q 0.551.3224 $0.950Twpa Ra Seca QQQa QQa Qa0.77.78.79.8018.3 MAIN ENTRANCE$	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>3</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>4</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
II. SITE DESCRIPTION	Image: Street #       Image: Street Name [N] [C] [N] [T] [K] A [L] [25]         Street Name [N] [C] [N] [T] [K] A [L] [25]         SITE COMPONENTS         46 [Q] []] # of Features       4,         51 []] Barn       53 []]         58 []] Chicken Coop       62 []]         66 []] General Storage       70 []]         70 []] Grain Storage       71 []]         71 []] Grain Storage       72 []]         72 []] Welling: Multiple         73 []] []] Dwelling: Sngl/Mobile         74 []] []] Dwelling: Sngl/Mobile         75 []] []] []] Dwelling: Sngl/Mobile         76 []] []] []] []] []] []] []] []] []] []	42         FEATURE DATA         8	BUILDING MATERIALS 24 Unknown 43 Asbestos Siding/Shingle 44 Asphalt Siding/Shingle 45 Brick 50 Clay Tile 57 Composition Board 61 Concrete Block 65 Concrete, Poured/Cast 69 Earth/Clay 73 Earthen Brick 77 Glass, Block 11 Glass, Pigmented 41 Log 71 Metal, Decorative 10 Metal, Frame 14 Metal, Horiz. Siding 18 Metal, Sheet 22 Perma-Stone 26 Plastic, Vinyl 30 Pole 33 Stone, Cut 37 Stone, Uncut 41 Stucco/Plaster 45 Tarpaper 49 Thatch 52 Wood, Frame 56 Wood, Horz. Siding 60 Wood, Shingle/Shake 64 Wood, Vert. Siding 68 Other PORCH 79 Original 4 Addition/Altered	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
OFFICE USE ONLY	Fieldwork Date O16 1 A185 10 15 Other Info. 22 OFFICE USE ONLY Soil Association Ecozone Area 41 43 44 45 46 State Registry National Regis 50 51	47 48	8	0=Unknow 1=Known

	Field Code RTI85MT108			Page 2		SITSNUM	SITS NUMBER 32WD835		
►.	ACCESS								
	DESCRIP	TION OF SITE Or	iginal Mir	not, Lots	10, 11 and 1	2, Block 21			
	SIG. FE	AT. commercial	block -1						
	NON-SIG	. FEAT.							
	OWNER'S Mino	NAME, ADDRESS, t, N.D.; (701) 8	AND PHONE 39-1719	NUMBER	I. H. and Pau	uline H. Fishe	er; P. O. Box 1696,		
	FEATURE	#1	NAME I	IN NAME BL	.0CK				
ot WINDO Or	s known	FOUNDATION MATE Brick Concrete Blo Fieldstone Cut Stone x Poured Concre Refaced Unknown Other	ck ete	$ \frac{1}{1} \frac{1}{1/2} \frac{1}{2} \frac$	CORNICE Metal X Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel Other	DATING METHOD — Plat Map(s) — County Atlas — Date Block — Sanborn Map( — Topo Map(s) 1911-17 Other Polk's City Director		
Hi x Re	ork of Ma gh Artis p. of ty	tic Values pe, period,	ICANCE Visual L Too new Lacking X Not High	to be eli integrity	gAsso Asso XAsso	ociated with s	GNIFICANCE significant person significant event development of		


FEATURE DESCRIPTION: This 2-story triangular-shaped brick commerical block had its store fronts remodeled in 1956 (City Assessor's Card) to include the present light brick and plate glass in-fill. Second floor window openings are also in-filled with stucco and new, smaller 1/1 double-hung sash. Rear arched openings have received similar treatment and the entire rear wall, facing the tracks, and the east side wall have been stuccoed. Despite the alterations, the original 4-1/2 bay facade with corbelled parapet is still the dominant visual image.

OTHER HISTORICAL INFORMATION: Ward Co. Tax Assessment records and Polk's City Directories indicate that this building was constructed in 1914 when the property was owned by Minnetoka Elevator Co. Earlier this company operated a grain elevator (wood building) at this location. The present site ediface, known as the Flat Iron building housed several businesses (main level) as well as apartment units.

COMMENTS/REFERENCES:

Recorded by RTI-MEM

Date 7-19-85



B.W. Photo I.D. Code RTI85MT-Roll 17 Frame ZO

Feature\_\_\_\_


	B.W. Photo I.	D. Code	RTI85MT-Roll	Frame
Storage Location	NDCRS	\ \		
Recorded By NE	Μ		Date	12,185

# Field Code RT185MT108

Feature

B.W. Photo I.D. Code RTI85MT-Roll 17

Frame 22



Feature

B.W. Photo I.D. Code\_RTI85MT-Roll\_

Frame

Storage Location\_\_\_\_\_\_NDCRS\_\_\_\_\_\_ Recorded By IH

Date	121	85	

ARCHITECTURAL SITES

iaye 1


	ARCHITECTURAL	51165	
I. SITE I.D.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	SITS # State County Site Number <u>3.2</u> <u>WD</u> <u>5.6</u> <u>11</u> <u>13</u> <u>15</u> <u>18</u> TL Twp R Sec QQQ QQ Q <u>39</u> <u>40</u> <u>47</u> <u>48</u> <u>49</u> <u>50</u> TL <sub>a</sub> Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub> <u>59</u> <u>70</u> <u>77</u> <u>78</u> <u>79</u> <u>80</u> <u>18</u> <u>MAIN ENTRANCE</u>	1. N5 2. E5 3. S5 4. W5 5. NE5 6. SE5 7. SW5 8. NW5 9. C
II. SITE DESCRIPTION	117Street Name will cleiniticioli Alviel25FEATURE DATA46484846484851Barn535354Coral/Enclosure64Barn53Golspan="2">FEATURE DATA46Golspan="2">Golspan="2">FEATURE DATA46Golspan="2">Golspan="2">FEATURE DATA46Golspan="2">Golspan="2">FEATURE DATA46Golspan="2">Golspan="2">FEATURE DATA46Golspan="2">Golspan="2">FEATURE DATA46Golspan="2">Golspan="2">FEATURE DATA46Golspan="2">Golspan="2">Golspan="2">FEATURE DATA46Golspan="2">Golspan=	61LConcrete Block 65LConcrete, Poured/Cast 69LEarth/Clay 73LEarthen Brick 77LGlass, Block 1LGlass, Pigmented 4LLog 7LMetal, Decorative 10LMetal, Frame 14LMetal, Horiz. Siding 18LMetal, Sheet 22LPerma-Stone 26LPlastic, Vinyl 30LPole 33LStone, Cut 37LStone, Uncut ble 41LStucco/Plaster ing 45LTarpaper ib. 49LThatch 52LWood, Frame 56LWood, Horz. Siding 60LWood, Vert. Siding 68LOther	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
OFFICE USE ONLY	Fieldwork Date $0_{10} 1_{19} 4_{15}$ Other Info. $22$ OFFICE USE ONLY Soil Association Ecozone Area Signf CR Type 41  43 State Registry National Register E C F 1 50 51 52	19       19       19       19       19       10 <td< td=""><td>0=Unknown 1≖Known</td></td<>	0=Unknown 1≖Known


	NDOR5				
Field C	Code_RT185MT026	Page 2		SITS NUM	18ER 32WD836
ACCESS					9 <u>6 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997</u>
DESCRIP	TION OF SITE Original	Minot, East	100' Lots 2	1 thru 24, B]c	ock 4
SIG. FE	EAT. commerical block	-1			19.000
NON-SIG	6. FEAT.			<u></u>	1 1
OWNER'S	5 NAME, ADDRESS, AND PH ). Box 548, Minot, N.D.	ONE NUMBER ; (701) 839-	C. H., G.H., 0392	and J.H. West	lie and J. Keating;
FEATURE	E # NA	ME IN NAME B	LOCK		
BASEMENT 	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone Poured Concrete Refaced X Unknown Other	STORIES     1     1     1     1     1/2     x     2     2     1/2     3     0ther     1	Metal Brick None Wood x Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) undated Other City Assessor's Card
ARCH	ITECTURAL SIGNIFICANCE	_		HISTORICAL SIG	GNIFICANCE
High Artis	sterVisu Stic ValuesToo Vpe, period,Lack constructionX Not	new to be el ing integrity	ig. Ass y XAss	ociated with s ociated with s ociated with o locality	significant person significant event development of
and retains s flemish bond. bay (the fibe cotta surrour central entra is toward the Assessor's Ca glass store f the second fl wide fixed wi transoms appe Rear and side coping with a	RIPTION: This 2-story everal significant arc of The 7-bay facade has erglass door is new, but and of architrave mouldi ance has been covered we west and is the only ard) the recessed entry fronts and all the tran loor, the "A" bays have indows with transoms; t ear to have originally e windows are industria a glazed terra cotta ce e band with egg and dar	hitectural de an A-B-A-C- t the garage ng with a be ith a Salvat significant with alumin som panels o Chicago sty he "C" bay h had leaded g l sash. Oth entral festoo	etails. Its A-B-A rhythm door openin ad and reel ion Army sig alteration t um framing w r squares of le windows w as a narrowe lass lights er ornamenta	glazed facado with a garago g is original motif in the n. The Salvat to the facade. as installed. textured glas ith transoms; r fixed windo of which less ition includes	e brick is laid in e door in the east ) and a glazed terra central bay. This tion Army entrance In 1961 (City All other plate ss are intact. On the "B" bays have w with transom. All than half survive. glazed terra cotta
Charbonneau, prior to the portion. In building was	ICAL INFORMATION: The V.P.) had an early For construction of this b 1924 he sold this port built to house the dea 924 Ward Co. Tax Assess	d automobile building. J. ion to Westl lership whic	dealership H. Tompkins, ie-Charbonne h thereafter	on the east had be as the second s	alf of this parcel r, owned the west llowing year this the Westlie Motor
COMMENTS/REFI	ERENCES:				

Recorded by RTI-FLQ

.

Date 6-23-85





ARCHITECTURAL SITES

\*

.

iade T

C

SITS # State County Site Number 1. $N_{2}^{1}$ 3.2 $WD$ $3.7$ 11 13 15 18 3. $S_{2}^{1}$ TL Twp R Sec QQQ QQ Q 4. $W_{2}^{1}$ 5. $NE_{4}^{1}$ 9.40 47 48 49 50 6. $SE_{4}^{1}$ TL <sub>a</sub> Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub> 9.70 77 78 79 80 9. C 18 $MAIN$ ENTRANCE
BUILDING MATERIALS 24 UNknown 43 Asbestos Siding/Shingle 42 44 Asphalt Siding/Shingle 45 Brick 50 Clay Tile e 57 Composition Board 61 Concrete Block 65 Concrete, Poured/Cast 65 Concrete, Poured/Cast 69 Earth/Clay 73 Earthen Brick 77 Glass, Block 1 Glass, Pigmented 4 Log 7 Cl Metal, Decorative 10 Metal, Frame 14 Metal, Noriz. Siding 18 Metal, Sheet 22 Perma-Stone 26 Plastic, Vinyl 30 Pole 33 Stone, Cut 37 Stone, Uncut 18 4 4 Second exterior finish 4 Second exterior finish 4 Second exterior finish 4 Second exterior finish 5 Cond, Frame 5 Cond, Frame 5 Cond, Shingle/Shake 6 Cond, Vert. Siding 6 Cond, Vert. Siding 7 Cond, Vert. Siding
16       18       18       0       0=Unknown         19       19       10
19 لیکنا Style 21 نظائی Engineer 1=1 46 LiDesigner/ 45 Architect Verified Site Non-Site 48 49 F MS Number


Field C	Code_RTI85MT027	Page 2		SITS NUM	BER 320	W0827
ACCESS_						
DESCRIP	TION OF SITE Ori	ginal Minot, West	50' Lots 21	thru 24, Bloc	k 4	
SIG. FE	EAT. Sons of No	rway hall -1				
NON-SIC	G. FEAT					
		ND PHONE NUMBER So mber not available		of Minot; 21	32 1st A	ve. S.W.,
FEATURE	E #	NAME IN NAME BI	_OCKSons_of	Norway		
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATER Brick Concrete Bloc Fieldstone Cut Stone Poured Concre Refaced X Unknown Other	$\frac{1}{1 1/2}$	CORNICE x Metal Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	1015	METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) Other
ARCH	HITECTURAL SIGNIFI	CANCE	H	ISTORICAL SIG	NIFICANC	E
Work of Ma High Artis x Rep. of ty method of	aster stic Values ype, period, construction	Visual Landmark Too new to be el Lacking integrit Not High Style	ig. Asso x Asso	ociated with s ociated with s ociated with c locality	ignifica ignifica levelopme	nt person nt event nt of
north on Cent (west) as wel with marlite by modern bil	tral. However, th 11. The 2 central bases, new plate 11boards but may s	facade of the Some ere are significat store fronts, inc glass and sign par till be in place, on. The Broadway	nt architectu cluding the t nels. The 2n were Chicago	ral elements ransom panels d floor windo style units.	on the B , have b ws, whic The co	roadway facade een replaced h are covered rnice is a


simple pressed metal application. The Broadway facade more accurately presents this building functions as both commerical space and lodge for the Sons of Norway. It is a 3-part facade: the site of the central store front to the north; the 3-story renaissance revival facade of the lodge in the center; and a small, 2-story commerical facade, similar to the central facade, to the south. The lodge facade is 3-bays separted by brick pilasters which have simple capitals and bases and sit on brick bases at the first floor. The first floor has a simple entry in the central bay and a hung fixed window with sandstone lug sill in each bay. The 2nd floor has a 2/2 double-hung sash with sandstone surround and small cornice on scroll brackets in each bay. The 3rd floor has paired 1/1 sash in each bay. The pressed metal cornice at the top of the facade is the same as on the Central facade. The small store front to the south is boarded up, but appears to have its original framing.

OTHER HISTORICAL INFORMATION: In 1915, Olaf A. Olson sold this property to the Sons of Norway Building Association and construction began that same year (1915 Ward Co. Tax Assessor's List). Local architect, Robert T. Frost completed the buildings design (<u>WCI</u> July 15, 1922, pg. 1).

Recorded/Beferenceso


Date 6-23-85





B.W. Photo I.D. Code RTI85MT-Roll 17 Frame 27-

Feature\_\_\_\_



	B.W. Photo I.D. Code	RTI85MT-Roll 17 Frame 17
Storage Location	NDCRS	A.
Recorded By JLN		Date 12/85

		ARCHITECTURAL SITES	Page 1	C
I. SITE 1.0.	Field Code <u>A.J. 8.5 M.J. 1.4.8</u> , 1 10 Site Name <u>S.O.O. L.I.n.e. D.e.p.e.t.</u> 19 Map Quad <u>51</u>		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
	City Miniplet 111111		18 MAIN ENTRANCE	
	51   Barn   53     58   Chicken Coop   62     62   Corral/Enclosure   63	<b>FEATURE DATA</b> <b>FEATURE DATA</b> <b>Feature #</b> <b>Const. Date</b> <b>50 Feature 1880</b> <b>54 Feature 1880</b>	BUILDING MATERIALS 24 JUnknown 43 Asbestos Siding/Shingle 44 Sphalt Siding/Shingle 45 Sold Clay Tile 57 Composition Board 61 Concrete Block 65 Concrete, Poured/Cast	struct. system 2= Primary
NOI	70 لــلــا Grain Storage تركيب 74 Privy	58 لیا 1900-1915 72 لیا 1915-1930 76 لیا 1930-1945 90 لیا post-1945	69LEarth/Clay 73LEarthen Brick 77LGlass, Block 1LGlass, Pigmented 4LLog 7LMetal, Decorative	exterior finish
SITE DESCRIPTION	15 Dwelling:Sngl/Perm 19 Hotel/Motel 23 مليا Garage/Carriage House	CONDITION 13 L Excellent 17 L Good 21 L Fair 25 L Poor 29 L Destroyed	10       Metal, Frame         14       Metal, Horiz. Siding         18       Metal, Sheet         22       Perma-Stone         26       Plastic, Vinyl         30       Pole	3= .Both 1 & 2
	31       Commercial/Office         34       Educational         38       Engineering Struc.         42       Governmental         46       Health Care         50       Industrial/Utility         53       Religious         61       Social/Recre/Arts         65       Transportation	SIGNIFICANCE 36 L Eligible 40 C Not Eligible 44 Contributing 48 Non-contrib. PLAN SHAPE 55 C Circular 59 L Irregular 53 L L-Shaped 57 Polygonal	33LStone, Cut 37LStone, Uncut 41LStucco/Plaster 45LTarpaper 49LThatch 52LWood, Frame 56LWood, Horz. Siding 60LWood, Shingle/Shake 64LWood, Vert. Siding 68LOther	4= Second exterior finish
	73 Other 7	72 LL Rectangular 75 LL Square 78 LL T-Shaped 3 LL U-Shaped 7 LL Other	PORCH 79LL Original 4LL Addition/Altered 8LL Removed/None	
X	Fieldwork Date 10 15 Other Info. 12 OFFICE USE ONLY	19	6 اللي Ethnic العلي Builder 9 الملي Style 21 Engineer 1 الملي 46 Designer/ 45 Architect	O=Unknown 1≕Known
USE ONLY	Soil Association Ecozone Area	Signf CR Type Verifi 47 48	49	
ICE	State Registry National Regis	ter ECFTF MS 52 53 54	S Number 60	


i 🌶

•

÷

ARCHITECTURAL SITES

IUYE L



SITE DESCRIPTION .11 Field Code RTI85MT148

Page 2

SITS NUMBER 32WD11

	ACCESS								And and the second second
<b>.</b> .	DESCRIP <sup>-</sup> of Lots	TION OF 9, 10,	SITE Or 22, 23	iginal M	linot; Bloc	k 20, porti	on of Lots 7,	8, 24, 25 a	ind all
	SIG. FE/	ATpa	ssenger d	epot -1;	express b	uilding -2			
	NON-SIG.	FEAT.			9-11-9-11-1				
	OWNER'S 1546, Mi	NAME, inot, N	ADDRESS, .D.; (701	AND PHON ) 852-21	IE NUMBER 27	Frank R. and	James. P. Mo	ntgomery; P	. 0. Box
	FEATURE	#1	-	NAME	IN NAME B	LOCK			
BASEME yes x no unk oth WINDOW x Ori Alt	nown er <u>S</u> ginal	Bri Con Fie Cut Pou	crete Blo ldstone Stone red Concre aced nown	ck	$     \begin{array}{r}          STORIES \\             \hline             1 \\           $	CORNICE Metal Brick X None Wood Other	ROOF TYPE X Gable Hipped Deck Gambrel Flat Other	Co Da 1913 Sa 1912 Ot	lat Map(s) punty Atlas ate Block anborn Map(s) ppo Map(s)
Hig x Rep	ARCHI k of Mas h Artist of typ hod of c	ster tic Val pe, per	ues iod,	x Visual Too ne Lackin	Landmark w to be el g integrit gh Style	Ass	HISTORICAL SI ociated with ociated with sociated with locality	significant significant	event
sheet. side a pedest bays. large projec terrup	The no small s als, two The sou trap doo ts above tions.	orth si shed do o on ea uth sid or dorm e the s The ea	de of the rmer with ch side o e of the er. Howe urroundin st gable	roof is copper f the la roof has ver, onl g roof. end has	steep wit sheathing. Irger dorme a large co y a small The 3 gab stone carv	h a central At the low r and each a entral secti window is in le ends have ing at the t	enger station large gambrel ver edge of the above a divisi on less steep neorporated in e stone parape cop, a variety north gable e	dormer and e roof are f on in the f , as if it v to this par ts with step of decorat	on each four acade's were a t, and it oped in- ive brick-

OTHER HISTORICAL INFORMATION: Constructed in 1912 this feature replaced Minot's original Soo Line depot formerly located on 2nd St. S. E. Minneapolis architect, William M. Kenyon, provided this features design and the Minneapolis firm of Bailey and Marsh was awarded the general contract (1977 National Register Nomination).

at the top, paired casement (?) windows, a stone string course at window level, and buttresses

COMMENTS/REFERENCES:

(continued)

Recorded by RTI-DLM

Date 6-23-85

#### Continuation Form


# SITS Number 32WDI

## Item No. FEATURE DESCRIPTION: RTI85MT148 - Feature 1

which start at ground level, flanking 3 doors and above them, another block reading "MINOT". Walls are in stretcher bond. The north facade is 7 bays wide, with 3 sets of paired windows under 3-light transoms on each side of the above mentioned buttressed gable end. Two bracketed pent roofs also flank this gable end. The east facade is 3 bays wide, with a central entry of 2 doors opening out under a gable roof portico supported by 2 brick pillars. The portico extends most of the way to the street curb and on its end has stone trim and carving and decorative brickwork. At the southeast corner is a short crenelatd square tower with a door on the side. Added to the south side of the depot is an addition with brickwork patterns consistent with the main building which extends almost the full length of the building. It has a flat roof with stone coping on the flat parapet fixed windows (3 lights over 1), and no doors. The west end of the depot has a central entry of 2 doors. From this entry a canopy, supported by square wood posts with decorative carved tops, leads west to the separate express building. [See separate description.] The platform between the station and track is brick in herringbone pattern.

Recorded by: RTI-DLM

Date: 6-23-85



23June %

Field C	ode RTI85MT148	Page 2	2	SITS NU	MBER 32WD11
ACCESS			**************************************		
	TION OF SITE		- -		
	AT				
OWNER'S	NAME, ADDRESS,	AND PHONE NUM	BER		
	- 1996				
BASEMENT 	FOUNDATION MATE Brick Concrete Blo Fieldstone Cut Stone Poured Concr Refaced X Unknown Other	$ \begin{array}{c}                                     $	IES <u>CORNICE</u> <u>Metal</u> 1/2 <u>Brick</u> I/2 <u>None</u> 1/2 <u>Wood</u> Other ther	Gable x Hipped Deck Gambrel	DATING METHOD Plat Map(s) County Atlas Date Block 1913 Sanborn Map(s) Topo Map(s) 1977 Other National Register Nomination
Work of Ma High Artis x Rep. of ty	ITECTURAL SIGNIF ster tic Values pe, period, construction	Visual Land Too new to I Lacking int	egrity x As	HISTORICAL SI sociated with sociated with sociated with locality	GNIFICANCE significant person significant event development of
has wide unbr single or pai baggage carts 3 freight doo	acketed eaves, a red 2/2 double-h (3 now boarded	nd a brick ch ung. Entries up) in the nou A canopy su	imney with a met includes a door rth, a freight d pported by squar	al stack exten in the east s oor in the wes	ot is 3 by 6 bays, sion. Windows are ide, 4 doors for t, and a door and onnects the east
OTHER HISTORI	CAL INFORMATION:	(see Featu	re 1)		
	<b>_</b>				
COMMENTS/REFE	RENCES:		-		

Recorded by RTI-DLM

•

Date 6-23-85


# Field Code\_RT185mT148



SITS Number 32WD11


Feature

Feature\_





	B.W. Photo I.D.	Code RTI85MT-Ro	11 /9 Frame 20
Storage Location	NDCRS		
Recorded By JLH		D	ate 12/85



Recorded By JIN


Date 12/85

# Field Code RT185MT 149

# SITS Number <u>3ZWDI</u>








Feature

	B.W. Photo	I.D.	Code	RTI85MT-Roll	Frame
Storage Location	NDCRS				
Recorded By <b>JLN</b>		-		Date	12/85

ARCHI	TECTURA	L SITES
-------	---------	---------

C

IUYE 1



SITE DESCRIPTION

DEFTCE LISE ONLY


Field Co	ode <u>RTI85MT059</u>	Page 2		SITS NUME	BER 32 WO14
ACCESS					
DESCRIP	TION OF SITE <u>Original M</u>	inot, all but	t East 50' o	of Lots 9-12,	Block 8
SIG. FE	AT. <u>library</u> -1				
NON-SIG	. FEAT.				
	NAME, ADDRESS, AND PHON ; phone number not avail		nysician's R	eality; 123 2	2nd S.E., Minot,
FEATURE	# NAME	IN NAME BLOG	CK Public	Library	
BASEMENT 	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone X Poured Concrete Refaced Unknown Other	$\frac{\frac{x}{1}}{\frac{1}{2}}$	x Metal Brick None Wood x Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas 1911 Date Block Sanborn Map(s) Topo Map(s) Other
ARCH	ITECTURAL SIGNIFICANCE		ні	STORICAL SIG	NIFICANCE
X High Artist Rep. of ty	ster <u>x</u> Visual tic Values <u>Too ne</u> pe, period, <u>Lackin</u> construction Not Hi	Landmark w to be elig g integrity gh Style	Assoc	iated with si	ignificant person gnificant event evelopment of
elevated base separated from has brick pill sash windows w in the pedime limestone arcl and east and the rest of the nice is a bri window opening have brick fl	IPTION: Minot's Carnegi with a pedimented porti m the light brown brick asters with limestone a with transoms. The port nt and contains a double hitrave molding surround west elevations. The en he building, the frieze ck parapet with limeston gs have cut limestone li at arches and limestone e-hung. There are basem	co. The base main walls by base and ion ico has flute door entry w . A full ent tire entagul is brick and e architrave ntels and lug lugsills. A	e is of dark y a limeston ic capitals ed ionic col with cornice tablature wr ture at the the cornice coping. Fa gsills. Rea ll windows,	reddish-brow separating la umns and cart d hood with b aps around th portico is l pressed meta cade (south) ar and east s including the	wn brick and is arge 1/1 double-hung couche and foliane brackets and with he portico, facade imestone, but on al. Above the cor- and west side ide window openings bse in the basement,


OTHER HISTORICAL INFORMATION: This is 1 of 11 North Dakota libraries funded by the Andrew Carnegie foundation. Designed by Minot architects, John C. Woodruff and Fred B. McGulpin, this building was constructed in 1911 and housed the city's library until 1965. Afterwards, it served as the Minot Senior Citizen's Center up to 1979 when the building was abandoned (National Register of Historic Places Inventory- Nomination Form).

COMMENTS/REFERENCES:

Recorded by RTI-FLQ

Date 6-19-85







Feature



B.W. Photo I.D. Code RTI85MT-Roll Z5 Frame 31





	B.W. Photo I.D. Code	RT185MT-Rol125 Frame 28
Storage Location	NDCRS	
Recorded By MEM		Date 12185

# Field Code RTI85MT059

# SITS Number 39WD14





B.W. Photo I.D. Code RTI85MT-Roll 25 Frame 32

Feature

		4	
	B.W. Photo I.D. Code	RTI85MT-Roll	Frame
Storage Location	NDCRS	_	
Recorded By ME.	M	Date	12/85

ARCHITECTURAL SITES

,

iuye +

C

		SITS #	
	Field Code	State County Site Number	1. $N_{2}^{1}$ 2. $E_{2}^{1}$
	R.T.1. 8.5 M.T.1 0.3	$\frac{3.2}{11}$ $\frac{W.D}{13}$ $\frac{1.7}{15}$ 18	$3. S_{2}^{1}$
I ,D	Site Name		4. W <sup>1</sup> <sub>2</sub>
μ	First National Bank	LTL Twp R Sec QQQ QQ Q Q LL5.5.8.3.2.4.7. 2. 3.	5. NE1
SITE	19	39 40 47 48 49 50	6. SE¼
Ι.	Map Quad	LTL <sub>a</sub> Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub>	7. SW1
-	51 68	And have been been been been been been	8. NW4 9. C
	51 00		9. 6
	City Miimolt IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	1812 MAIN ENTRANCE	
	2 <b>Street #</b>	BUILDING MATERIALS	
	19 23	24 Unknown	1_
	Street Name W Mali n 15+1 1 1	43∟Asbestos Siding/Shingle 42 44∟Asphalt Siding/Shingle	l= struct.
	SITE COMPONENTSFEATURE DATA		system
	46 PILL # of Features 48 PILL Feature	# 50L_Clay Tile	
	51 Barn 53 UI9 BIGU Const. D	ate 57 Composition Board	
	58 LL Chicken Coop 60 L pre-1880		2=
	62 Corral/Enclosure 64 1880-190		Primary
	66 [] General Storage 68 [] 1900-191 70 [] Grain Storage 72 [_] 1915-193		exterior finish
	70 ∟ ⊥ Grain Storage 72 ∟ 1915-193 74 ∟ ⊥ Privy 76 ∟ 1930-194		111151
	$78 \sqcup Well/Windmill 80 \sqcup post-194$		
~	2 Lulu Workshop	4LJL0g	
DESCRIPTION		7L_IMetal, Decorative	
PT	BWelling:Multiple CONDITION لسلسا Dwelling	1011 Metal, Frame	3=
S.R.I	11 Dwelling:Sngl/Mobile 13 L Excellen		Both 1 & 2
ES(	15∟⊥⊥ Dwelling:Sngl/Perm 17∟⊥ Good 19∟⊥⊥ Hotel/Motel 21∟J Fair	18LLI Metal, Sheet 22LLI Perma-Stone	1 & 2
	23 Li Garage/Carriage House 25 Li Poor	22 Plastic, Vinyl	
SITE	27 Gravestone/Marker 29 Destroye		
S	31 LOLL Commercial/Office SIGNIFICANCE	331AI Stone, Cut	4=
	علام السلط Educational السلط Educational المسلط Educational		Second
H	38 Engineering Struc. 40 Not Elig		exterior finish
	42       Governmental       44       Contribu         46       Health Care       48       Non-cont		i misn
	50 Industrial/Utility PLAN SHAPE	52LL Wood, Frame	
	53 Lillitary 55 Lillitary		
	57 Religious 59 Irregula		
	61 Social/Recre/Arts 63 L-Shaped	64L_JWood, Vert. Siding	
	65 Transportation 67 Polygona		
	69 للللل Warehouse 71 لللل Rectangu		
	73 Logia Other 75 Square 78 Logia T-Shaped	PORCH 0riginal	
	3 La Shaped		
	7L_J Other	81 Removed/None	
	Fieldwork Date 0170191815	16 00 Ethnic 18 9Builder	0=Unknown
	10 15	1910:24 Style 2119/Engineer	1=Known
	Other Info. A GISIAL Mejor Main kink	1 1C 10 10 10 10 10 46 UDesigner/	
	22 OFFICE USE ONLY	45 Architect	
ONLY	Soil Association Ecozone Area Signf CR Type	- Varified Sita Non-Site	
USE	41 43 44 45 46 47	48 49	
	State Registry National Register E C F	TF MS Number	
OFFICE	50 51 52	53 54 60	· ·
Ъ			

Field C	ode RTI85MT103	Page 2		SITS NU	1BER 32w017	•
ACCESS_					· · · · · · · · · · · · · · · · · · ·	
DESCRIP	TION OF SITE Origi	nal Minot, Lot	15 less North	8" and all	ot 16, Block 2	0
SIG. FE	AT. bank-1					
NON-SIG	. FEAT	<del>شەر بەر مەر بەر مەر بەر بەر مەر بەر مەر مەر مەر مەر مەر مەر مەر مەر مەر م</del>				
OWNER'S 848,	NAME, ADDRESS, AND Minot, N.D.; (701)	PHONE NUMBER 852-0196	Main Limited,	c/o Paul Sto	orsteen; P.O.	Box
FEATURE	#	NAME IN NAME B	LOCK			
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$ \begin{array}{c}                                     $	Metal Brick None Wood x Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Count Date Sanbo Topo undated Other City Assessor	Map(s) y Atlas Block orn Map(s) Map(s)
ARCH	ITECTURAL SIGNIFICA	NCE	H	ISTORICAL SI	GNIFICANCE	
Work of Ma High Artis x Rep. of ty method of	ster tic Values pe, period,L constructionN	isual Landmark oo new to be el acking integrit lot High Style	ig. Asso y <u>x</u> Asso	ciated with ciated with ciated with locality	significant per significant eve development of	'Son nt

FEATURE DESCRIPTION: The facade of this 4-story brick building has a 3-bay configuration with the entry in the center bay and displays decorative elements in a variety of contrasting materials. Red and black marbel faces the base as well as comprises the stylized pedimented frontispiece incised with a foliage pattern, which frames the main entry with side lights and central 2nd floor windows above. A twisted molding of granite trims the interior edge of this element and inside the slightly recessed wall is faced with green glazed tiles of terra cotta. Floral panels around the door and the dentil band above the 2nd level window sill on consoles are also molded from this material. Smooth cut limestone faces the remaining ground level as well as the parapet which steps back to a slightly pitched gable. Other limestone details include corner quoins, and sills on consoles below the 2nd floor windows of the 2 outer bays. (continued)

OTHER HISTORICAL INFORMATION: R. E. Barron, President of the First National Bank announced the construction of this new bank building in June of 1928 and revealed that A. Moorman and Co. of St. Paul were to prepare the plans and supervise the building construction (WCI, June 25, 1928, p.1).

**COMMENTS/REFERENCES:** 

Recorded by RTI-MEM

Continuation Form

# SITS Number 32wD17


## FEATURE DESCRIPTION: (RTI85MT103)

Upper level windows are paired in the two outer bays, and triple in the center. At each bay these openings have continuous trim, mullions and dentil band lintels all of off white, glazed, terra cotta. This material also forms: the corner panels set in the parapet which are molded in a foliage pattern; the twisted molding atop a dentil band which serves as a cornice; and the two winged eagles flanking a shield which are centrally located between the cornice and 4th floor windows. The facade is finally embellished with copper letters placed on the parapet which read, "First National Bank".

In 1978, the widows of the upper levels, and the doors, were replaced with metal sash fixtures (City Assessor's Card). Its likely that the metal spandrels on the facade and south elevation, were added at this time as well. The original paired casemenet windows, with wooden sash, which pierce the ground level, however, remain intact. The south elevation composed of 8 bays displays similar treatment and embellishment as the facade. The outer 2 bays, however, slightly project from the main wall and are offset by corner quoins while the windows in the inner bays are groups in two's by continuous brick surrounds in place of terra cotta trim.

Except for the coping the rear (east) and north elevations are unadorned. Prior to its demolition in 1953, another building (3 stories) adjoined the north wall. Insulating material inserted between the structures is still evident. Two window wells were cut into the 3rd and 4th levels soon after (City Assessor's Card).

Date: 7-10-85




# Field Code RTISSMT 103

SITS Number 32W17

Feature

B.W. Photo I.D. Code RTI85MT-Roll

Frame 32



## Feature

B.W. Photo I.D. Code RTI85MT-Roll

Frame

Storage Location NDCRS Recorded By JLH

Date 2 85

ARCHITECTURAL SITES

¢

,

-

Page 1 C

	ARCHITECTURAL	SITES	
I. SITE I.D.	Field Code <u>R.T.18.5M.T.19.5</u> <i>1</i> Site Name <u>N.a.r.d. C.o. C.o.g.r.t.h.o.g.5.6</u> <i>19</i> Map Quad <u>51</u> <b>68</b> <b>City</b> <u>M.M.D.0.t.</u> <b>68</b>	SITS # State County Site Number 3.2. W.D. 11 13 15 18 LTL Twp R Sec QQQ QQ Q $\bigcirc 15.51.83741$ $\bigcirc 6$ 39 40 47 48 49 50 LTL <sub>a</sub> Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub> $\bigcirc 70$ 77 78 79 80 $18 \square MAIN ENTRANCE$	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
DESCRIPTION	1       17         Street #       19       23         Street Name        11       11         25       SITE COMPONENTS       FEATURE DATA         46       12       # of Features       48         46       12       # of Features       48         51       10       Barn       53         58       10       Const. D       60         62       10       Corral/Enclosure       64       1880-190         66       10       General Storage       68       1900-191         70       10       Grain Storage       72       1915-193         74       10       Privy       76       1930-194         78       10       Well/Windmill       80       post-194         2       10       Workshop       13       Excellent	<pre># 50 Clay Tile ate 57 Composition Board 61 Concrete Block 0 65 Concrete, Poured/Cast 5 69 Earth/Clay 0 73 Cast Block 5 77 Glass, Block 5 1 Glass, Pigmented 4 Clog 7 Metal, Decorative 10 Metal, Frame t 14 Metal, Horiz. Siding</pre>	1= struct. system 2= Primary exterior finish 3= Both
II. SITE DESC	15       Jowelling:Sngl/Perm       17       Good         19       Hotel/Motel       21       Fair         23       Garage/Carriage House       25       Poor         27       Gravestone/Marker       29       Destroye         31       Commercial/Office       SIGNIFICANCE         34       Educational       36       Eligible         34       Engineering Struc.       40       Not Eligible         32       Governmental       44       Contribut         46       Health Care       48       Non-cont         50       Industrial/Utility       PLAN SHAPE         53       Military       55       Circular         57       Religious       59       Irregula         61       Social/Recre/Arts       63       L-Shaped         65       Transportation       67       Polygona         73       Other       75       Square         78       T-Shaped       3       U-Shaped         71       Other       7       Other	18 Image: Metal, Sheet         22 Perma-Stone         26 Plastic, Vinyl         30 Pole         31 Stone, Cut         37 Stone, Uncut         ible         41 Stucco/Plaster         ting         45 Tarpaper         rib.         49 Thatch         52 Wood, Frame         56 Wood, Horz. Siding         64 Wood, Vert. Siding         64 Other         11         68 Other         12         90 Other	1 & 2 4= Second exterior finish
FFICE USE ONLY	UFFICE USE ONLY Soil Association Ecozone Area Signf CR Type 41 43 44 45 46 47	16       18       Builder         19       19       10         19       10       10         45       46       10         10       45       Architect         10       45       Architect         11       45       Architect         12       47       Architect         14       49       19         17       F       MS         53       54       60	0=Unknowi 1=Known

	ARCHITECTURAL SITES Page 1	
I. SITE I.D.	SITS #SITS #Field CodeState County Site Number $\underline{RT}   \underline{O} \leq \underline{M}, \underline{T}   \underline{O} \leq \underline{M}, \underline{T}   \underline{O} \leq \underline{M}, \underline{T}   \underline{O} \leq \underline{M}, \underline{D} = \underline{10}$ Site Name11011131518Site NameLTL Twp R Sec QQQ QQ Q $\underline{47}  48  49  50$ $\underline{47}  48  49  50$ 193839  4047  48  49  50Map Quad $\underline{11}  \underline{13}  \underline{15}  68$ $\underline{11}  \underline{13}  \underline{15}  18$ 5168 $\underline{69}  70  77  78  79  80$	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>4</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
DESCRIPTION	City M_h hole + 1       1       17       18 Main Entrance         Street #       19       17       18 Main Entrance         Street #       19       23       24       100 Materials         Street Name 3/25       23       24       100 Materials       24         Street Name 3/25       42       44       Asbestos Siding/Shingle         Street Name 3/25       42       44       Asbestos Siding/Shingle         Street Name 3/25       FEATURE DATA       43       Asbestos Siding/Shingle         Street Site COMPONENTS       FEATURE DATA       44       Asbestos Siding/Shingle         Street General Storage       64       1880-1900       65       Concrete Block         66       General Storage       68       1900-1915       69       Earth/Clay         70       Grain Storage       72       1915-1930       73       Earthen Brick         74       Privy       76       1930-1945       77       Glass, Block         78       Welling:Multiple       CONDITION       10       Metal, Frame         11       Dwelling:Sngl/Mobile       13       Excellent       14       Metal, Sheet         19       Hotel/Motel       21       Fair       22 </td <td>1= struct. system 2= Primary exterior finish 3= .Both 1 &amp; 2</td>	1= struct. system 2= Primary exterior finish 3= .Both 1 & 2
II. SITE DE	19Hotel/Motel21Fair22Perma-Stone23Garage/Carriage House25Poor26Plastic, Vinyl27Gravestone/Marker29Destroyed30Pole31Commercial/OfficeSIGNIFICANCE33Stone, Cut34Educational36Eligible37Stone, Uncut38Engineering Struc.40Not Eligible41Stucco/Plaster42Governmental44Contributing45Tarpaper46Health Care48Non-contrib.49Thatch50Industrial/UtilityPLAN SHAPE52Wood, Frame53Military55Circular56Wood, Shingle/Shake61Social/Recre/Arts63L-Shaped64Wood, Vert. Siding65Tarpsportation67Polygonal68Other69Warehouse71Rectangular79Original73Other78T-Shaped4Addition/Altered74Other8<	4= Second exterior finish
FFICE USE ONLY	Fieldwork Date $01727851$ 16 L1 Ethnic 18 LBuilder16 L1 Ethnic 18 LBuilder19 Q2 Style 21 LLEngineerOther Info. L1	0=Unknow 1=Known

SITE DESCRIPTION 11

¢

DEFICE LICE ONLY

•

Field (	Code_RTI85MT195	Page 2		SITS NUM	MBER 32WDIG
ACCESS_		an fa an tha an tha Tha an tha an t			
DESCRIF	TION OF SITE Rams	tad's Riverview	, Block 3	*****	
SIG. FE	AT. Ward County Co	ourthouse -1; co	urthouse add	ition -2	
NON-SIG	G. FEAT			*******	
OWNER'S Minc	S NAME, ADDRESS, AND ot, N.D.; (701) 852-	) PHONE NUMBER	Ward County;	c/o County Au	uditor, Courthouse,
FEATURE	E #1	_NAME IN NAME B	LOCK		
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIA Brick Concrete Block Fieldstone x Cut Stone Poured Concrete Refaced Unknown Other	$ \begin{array}{c}                                     $	Matal	ROOF TYPE Gable Hipped Deck Gambrel x Flat Other	DATING METHOD Plat Map(s) County Atlas 1929 Date Block Sanborn Map(s) Topo Map(s) Other
ARCH	IITECTURAL SIGNIFICA	NCE		HISTORICAL SIG	GNIFICANCE
Work of Ma x High Artis Rep. of ty method of	ster <u>x</u> V tic Values <u> </u>	isual Landmark oo new to be el acking integrit lot High Style	ig. Ass y Ass y X Ass	ociated with s	significant person significant event development of

FEATURE DESCRIPTION: The Ward County Courthouse is a rectangular block constructed of variegated Bedford limestone (finished ashlar). The main facade (west) is composed of a 5-bay interior block with massive corner pilasters, adjoined by 1-bay outer wings with a lower roof line. The interior bays are articulated by 4 projecting pilasters, running from the base to the parapet, which divide the vertically aligned window openings (recessed). A metal spandral embossed in a zig-zag motif is set between the upper level windows while a stone spandrel (incised) separates the 2nd story opening from those on the main level. The main entry located in the center bay features a square frontispiece (stone) with the transom incised with 2 eagles (continued)

OTHER HISTORICAL INFORMATION: In 1928 the original Ward Co. Courthouse in Minot was razed and by March of the following year the contracting firm of Olson and Orheim began construction of this new county government facility. Tolt's, King and Day, a St. Paul firm of architect engineers, provided the buildings art deco design. Dedication of the courthouse occurred on May 31, 1930 with then, North Dakota Governor George F. Shafer, giving the main address (Minot Daily News, May 29 - 31, 1930).

COMMENTS/REFERENCES:

Recorded by RTI-MEM

Date 7-28-85

## Continuation Form

SITS Number 32WD16

## Item No. FEATURE DESCRIPTION; RTI85MT195 - Feature 2

flanking a medallion depicting a rural scene. Several mottos are inscribed on the parapet and the northwest corner stone is incised with the date of construction "1929". The side elevations (7 bays each) and the rear facade (13 bays) display a similar design and composition. Other design elements include an open front porch with stone railing which spans the main facade and an attic extension. Alterations to the exterior include modern metal sash fixtures placed in all window openings and a skywalk adjoining at the center bay of the rear elevation (original entry) and leading to the 1984 courthouse addition. The interior of this feature is lavishly adjorned including: marble floors and wall veneer; brass grills and lobby gates; a coffered cornice with zig-zags and sunbursts - popular art deco motifs; and several sky lights.

Recorded by RTI-MEM

Date 7-28-85

		ARCHITECTURAL			Page 1	
re 1.D.	Field Code <u>B.T. 85 ALT.195</u> 1 Site Name	A	LTL TW	$\begin{array}{c} 3 2 \\ 11 \\ 13 \end{array}$	unty Site Number D 15 18 QQQ QQ Q	1. $N_{2}^{1}$ 2. $E_{2}^{1}$ 3. $S_{2}^{1}$ 4. $W_{2}^{1}$ 5. $NE_{4}^{1}$
I. SITE	19 Map Quad	38 68		vp <sub>a</sub> R <sub>a</sub> Sec	QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub>	6. SE¼ 7. SW¼ 8. NW¼ 9. C
i			69 70	1814 MAIN E		9. C
	1 Street # 19 23	<u> </u>		BUILDING   24 Unknow	MATERIALS	1=
	Street Name Street Name 25 SITE COMPONENTS 46 4 f Features 4	FEATURE DATA	#	43 Aspesta 44 Asphali 45 Brick 50 Clay T	t Siding/Shingle	struct. system
	51 L Barn 53 L 58 L Chicken Coop 62 L General /Enclosure 66 L General Storage 70 L Grain Storage 74 L Privy 78 L Well/Windmill 2 L Workshop	山の白山 Const. [ 60 山 pre-1880 64 山 1880-190 68 山 1900-191 72 山 1915-193 76 山 1930-194 80 山 post-194	) )0 .5 30 !5	57 Compos 61 Concret 65 Concret 69 Earth/ 73 Earther 77 Glass, 1 Glass, 4 Log	te Block te, Poured/Cast Clay n Brick Block	2= Primary exterior finish
SITE DESCRIPTION	B Dwelling:Multiple Dwelling:Sngl/Mobile Dwelling:Sngl/Perm Dwelling:Sngl/Perm Hotel/Motel Carriage House Carriage House Carvestone/Marker	CONDITION 13 L Exceller 17 Good 21 Fair 25 Poor 29 L Destroye		7∟⊥Metal, 10∟⊥Metal,	Frame Horiz. Siding Sheet Stone	3= .Both 1 & 2
11. SI	31 Commercial/Office 34 Educational 38 Engineering Struc. 42 Governmental 46 Health Care 50 Industrial/Utility 53 Military	SIGNIFICANCE 36 L Eligible 40 V Not Elig 44 Contribu 48 Non-cont PLAN SHAPE 55 Circular	jible uting rib.	33 Stone, 37 Stone, 41 Stucco, 45 Tarpapi 49 Thatch 52 Wood, 56 Wood,	Uncut /Plaster er Frame Horz. Siding	4= Second exterior finish
	57 السليا Religious 61 السليا Social/Recre/Arts 65 السليا Transportation 69 السليا Warehouse 73 السليا Other	59    Irregula      63    L-Shaped      67    Polygona      71    Rectangu      75    Square      78    T-Shaped      3    U-Shaped      71    Other	i al ılar i		on/Altered	
ļ	Fieldwork Date $072785$ 10 15 Other Info. $22$			5 کے Ethnic ۲ کے Style 1 کے لیے ا	18⊡Builder 21⊡Engineer 46∟Designer/ Architect	O≐Unknowr 1=Known
ONLY	OFFICE USE ONLY Soil Association Ecozone Area	Signf CR Type	e Verifi	ed Site Nor	n-Site	
ICE USE	41 43 44 45 46 State Registry National Regi	<b>k</b>	hand have	49 Number		
	50 51	52	53 54	60	) 	


.

٠

×	ND	CRS ARCHITECTURA	L SITE FORM		
Field	Code_RTI85MT195	Page 2		SITS NU	MBER 32 WDIG
ACCES	SS	1999 - 1997 -	*****		
DESCR	RIPTION OF SITE				
SIG.	FEAT.	19			
	GIG. FEAT				
OWNER	R'S NAME, ADDRESS, AN	D PHONE NUMBER			
FEATU	IRE #	NAME IN NAME BI	LOCK		
BASEMENT x yes no unknown other WINDOWS x Original Altered		$ \begin{array}{c}                                     $	Brick	Gable Hipped	DATING METHOD ————————————————————————————————————
AR	CHITECTURAL SIGNIFIC	ANCE		HISTORICAL SI	GNIFICANCE
Rep. of		Visual Landmark Too new to be eli Lacking integrity Not High Style			significant person significant event development of
FEATURE DES	CRIPTION: Modern e	diface.			
OTHER HISTO	DRICAL INFORMATION:				
COMMENTS/RE	FERENCES:	- ,			
Recorded by	/ RTI-MEM				Date7-28-85


Field Code RT185MT 195

SITS Number 32 w D 16



Feature

Feature



B.W. Photo I.D. Code RTI85MT-Roll 23 Frame 2

Storage Location<u>NDCRS</u> Recorded By<u>MEM</u>

Date 12/85

Field Code RTISSMT	95	SITS Number <u>32wD16</u>
Feature <b>Z</b>		
B.W. Pl	hoto I.D. Code <u>RTI85MT</u>	-Roll <b>23</b> Frame
Feature 2		
B.W. P Storage Location <u>NDCRS</u>	Photo I.D. Code <u>RTI85MT</u>	<b>—</b>
Recorded By <u>MEM</u>		Date 12/85-

р			Page 1	a wata B <sub>al na an</sub> a -
I. SITE I.D.	Field Code R.T.1.8.5M.T.0.9.4 I Site Name $U_{10}I_{10}$ $N_{10}I_{10}I_{10}$ $I_{19}$ Map Quad 51	38 39 40 LTLa	Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub>	1. N½ 2. E½ 3. S½ 4. W½ 5. NE¼ 6. SE¼ 7. SW¼ 8. NW¼ 9. C
II. SITE DESCRIPTION	City Muinicity in a second sec	III       III         III       IIII         IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	BUILDING MATERIALS 24 Unknown 43 Asbestos Siding/Shingle 44 Asphalt Siding/Shingle 45 Brick 50 Clay Tile 57 Composition Board 61 Concrete Block 65 Concrete, Poured/Cast 69 Earth/Clay 73 Earthen Brick 77 Glass, Block 11 Glass, Pigmented 41 Log 71 Metal, Decorative 10 Metal, Frame 14 Metal, Horiz. Siding 18 Metal, Sheet 22 Perma-Stone 26 Plastic, Vinyl 30 Pole 33 Stone, Cut 37 Stone, Uncut 41 Stucco/Plaster 45 Tarpaper 49 Thatch 52 Wood, Frame 56 Wood, Horz. Siding 60 Wood, Shingle/Shake 64 Wood, Vert. Siding 68 Other PORCH 79 Original 4 Addition/Altered 8 Removed/None	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
FFICE USE ONLY	Fieldwork Date 10 15 Other Info. 22 OFFICE USE ONLY Soil Association Ecozone Area 41 43 44 45 46 State Registry National Regi 50 51	السبية السبية ال	16       18       Builder         19       19       10         45       46       10         45       Architect         fied Site       Non-Site         49       MS         54       60	0=Unknown 1=Known

٠

v. ·

EFTCE LISE ONLY

		ARCHITECTURAL	SITES		1095 1	•
I. SITE I,D.	Field Code <u>R.T.J. 85 M.T.O.9.4</u> 1 Site Name 19 Map Quad 51	38 68	LTL 39 40 LTL <sub>a</sub> 69 70	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>4</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
II. SITE DESCRIPTION	SITE COMPONENTS 46	Image:	<pre># ate 0 5 0 5 0 5 t d ible ting rib. r l lar</pre>	44 Asphali 45 Brick 50 Clay Ti 57 Compos 61 Concret 65 Concret 69 Earth/0 73 Earthen 77 Glass, 1 Glass, 1 Glass, 1 Glass, 20 Metal, 10 Metal, 14 Metal, 18 Metal, 22 Perma-2 26 Plastic 30 Pole 33 Stone, 41 Stucco, 45 Tarpapo 49 Thatch 52 Wood, 1 56 Other PORCH 79 Origina 4 Additia 8 Removed 16 O C Ethnic 19 C G Style	WATERIALS bs Siding/Shingle ile ition Board te Block te, Poured/Cast Clay n Brick Block Pigmented Decorative Frame Horiz. Siding Sheet Stone c, Vinyl Cut Uncut /Plaster er Frame Horz. Siding Shingle/Shake Vert. Siding Shingle/Shake Vert. Siding	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish 0=Unknown 1=Known
USE ONLY	Other Info. 12161-18191916111 22 OFFICE USE ONLY Soil Association Ecozone Area 41 43 44 45 46		e Veri	ified Site Non	46LLDesigner/ Architect	
OFFICE US	41     43     44     45     46       State Registry     National Regis       50     51		48 T F 53	49 MS Number 54 60		
ö		- <b>6</b>		00		1

II. SITE DESCRIPTION

DEFICE LISE ONI V

#### NDCRS ARCHITECTURAL SITE FORM

ACCESS					
DESCRIP	TION OF SITE Original	Minot, Lot	s 21 and 22,	Block 19	
SIG. FE	AT. bank -1; commeric	al block -2			•
NON-SIG	. FEAT		- -	 	- -
OWNER'S	NAME, ADDRESS, AND PHO Box 1377, Minot, N.D.;	NE NUMBER (701) 852-	Clayton H. 0136	Johnons and E	lliott Obedin;
FEATURE	. #NAM	E IN NAME B	LOCK		
ENT s known her <u>WS</u> iginal tered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	STORIES     1     1     1/2     x 2     2     1/2     3     Other     1	Metal Brick None Wood X Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s County Atl Date Block 1926 Sanborn Ma Topo Map(s undated Other N.R. Nomination City Assessor's Car
rk of Ma gh Artis p. of ty	IITECTURAL SIGNIFICANCE Ister Visua tic Values Too n vpe, period, Lacki construction Not H	l Landmark w to be el ng integrit ligh Style	ig. Ass y XAss	HISTORICAL SI ociated with ociated with ociated with locality	

typical of the first third of the 20th century. Walls are a Hebron brick with limestone decorative elements. Its main facade has a 3-bay configuration with the entry in the center bay, a slighlty projecting pavillion. The recessed entry is flanked by 2 colossial order Doric columns which support a full entablature. A 1949 (N.R. Nomination) aluminum vestibule was inserted into the entry, covering the copper doors. Over these (continued)

OTHER HISTORICAL INFORMATION: Designed by Minot architect, George H. Bugenhagen, in association with St. Paul, Minnesota architect Frederick C. Klawiter, this building, the Union National Bank, was erected after a fire (July 9, 1923) destroyed a previous ediface at this site which had originally housed this business as well as the famed Jacobson Opera House and the Jacobson Hardware store. At the time of the fire, Edward S. Person headed the bank and geared its operations to promoting diversified farming in northwestern North Dakota. Person also owned and operated Person Stock Farm which breed Guernsey dairy cattle. A Minot contracting firm, Swen Olson and Company, directed the banks construction (N.R. Nomination).

### COMMENTS/REFERENCES:

Recorded by RTI-FLQ

Date 6-22-85

### Continuation Form

SITS Number 32WD112

### Item No. FEATURE DESCRIPTION (RTI85MT094)

doors is a large wood framed, multi-light transom. The center bay also features a blind balustrade in the parapet above the cornice. The south side facade, facing central, has a 7-bay configuration with first and second floor windows in the center 5 bays. The first floor openings have large fixed panes beneath paired hopper windows. The second floor openings have paired, 12-light casement sash. The bay to the east has a side entry under a painted, galvanized metal hood on scroll brackets.

<b>*</b> 		ARCHITECTURAL SITES		•
<b>.</b> 0.	Field Code R.T. 1. 8.5 M.T. 0.94, 1 10		SITS # State County Site Number 3 2 W.D. 11 2 11 13 15 18	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2
I. SITE I	Site Name 19 Map Quad	LTL Twp	R Sec QQQ QQ Q 47 $48$ $49$ $50R_a Seca QQQa QQa Qa$	4. W5 5. NE5 6. SE5 7. SW5 8. NW5
i	51	68 69 70	77 78 79 80 813 MAIN ENTRANCE	9. C
				-
	Street # 11 1 171 19 23		BUILDING MATERIALS	
	Street Name EI CENTRAL 25 SITE COMPONENTS 46 44 46 444	42 4 FEATURE DATA 4	علامات Asbestos Siding/Shingle 4 Asphalt Siding/Shingle 5 كالالك Brick 4 المالي Brick	l= struct. system
	51 Lill Barn 53 Lill 58 Lill Chicken Coop 62 Lill Corral/Enclosure	121         Const. Date         5           60 └ pre-1880         6.           64 └ 1880-1900         6.	Composition Board Concrete Block Concrete, Poured/Cast Concrete, Poured/Cast	2= Primary exterior
	70 Lild Grain Storage 74 Lild Privy	72 1915-1930 7. 76 1930-1945 7. 80 190st-1945 .	JEarthen Brick JUJGlass, Block JUJGlass, Pigmented JUJLog	finish
DESCRIPTION	السلام Dwelling:Multiple 11 لسلام Dwelling:Sngl/Mobile	CONDITION 10 13 La Excellent 14	7L_IMetal, Decorative 0L_IMetal, Frame 4L_IMetal, Horiz. Siding	3= .Both 1 & 2
ITE DESC	Hotel/Motel 23 Garage/Carriage House	21Fair2225Poor2629Destroyed30	ø∟⊥Metal, Sheet 2∟⊥Perma-Stone 6∟⊥Plastic, Vinyl 0∟⊥Pole	_
. II. S	38 Engineering Struc.	36 ل Eligible 3: 40 الم Not Eligible 4.	314] Stone, Cut 7L_] Stone, Uncut 2L_] Stucco/Plaster 5L_] Tarpaper	4= Second exterior finish
	46 Health Care 50 Industrial/Utility	48 السا Non-contrib. 49 PLAN SHAPE 5	السام المالية السا Thatch السا Wood, Frame السا Wood, Horz. Siding	
	57 منابع Religious 61 منابع Social/Recre/Arts 65 منابع Transportation	59Irregular6063L-Shaped6067Polygonal60	Ø∟J Wood, Shingle/Shake 4∟J Wood, Vert. Siding 8∟J Other	
	69 لىلى Warehouse 73 لىلى Other	عليما U-Shaped	PORCH 9L_JOriginal 4L_JAddition/Altered 8LLJRemoved/None	
	Fieldwork Date $010$ $212$ $35$		고의 Ethnic 181의Builder 의크 Style 21의Engineer	0=Unknown 1=Known
	$\frac{10}{22} = \frac{15}{22}$ Other Info. $\frac{14}{22} = \frac{15}{22}$ OFFICE USE ONLY	Naide IVPT Delok B	46 UDesigner/ 45 Architect	•
ONLY	Soil Association Ecozone Area	Signf CR Type Verified	d Site Non-Site	
OFFICE USE	4143444546State RegistryNational Registry		49 Number	
OFF	50 51	52 53 54	60	

### NDCRS ARCHITECTURAL SITE FORM

Field C	ode_RTI85MT094	Page 2		SITS NU	MBER 32 WD 112
ACCESS				9999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 999 - 99	
DESCRIP	TION OF SITE				
SIG. FE	AT				
NON-SIG	. FEAT				
OWNER'S	NAME, ADDRESS, AND	PHONE NUMBER			
FEATURE	#	NAME IN NAME E	BLOCK		
BASEMENT x yes no unknown other WINDOWS x Original Altered	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$ \begin{array}{c}                                     $	- Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1926 Sanborn Map(s) Undated Other N.R. Nomination City Assessor's Card
ARCH	IITECTURAL SIGNIFICA	NCE_		HISTORICAL SI	GNIFICANCE
$\frac{1}{x \operatorname{Rep. of } ty}$	tic Values pe, period,L	/isual Landmark loo new to be el acking integrit Not High Style	lig. Ass	sociated with	significant person significant event development of

FEATURE DESCRIPTION: Store fronts for the Union National Bank Annex were altered in 1964 (City Assessor's Card) to their present condition of large plate glass panes in aluminum frames with colored panel bases and transoms. The facade is divided into 3bays by pilasters which are of limestone on the first floor and brick above. Each bay on the second and third floors has a rectangular window opening with 1/1 double-hung wooden sash lovered by paired aluminum storms. Window openings on the alley (east) side have paired 1/1 double-hung wooden sash.


OTHER HISTORICAL INFORMATION: This commerical block was erected 2 years after the adjoining Union National Bank (west) and was likely designed by George Buganhagen, the Minot Architect who aided with plans for the bank building which displays a similar style. Buganhagen's office was located in this building after its completion (N.R. Nomination).

COMMENTS/R	EF	ER	ENÇ	ES:
------------	----	----	-----	-----

Recorded by RTI-FLQ

Date 6-22-85

 $\backslash$ 



SITS Number <u>32WD112</u>

Feature B.W. Photo I.D. Code RTI85MT-Roll 6 Frame 32 Feature B.W. Photo I.D. Code RTI85MT-Roll 6 Frame 32 Storage Location NDCRS Date 12185 Recorded By MEM

Field Code RTI85M1094

SITS Number <u>32WD112</u>

Feature 2



B.W. Photo I.D. Code RTI85MT-Roll 6 Frame 30

Feature

B.W. Photo I.D. Code RTI85MT-Roll Frame

Storage Location NDCRS

Recorded By MEM

Date	19	18	5		
------	----	----	---	--	--

· •	*	ARCHITECTURAL SITES	Lane T	•
I. SITE I,D.	Field Code $\underline{P,T.1.8.5.M.T.0.0.6}$ $\frac{1}{2}$ Site Name $\underline{Sas.n.d.e.r.s.8.1.0.c.4}$ Map Quad $\underline{M, 1.N}$ 51	38 39 40 LTL <sub>a</sub> Tw	<u>51 83 24 5 7 8</u> 47 48 49 50	1. N5 2. E5 3. S5 4. W5 5. NE5 5. NE5 6. SE5 7. SW5 8. NW5 9. C
	51 📖 Barn 53 Ц. 19	EI IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	18 3 MAIN ENTRANCE         BUILDING MATERIALS         24 JUnknown         43 Asbestos Siding/Shingle         44 Asbestos Siding/Shingle         45 Brick         50 JClay Tile         57 JClay Tile	l= struct. system
ION	58       Chicken Coop         62       Corral/Enclosure         66       General Storage         70       Grain Storage         74       Privy	60 Ladio pre-1880 64 Ladio 1880-1900 68 Ladio 1900-1915 72 Ladio 1915-1930	61LConcrete Block 65LConcrete, Poured/Cast 69L_LEarth/Clay 73L_LEarthen Brick 77L_JGlass, Block 1L_JGlass, Pigmented 4L_LLog 7L_JMetal, Decorative	2= Primary exterior finish
. SITE DESCRIPTION	15 19 19 19 19 19 19 19 19 19 19	13       L       Excellent         17       L       Good         21       Fair         25       Poor         29       Destroyed         SIGNIFICANCE	10       Metal, Frame         14       Metal, Horiz. Siding         18       Metal, Sheet         22       Perma-Stone         26       Plastic, Vinyl         30       Pole         33       Stone, Cut	3= Both 1 & 2 
11.	38       Image: Construction of the sector of	40 الما Not Eligible 44 الما Contributing 48 الما Non-contrib. 9 PLAN SHAPE 55 ما Circular 59 الما Irregular	37 L Stone, Uncut 41 L Stucco/Plaster 45 J Tarpaper 49 J Thatch 52 Wood, Frame 56 Wood, Horz. Siding 60 Wood, Shingle/Shake 64 Wood, Vert. Siding	Second exterior finish
	65 المسلما Transportation 69 المسلما Warehouse 73 مما المسلما Other	Folygonal الملاحة الملاحة المحافظة المحافظة المحافظة المحافظة المحافظة المحافظة المحافظة المحافظة المحافظة الم المحافظة المحافظة الم	PORCH 79LJ Original 4LJ Addition/Altered 8LJ Removed/None	
ONLY	Fieldwork Date Dib 2285 10 15 Other Info. Wield Intribition 22 OFFICE USE ONLY Soil Accordance	19 1311 Koletki I I I I I	LIQI Ethnic 181QIBuilder COI Style 21QIEngineer 461QIDesigner/ 45 Architect	0=Unknown 1=Known
OFFICE USE ON	41 43 44 45 46 State Registry National Regis		ed Site Non-Site 49 Number	· ·
OFF	50 51	52 53 54	60	]

. N	DCRS ARCHITECTURAL SITE	FORM	
Field Code <u>RTI85MT006</u>	Page 2	SITS NU	MBER 32 WD421
ACCESS			
DESCRIPTION OF SITE Ori	ginal Minot, West 70', L	ots 10, 11 and 12	, Block2
SIG. FEAT. commerical	block -1		
NON-SIG. FEAT.			
OWNER'S NAME, ADDRESS, A Ommen; 2508 10th Aven	ND PHONE NUMBER Harold ue, Minot, N.D.; (701)	and Millred Vards 338-5664	veen, c/o James
FEATURE #1	NAME IN NAME BLOCK		
BASEMENT       FOUNDATION MATER         x yes       Brick         no       Concrete Bloc         unknown       Fieldstone         other       Cut Stone         x Poured Concret         Refaced       Unknown         Original       Other	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	tal Gable ick Hipped ne Deck od Gambrel	DATING METHOD Plat Map(s) County Atlas Date Block 1918 Sanborn Map(s) Topo Map(s) undated Other City Assessor's Card
ARCHITECTURAL SIGNIFI	CANCE	HISTORICAL SI	
Work of Master High Artistic Values Rep. of type, period, method of construction x	Visual Landmark Too new to be elig. Lacking integrity Not High Style	Associated with Associated with Associated with locality	significant person significant event development of
FEATURE DESCRIPTION: This sto huge broken pediment over the columns in the store front sur stamp). The second floor wind double-hung wooden sash. Thir in-fill. The upper facade is has a sandstone coping.	store front is of plywoo vive. They were cast by low openings still contai d floor windows have bee	d. The original f the St. Paul Four n the original tr n replaced with al	fluted cast iron ndry Co. (maker's iple sets of 3/1 luminum slides and
OTHER HISTORICAL INFORMATION: was an undertaker and sold fur building was built (January 29 Assessment Lists; 1917 and 192	niture, rugs and carpets 9, 1919) but it retained	<ul> <li>He died two yea</li> <li>his name (1916-19)</li> </ul>	ars after the

\$

COMMENTS/REFERENCES:

Recorded by RTI-FLQ

Date 6-22-85

÷

1

## Field Code ATI85MT006

Feature

Feature

### SITS Number 32WD421



# B.W. Photo I.D. Code RTI85MT-Roll ZO Frame 30

· · · · ·	B.W. Photo	I.D. Code	RTI85MT-Roll	Frame	
Storage Location_	NDCRS				\
Recorded By ms	~		Date	17185	-

	ARCHITECTURAL SI	169	
I. SITE I,D.	51 68 69	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
ONLY II. SITE DESCRIPTION	City Init Inlo It       1       1         1       1       1       1         2       Street Name Its It       1       1         25       SITE COMPONENTS       FEATURE DATA         46 LOL 21 # of Features       48 I Feature #         51 I Barn       53 I Const. Date         58 I Chicken Coop       60 pre-1880         62 I Corral/Enclosure       64 1880-1900         66 I General Storage       68 1900-1915         70 I Grain Storage       72 1915-1930         74 I Privy       76 1930-1945         78 I Well/Windmill       80 post-1945         21 I Dwelling: Multiple       CONDITION         11 Dwelling: Multiple       CONDITION         12 I Gorange/Ci       WHFINISHEN         74 I Education       MUFINISHEN         34 I Education       MUFINISHEN         34 I Education       MUFINISHEN         35 I Military       S7 Religiou         61 I Social/R       65 I Transpor         69 I Warehous       73 I I Other         31 I O I I Other       31 I I Other         32 I Other Info.       10 I I I         10 I I I       II I I I I I I I I I I I I I I I I I I	BUILDING MATERIALS 24 Unknown 43 Asbestos Siding/Shingle 42 44 Asphalt Siding/Shingle 45 Brick 50 Clay Tile 57 Composition Board 61 Concrete Block 65 Concrete, Poured/Cast 69 Earth/Clay 73 Earthen Brick 77 Glass, Block 11 Glass, Pigmented 41 Log 71 Metal, Decorative 10 Metal, Frame 14 Metal, Horiz. Siding 18 Metal, Sheet 22 Perma-Stone 26 Plastic, Vinyl 30 Pole 33 Stone, Cut 41 Stucco/Plaster 45 Tarpaper 45 Mood, Frame 56 Wood, Frame 56 Wood, Shingle/Shake 64 Wood, Vert. Siding 68 Other PORCH 79 Original 41 Addition/Altered 81 Removed/None 16 L Ethnic 18 Builder 19 Style 21 Engineer 45 Architect	i or ì
OFFICE USE	handrad handrad handrad	48 49 F MS Number	۱

y

C.

	·				· • • · · ·	
		ARCHITECTURAL	SITES		raye T	• • • •
			,	SITS		
	Field Code				ity Site Number	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2
D.	<u>B.T.I.B.5 M.T.O.O.S.</u> 1			32 W.C 11 13	15 18	$3. S_{2}^{1}$
I ;D.	Site Name	х 1	LTL Twp	R Sec	$QQQ^{-}QQ^{-}QQ^{-}Q^{-}QQ^{-}Q^{-}QQ^{-$	4. W <sup>1</sup> 2
SITE	t		<u> </u>	47	48 49 50	5. NE¼ 6. SE¼
	19 Map Quad	38	39 40 ITI Twp	$R_a$ Sec	$\frac{48}{49}  \frac{49}{50}  \frac{50}{40}$	0. SE4 7. SW4
Ι.						8. NW-4
	51	68	69 70	77	78 79 80	9. C
	City Millinleiti IIIII		18	BLEIMAIN EN	TRANCE	
		17		BUILDING M	ATERIALS	
				4 Unknown		
	Street Name 1 5 14 1 AIVIEL 15				s Siding/Shingle Siding/Shingle	l= struct.
	SITE COMPONENTS	FEATURE DATA		52 Brick	Sturing/Sirrigre	system
	46 46 # of Features 4	8011 Feature	# 50	Clay Tilلسار		0
		키리인 Const. D		Composit		2=
	58 LLLI Chicken Coop 62 LLLI Corral/Enclosure	60 pre-1880 64 1880-190	61	Concrete	e, Poured/Cast	2= Primary
	66 General Storage	68 L 1900-191	5 69	9 Earth/C		exterior
	Grain Storage ليسلي 70	72 🗀 1915-193		3 L Earthen		finish
	74 Left Privy 78 Left Well/Windmill	76 LJ 1930-194 80 LJ post-194		7∟JGlass,∣ Z∟JGlass,∣		-
-	2 Workshop	80 - post-194			rigillericeu	
DESCRIPTION			7	7∟JMetal,∣		
ΤdΙ	8 Dwelling: Multiple	CONDITION		Metal, I		3≃ .Both
CR	11     Dwelling:Sngl/Mobile       15     Dwelling:Sngl/Perm	13∟ Excellen 17∟ Good		ALMetal, 1	Horiz. Siding Sheet	1 & 2
DES	19 Hotel/Motel	21 L Fair		2 Perma-St		
ITE	23 Garage/Carriage House	25 Poor		Plastic	, Vinyl	-
SIT	27 Gravestone/Marker	29 Destroye SIGNIFICANCE	d 30	Pole BLAI Stone, (	Cut	4=
	31 Commercial/Office	36 Eligible		Z Stone,		Second
II	381 Engineering Struc.	40 L Not Elig	ible 41	Stucco/	Plaster	exterior
	42 Governmental	44LL Contribu		5 Tarpape	<b>r</b>	finish
	46 Health Care	48 Non-cont		P∟l Thatch 2∟l Wood, F	rame	
	53 Military	55L Circular	56	SLI Wood, H		
	57 LL Religious	59 Irregula			hingle/Shake	
	61 Social/Recre/Arts	63LL L-Shaped 67LL Polygona		4∟1Wood, V 8∟1Other	ert. Stallig	1
	69 Warehouse	71L Rectangu				
	73 ULL Other	75 Square		PORCH	* •	
		78 LI T-Shaped 3 LI U-Shaped		9∟ Origina 4∟_ Additio		
-		7 Other			-	
	101/201051				-	0-Halia au
	Fieldwork Date $002285$			LiQi Ethnic LiQi Style	1810]Builder 210]Engineer	0=Unknown 1=Known
17	Other Info. Moit loir - illoi	Hell IIII			46 Q Designer/	
	OFFICE USE ONLY			45	Architect	4.
ONLY	Soil Association Ecozone Area	Signf CR Type	e Verified	Site Non-	Site	
USE (			Ld	· •		
	44 45 46 State Registry National Regi	ster ECF	48 TFMSN	49 lumber		
OFFICE		h		• • • • • • • • • • • • • • • • • • •		•
OFF	50 51	52	53 54	60		] <sup>.</sup>

۹.			NDCRS AR	CHITECTURA	L SITE FORM		
· _	Field C	ode_RTI85MT00	5	Page 2		SITS NUM	BER 32WD422
	ACCESS						
►.	DESCRIP and	TION OF SITE 12, Block 2	Original M	linot, Lots	1 through 9	and East 70'	of Lots 10, 11,
	SIG. FE	AT. <u>hotel-1</u>	; annex -2				
	NON-SIG	. FEAT					
· -	OWNER'S Mino	NAME, ADDRES t, N.D.; (701	S, AND PHON ) 852-0351	E NUMBER	Vivian M. Jo	hnson; 505 S.	Main Street,
	FEATURE	#1	NAME	IN NAME B	LOCK		
WINDON x Or	s known her	FOUNDATION M Brick Concrete Fieldston Cut Stone x Poured Con Refaced Unknown Other	Block e	$\frac{\text{STORIES}}{1}$ $\frac{1}{2}$ $\frac{2}{2}$ $\frac{2}{3}$ $\frac{1}{2}$ $\frac{1}{$	Wood Other	ROOF TYPE Gable Hipped Deck Gambrel x Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1926 Sanborn Map(s) Topo Map(s) 1928 Other Ward County Independent
	ARCH	ITECTURAL SIG	NIFICANCE			HISTORICAL SIG	GNIFICANCE
$\frac{1}{x}$ Re	p. of ty	ster tic Values pe, period, construction	Visual Too ne Lackir X Not Hi	Landmark w to be el g integrit gh Style	ig. Ass y <u>x</u> Ass		ignificant person ignificant event levelopment of
story by da east fashio peara a cop betwe styli finis	base. rk brown side fac on. The nce from ing of c en spanc zed cast hed ashl	The main faca brick spandr ade (1st St. ninth floor the ground o concrete cast irel panels on concrete fin	de (1st Ave el panels s S.E.) has 8 rises above f being onl in a simple the east s ials set ag headed arc	e. S.E.) ha et against 3-bays with these 4 b y 8 storie stylized side are gi gainst the	s 5-bays wit the light b the central ays only, so s. The top geometric pa ven the appe 9th floor wa	h the central rown brick of 4-bays articu the main faca of the buildin ttern. The li arance of pila 11. The sands	ng on a sandstone 2- three bays articulated the main wall. The lated in a similar ade gives the ap- og is defined by ght brown brick strips asters by their stone base, is loor beneath each
space and t fourt over.	, in 192 he build h floor, In 194	28 (WCI 7 June fing remained steel framin	, 1928, pg incomplete g erected s e Parker co	. 1). Howe for about several sto ompleted th	ver, he was 20 years wit ries higher e building a	unable to comp ch masonary com and the entire as a hotel, van	intended for office plete construction mplete through the first floor boarded riously known as the

COMMENTS/REFERENCES:

Recorded by RTI-FLQ

Date 6-22-85

Continuation Form

Page 1

SITS Number 3200422

Item No. FEATURE DESCRIPTION - RTI85MT005

openings on the first, the exception being the main entry recessed into a grand 2-story arched opening. First floor windows are fixed on the south & fixed & glass block on the east. Each second floor opening has 3-1/1 double-hung wooden sash. Upper floor openings have paired 1/1's on the south facade & in the center bays on the east, and 3-1/1's on the flanking bays on the east. While the exterior is largely intact, the interior of the hotel appears to have been heavily remodeled. There is a 2-story wing to the hotel on the rear of Lot 9. There is a 2-story annex to the hotel on the north side.

Recorded by: RTI-FLQ

Date 6-22-85



I. SITE I,D.	SITS #SITS #Site County Site Number $R$ $R$ $S$ $S$ $R$ $T$ $R$ $S$ $U$ $I$ </th <th>1. Ny 2. Ey 3. Sy 4. Wy 5. NEy 6. SEy 7. SWy 8. NWy 9. C</th>	1. Ny 2. Ey 3. Sy 4. Wy 5. NEy 6. SEy 7. SWy 8. NWy 9. C
II. SITE DESCRIPTION	City (MiliNiertiCity (MiliNierti21Street #1921Street #Street Mame [15]All interment for the second s	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
ICE USE ONI	Fieldwork DateOffice Office Of	0=Unknown 1=Known

II. SITE DESCRIPTION

,

### NDCRS ARCHITECTURAL SITE FORM

	Field Co	ode_RTI85MT005	Page 2		SITS NUM	1BER 32 W 13 4 22
	ACCESS	TION OF SITE	949 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149 - 149			
	SIG. FE/	AT				
		NAME, ADDRESS, AN				
	FEATURE	#	NAME IN NAME I	BLOCK		
oth	nown er S ginal	FOUNDATION MATERI Brick Concrete Block Fieldstone Cut Stone X Poured Concret Refaced Unknown Other	$ \begin{array}{c} \hline  \\ \hline  \\ \hline  \\ \hline  \\ \hline  \\ \hline  \\  \\ \hline  \\  \\  \\ \hline  \\  \\  \\  \\  \\  \\  \\  \\  \\  \\  \\  \\  \\ $	Metal X Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) Other
	ARCH	ITECTURAL SIGNIFIC	ANCE		HISTORICAL SI	GNIFICANCE
Hig Rep	h Artist	ic Values x	Visual Landmark Too new to be e Lacking integri Not High Style	lig. Ass ty Ass	ociated with s	significant person significant event development of

FEATURE DESCRIPTION This building is an annex to the Parker Hotel, providing it with an entry from the parking lot on Lots 1-6. Two large first floor window openings have been in-filled with long vertical fixed lights in aluminum sash (south) and stucco (north). The four second floor window openings have multiple 4/4 double-hung wooden sash: three sets in the central two openings and two sets in the flanking openings. A stuccoed motor hotel entry has been added to the north side, along with a small concrete block addition. The interior has been heavily remodeled.

OTHER HISTORICAL INFORMATION

### COMMENTS/REFERENCES


Recorded by RTI-FLQ

Date 6-22-85

# Field Code RT185MT005

Feature 2

SITS Number 32WD422





	B.W. Photo I.D. C	ode RTI85MT-Roll 20	Frame 32
Storage Location	NDCRS	. \	
Recorded By JLH	an parameter a su a s	Date	2 85

Feature 2

Field Code RTI85MTOG	5
----------------------	---

Feature B.W. Photo I.D. Code RTI85MT-Roll 20 Frame 28







Feature

B.W. Photo I.D. Code RTT85MT-Roll 20

Date 12 85

Frame 34

## Field Code RTI85MT005

# SITS Number 32W0422

Feature

B.W. Photo I.D. Code RTI85MT-Roll 20

### Frame 33



Feature


B.W. Photo I.D. Code\_RTI85MT-Roll

Frame

Storage I	location	NDCRS
Recorded	By_J	.H

Date 12/85

INAC T



SITE DESCRIPTION

#### NDCRS ARCHITECTURAL SITE FORM

-	ACCESS					, 	
· •	DESCRIP	TION OF SITE O	riginal Mi	not, East	48.2 5' Lots	21 <b>-</b> 24, Block	<u> </u>
:	SIG. FE	AT. office bui	lding -1				
1	NON-SIG	. FEAT					
(	OWNER'S S.W.	NAME, ADDRESS, , Minot, N.D.;	AND PHONE (701) 852-	NUMBER 1	Investors Rea	1 Estate Trus	st; 15 1st Ave.
1	FEATURE	#1	NAME	IN NAME BL	.0CK		
BASEMEI x yes no unkr othe WINDOWS Origonal x Alte	nown er S ginal	FOUNDATION MATE Brick Concrete Blo Fieldstone Cut Stone x Poured Concr Refaced Unknown Other	ock rete	STORIES 1 1 2 2 1/2 2 1/2 3 5 Other	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) <u>undated</u> Other City Assessor's Card
Higl	k of Mas h Artist • of typ		Visual Too new Lacking	Landmark v to be eli g integrity gh Style	gAsso x Asso	ciated with s	GNIFICANCE significant person significant event development of

FEATURE DESCRIPTION: Constructed in 1929, this 5-story, brick building displays many Art Deco characteristics such as, decorative spandrels, projecting pilasters, and a variety of finishing materials, associated with and popularized by various New York skyscrapers erected around this time as well. The facade (north) is comprised of 3 main vertical bays articulated by large corner and wall pilasters each of which is topped by a facing of sandstone blocks adorned with a carved torch, and a stepped finial. Smaller pilasters, running between the windows, further divide each bay. The horizontal composition of the facade includes a brick parapet with projecting headers set in a diamond work pattern. Below, rounded arches of stacked bricks (with stone blocks in the keystone position) head the 5th floor windows. (continued)

OTHER HISTORICAL INFORMATION: The Ellison brothers, Otto and Norman, erected the First Avenue Building for office space in 1929. The architectural firm of Bugenhagen (George) and Molander (Edwin) provided the building design and J.H. Mackley, general contractor, supervised its construction.

COMMENTS/REFERENCES:

Recorded by RTI-MEM

Date 6-28-85

### Continuation Form

SITS Number 32WD458

### Item No. FEATURE DESCRIPTION - RTI85MT040

The tympanum of each of these arches is filled with header bricks which surround a stone block set on end. Header bricks also form the projecting spandrels, each embellished with a sandstone carved shield, between the windows on the remaining upper floors. The main level faced with sandstone, has a marble base and is punctured by 3 large openings. The east opening serves as an entry while the other two hold plate glass. A row of ten blind arches resting on consoles with acanthus, are carved in the sandstone transom above each.

The east, west and south (rear) elevations are all laid in American bond. Numerous rectangular window openings, symmetrically aligned, are located on the side elevations and the original fire exit of pre-cast iron still climbs the rear wall.


Alterations to this structure include reflective plate glass placed in all the window openings and a carport which joins the west elevation with First Minot Bank, to serve as a drive-thru facility for the later institution. To accomodate, the main level of the west wall has also been finished with random ashler which faces the bank.

# Field Code RT185MT040

Feature

B.W. Photo I.D. Code RTI85MT-Roll 24

Frame 12





Feature

B.W. Photo I.D. Code RTI85MT-Roll 26

Frame 10

Storage Location NDCRS Recorded By JLH

Date	2 85
------	------

.


٠

ianc i 😴 👘

I. SITE J.D.	N.P.S. 19 Map Quad 20 2 WOT	SITS # State County Site Number 3 2 4) 2 465 11 13 15 18 LTL Twp R Sec QQQ QQ Q 39 40 47 48 49 50 LTL <sub>a</sub> Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub> 69 70 77 78 79 80	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>3</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
	City MILINIOIEL	18 LIMAIN ENTRANCE	
	1 Street ↓ 12.1 <sup>4</sup> 1 19 23	BUILDING MATERIALS	
	Street Name 21010 1 Alve ISIEL I I I I	43 Asbestos Siding/Shingle	1=
	25	42 44_Asphalt Siding/Shingle	struct.
	SITE COMPONENTS FEATURE DATA	45 Brick	system
	46 KOLLJ # of Features     48 KOLLJ Feature #       51 LILJ Barn     53 LILJ Const. Da		
	58 LL Chicken Coop 60 L pre-1880	61 Concrete Block	2=
	$62 \sqcup \Box$ Corral/Enclosure $64 \sqcup 1880-1900$		Primary
	66 LLL General Storage 68 LL 1900-1915	69LJEarth/Clay	exterior
	70 Grain Storage 72 1915-1930		finish
	74 Privy 76 1930-1945		
	78 لسلب Well/Windmill 80 لله post-1945 2 السلب Workshop	1∟1Glass, Pigmented 4∟1Log	
DESCRIPTION		7LIMetal, Decorative	
1d	8 Dwelling:Multiple CONDITION	1011 Metal, Frame	3=
RI	Dwelling:Sngl/Mobile 13 LL Excellent		Both
ESC	15 Dwelling:Sngl/Perm 17 Good		1 & 2
	19 23 4 4 4 5 4 19 4 5 4 19 4 19 4 19 4 19 4 19 4 19 19 19 19 19 19 19 19 19 19	22∟⊥ Perma-Stone 26∟⊥ Plastic, Vinyl	
SITE	27 Gravestone/Marker 29 Destroyed		
S	31 QLI Commercial/Office SIGNIFICANCE	33 Stone, Cut	4=
	عام Educational علي Eligible		Second
Π	38 Engineering Struc. 40 Vot Eligi		exterior finish
	42Governmental44Contribut46Health Care48Non-contr		1111211 .
	50 Industrial/Utility PLAN SHAPE	52 Wood, Frame	
	53 Military 55 Circular	56 Wood, Horz. Siding	
	57 Religious 59 Irregular		
	62 Social/Recre/Arts 63 LJ L-Shaped	64 Wood, Vert. Siding	
	65 السل Transportation 67 المسل Polygonal 69 المسل Warehouse 71 المسل Rectangul		
	73 Ulter 75 Square	PORCH	
	78 - I T-Shaped	Original ليا79	
	اللے U-Shaped	4 Addition/Altered	
	۲ الله Other	814 Removed/None	
	Fieldwork Date 0 10 1 9 8 5	16 CPI Ethnic 18 Puilder	0=Unknown
	10 15	19 OAI Style 21 UEngineer	1=Known
	Other Info. 22	1 1 1 1 46 Designer/	
	OFFICE USE ONLY	45 Architect	•
ONLY	Soil Association Ecozone Area Signf CR Type	Verified Site Non-Site	
nsı	41 43 44 45 46 47	48 49	
멍	State Registry National Register E C F T	F MS Number	1
OFFICE USE		53 54 60	,
b			
		the man of a sum sum	


NDCRS	FORM		
Field Code RT185MT061	Page 2	SITS NUMBE	R 32110466
ACCESS			
DESCRIPTION OF SITE Original	Minot, Lots 1-4, Block	: 10	,
SIG. FEAT. commerical block	< -1		
NON-SIG. FEAT.	*****	*****	
OWNER'S NAME, ADDRESS, AND PH Mall, Minneapolis, MN; (70	IONE NUMBER <u>Northern S</u> D1) 838-9703	States Power Compa	ny; 414 Nicollet
FEATURE #NA	ME IN NAME BLOCK		
BASEMENTFOUNDATION MATERIALSx yesBricknoConcrete BlockunknownFieldstoneotherCut Stonex Poured ConcreteRefacedWINDOWSUnknownx OriginalOther	$\begin{array}{c c} \underline{STORIES} & \underline{CORNICE} \\ \hline 1 & & \\ \hline 1 & 1/2 & \\ \hline 1 & 1/2 & \\ \hline 2 & 1/2 & \\ \hline 0 & \\ \hline 0 & \\ \hline 0 & \\ \hline \end{array} \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	ROOFTYPEDGableHippedDeckGambrelxFlatOther	ATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) Other
ARCHITECTURAL SIGNIFICANCE		HISTORICAL SIGNI	FICANCE
Work of Master Visu High Artistic Values X Too Rep. of type, period, Lack method of construction Not	al LandmarkAs new to be eligAs ting integrityAs High Style	sociated with sig sociated with sig sociated with dev locality	nificant person nificant event elopment of
FEATURE DESCRIPTION: modern edi	face	n fra general a general a constant de la francia de la general de la general de la general de la general de la	
,			
OTHER HISTORICAL INFORMATION:			
COMMENTS/REFERENCES:			
Recorded by RTI-MEM			Date6-19-85

1




SITS Number 32-WD 466

Feature



B.W. Photo I.D. Code RTI85MT-Roll 24 Frame 26

Feature\_\_\_\_



B.W. Photo I.D. Code RTI85MT-Roll Z4 Frame 25 Storage Location NDCRS Recorded By MEM Date 12/85

iuye 1

	ARCHITECTURAL SITES	
I. SITE I,D.	Field Code R.T.I.85MTC60 1   10 Site Name H.i.g.h.School $19   38Map Quad51   68Site NameITL Twp R Sec Q0Q QQ Q 0.4551   83.241   6.2   38ITL Twp R Sec Q0Q QQ Q 0.4555   83.241   6.2   3139   40   47   48   49   50LTL_a Twp_a R_a Sec_a QQQ_a Q_a Q_a Q_a Q_a Q_a Q_a Q_a Q_a$	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 2 6. SE <sup>1</sup> 2 7. SW <sup>1</sup> 2 8. NW <sup>1</sup> 2 9. C
	City MILINION IN ENTRANCE	
	1 Street # 1200 19 23 17 BUILDING MATERIALS 24 Unknown	
	Street Name 2101 AVE 5E 43 Asbestos Siding/Shingle 25 42 44 Asphalt Siding/Shingle SITE COMPONENTS FEATURE DATA 45 Brick 46 4 50 Clay Tile	l= struct. system
N	51Barn53Const. Date57Composition Board58Chicken Coop60pre-188061Concrete Block62Corral/Enclosure641880-190065Concrete, Poured/Cast66General Storage681900-191569Earth/Clay70Grain Storage721915-193073Earthen Brick74Privy761930-194577Glass, Block78Well/Windmill80post-19451Glass, Pigmented2Workshop4LogLog	2= Primary exterior finish
SITE DESCRIPTION	8       10       Metal, Decorative         11       12       13       Excellent       14       Metal, Frame         15       16       17       Good       18       Metal, Sheet         19       19       10       Fair       22       Perma-Stone         23       Garage/Carriage House       25       Poor       26       Plastic, Vinyl         27       Gravestone/Marker       29       Destroyed       30       Pole	3= Both 1 & 2
11. 51	31Commercial/OfficeSIGNIFICANCE33Stone, Cut34Stucational36Eligible37Stone, Uncut38Engineering Struc.40Not Eligible41Stucco/Plaster42Governmental44Contributing45Tarpaper46Health Care48Non-contrib.49Thatch50Industrial/UtilityPLAN SHAPE52Wood, Frame	4= Second exterior finish
	53 LineMilitary55 LineCircular56 LineWood, Horz. Siding57 LineReligious59 LineIrregular60 LineWood, Shingle/Shake61 LineSocial/Recre/Arts63 LineL-Shaped64 LineWood, Vert. Siding65 LineTransportation67 LinePolygonal68 LineOther69 LineWarehouse71 LineRectangularKetterKetter	
	73 Line     75 J Square     PORCH       78 J T-Shaped     79 J Original       3 J U-Shaped     4 J Addition/Altered       7 J Other     8 J Removed/None	
	Fieldwork Date       0       0       15       16       16       18       Builder         10       15       19       19       15       19       10       1	0=Unknown 1=Known
~	Other Info.       1 <td< td=""><td><b>.</b></td></td<>	<b>.</b>
ONLY	Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
ce use	41 43 44 45 46 47 48 49 State Registry National Register E C F T F MS Number	
OFFICE	50 51 52 53 54 60	ŀ
- 1		-

		ARCHITECTURAL	C1776		rayt	<b>. .</b>	
1	r	ARCHITECTURAL	STIES		SITS #		
	Field Code			State	County	Site Number	1. N <sup>1</sup> 2
	R.T. 1.85MJC.6.0			3_2_	WD	4.6.8	2. $E_{2}^{1}$ 3. $S_{2}^{1}$
I.D	Site Name		LTL T	wp R	13 Sec QQ	15 18 Q QQ Q	4. W <sup>1</sup> <sub>2</sub> 5. NE <sup>1</sup> <sub>4</sub>
SITE	19	38	39 40		47 48	49 50	6. SE <sup>1</sup> 4
•	Map Quad	•	LTL <sub>a</sub> T	wpa Ra	Sec <sub>a</sub> QQ	Q <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub>	7. SW4 8. NW4
	51	68	69 70		77 78	79 80	9. C
ĺ	City [M] 1   N 0 T			1811 MAI	N ENTRAN	CE	
	Street #	17			ING MATER	IALS	-
	19 23 Street Name ZINITI JANEL IS					ding/Shingle	1=
	25		42	44∟_Asp	halt Sid	ing/Shingle	struct.
	SITE COMPONENTS	FEATURE DATA		45 3 Bri			system
	46 48 df Features 48			50 L Cla	position	Board	
	58 LLL Chicken Coop	60 L pre-1880		61 Con	crete Bl	ock	2=
		64 1880-190				oured/Cast	Primary exterior
		68 └── 1900-191 72 └↓─ 1915-193		69 Ear	then Bri	ck	finish
		76 1930-194			iss, Bloc		
		80 📖 post-194	5		iss, Pigm	ented	
NO	2 نے Workshop				; al, Deco	rative	
DESCRIPTION	8 السلسا Dwelling:Multiple	CONDITION			al, Deco		3=
RIF	11 Dwelling:Sngl/Mobile	13 L Excellen	t	14 Lu Met	al, Hori	z.Siding	Both
SC		17 LL Good			al, Shee		1 & 2
		21 L Fair 25 L Poor			rma-Stone Astic, Vi		
SITE		29 Destroye	d	30 Pol			
S	31 Commercial/Office	SIGNIFICANCE		33141 Sto		•	4=
11		36∟ Eligible 40∟ Not Elig			one, Uncu icco/Plas		Second exterior
		44LL Contribu			•	661	finish
		48 Non-cont		49 الــــا 49	itch		
	50 Industrial/Utility	PLAN SHAPE			od, Frame		
		55L Circular 59L Irregula			od, Horz. od, Shing		
		63L_J L-Shaped			od, Vert.		
		67 Polygona		68LJ Otl	ner		
		71 LLI Rectangu 75 LLI Square	lar	DUD	RCH		
		78 J T-Shaped		79L_10r			
		U-Shaped ناع			dition/Al		
		0ther الــا		8LLI Rer	noved/Non	e	
	Fieldwork Date 016119185		1	600 Etl	nnic <i>18</i> ⊆	Builder	0=Unknown
	10 15		ţ	9 OBI St	vle 21	Engineer	1=Known
	Other Info. 14161 - 1 HIVII 13 101,	<u>I IWIEI, I IPI</u>	ILILIS	Iblur ly	45 46L	Designer/ Architect	
ONLY	OFFICE USE ONLY					<u> </u>	
	Soil Association Ecozone Area	Signf CR Type	e Verif	ied Site	Non-Site	9	
USE	41 43 44 45 46	47	48		49		Į
	State Registry National Regi	ster ECF		S Number			<b>.</b> .
OFFICE	50 51	52	53 5	<u> </u>			<b>.</b> '
6		<b>یا ک</b> ۱۹۹۹ - ۲۰۰۲ ۲۰۱۹ - ۲۰۰۲ ۲۰۰۲ ۲۰۰۲ ۲۰۰۲ ۲۰۰۲ ۲۰۰۲ ۲۰۰۲ ۲		<b>~z</b>			1

### NDCRS ARCHITECTURAL SITE FORM

Field (	Code RT185MT060	Page 2		SITS NU	MBER 32WD468
ACCESS		*****			
DESCRI	PTION OF SITE Origina	1 Minot, Block	<pre>x 9 and Firs</pre>	t Addition, B	1ock 25
SIG. FE music a	AT. original high sch addition -4; gymnasium	ool -1; Jr. H <sup>.</sup> addition -5	igh addition	-2; high sch	ool addition -3;
NON-SIC	G. FEAT	**************************************			
OWNER'S	S NAME, ADDRESS, AND P 1) 857-4160	•			Auditor, Minot, N.D.;
FEATURE	E #N	AME IN NAME B	_0CK		
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	· · · · · · · · · · · · · · · · · · ·	CORNICE Metal X Brick None Wood Other	Gable Hipped	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) undated Other School Board Records
ARCI	HITECTURAL SIGNIFICANC	<u>E</u>		HISTORICAL SI	GNIFICANCE
High Artis	stic Values Too ype, period,Lac	ual Landmark new to be el king integrity High Style	ig. Ass y <u>x</u> Ass	ociated with	significant person significant event development of

FEATURE DESCRIPTION: The original section of the Minot High School is a 3-story brick structure on an elevated limestone base (finished ashlar). As originally designated, its facade has a central section of 4 bays delinated by giant order corinthian columns and flanked by pavillions which in turn are flanked by side wings. Entries are located at the base of each pavillion. There is presently a concrete block full-height stair tower built against the first bay west of the east pavillion. The columns and pavillions carry a full entablature with modillion brackets. The stepped parapet features a central medalion in shape of an open book which is flanked by torches with swags. All windows have been replaced with modern aluminum casements. The interior has recently been completely remodeled; virtually no original finish materials survive. The boiler room and large brick stack at the center of the campus were built as part of this building.

OTHER HISTORICAL INFORMATION: This site has seen several Minot School buildings prior those which comprise the present campus. The first was a 1-room school built in 1887. It was soon replaced by another wood frame structure which, in turn, was relocated by Minot's first brick "Central School" in 1893. It survivied until 1928, standing (continued)

**COMMENTS/REFERENCES:** 

Recorded by RTI-FLQ

Date 6-19-85

#### Continuation Form

Page 1

SITS Number 32WD468


### Item No. OTHER HISTORICAL INFORMATION: Feature 1, RTI85MT060

on the southwest corner of Block 9 about where the present "old" gymnasium now stands. It was supplemented by a Jr. High School building on the east side of Block 9 in 1905. The present high school building was built along 2nd Ave. N.W. facing north in 1916-18. Architects were W. E. Hulse & Co. and C. L. Pilsbury & Co. General Contractor was the Woodrich Construction Co. Cost of the construction was \$282,388.00. The High School was enlarged in several stages. The Jr. High and gymnasium were constructed in 1928-29 on the west side of Block 9. The library addition was built on the northeast corner of Block 9 in 1940. Both of these additions were designed to be architecturally compatible with the original 1918 section of the present high school. In 1962, the Music and Agriculture building was construced along the east side of the block. Finally, in the last couple of years, the new gymnasium and cafeteria complex was built on the southeast corner of the block.

Recorded by: RTI-FLQ

Date: 6-19-85

LAAR T



SITE DESCRIPTION

#### NDCRS ARCHITECTURAL SITE FORM

Field C	ode_RTI85MT060	Page 2		SITS NU	MBER_32WD468
ACCESS					
DESCRIP	TION OF SITE				
SIG. FE	AT				14-11-21-17-21-11-11-12-12-12-12-12-12-12-12-12-12-
NON-SIG	. FEAT				
	NAME, ADDRESS, AND F				
FEATURE	# <u>2</u> N	NAME IN NAME B	LOCK		angendety- ar at a min- 2-11-14 for despite min- at same trate as
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIALS Brick X Concrete Block Fieldstone Cut Stone Poured Concrete Refaced Unknown Other	5 <u>STORIES</u> 1 1 1/2 2 2 1/2 <u>x</u> 3 Other	CORNICE Metal X Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) undated Other School District Records
Work of Ma High Artis X Rep. of ty	ITECTURAL SIGNIFICANC ster			ociated with	GNIFICANCE significant person significant event development of

FEATURE DESCRIPTION: This section of the Central Campus High School was built as a Jr. High addition to the original high school section. It is comprised of a 3-story classroom block to the north and a guymnasium block to the south. The classroom block has its own centrally located, west-facing entry in the central pavillion of its facade. The facade also has two end pavillions and is designed with a renaissance revivial character while its north elevation is designed to be compatible with the neo-classical character of the adjoining original high school block. The central entry is recessed under a 3-bay groin vault ceiling supported by round limestone arches on tuscan columns. The central pavillion is further adorned with (continued)

OTHER HISTORICAL INFORMATION: This Jr. High addition to the Minot Central High School was built in 1928-29. It is located on the site of Minot's first brick school which was demolished as this building was built. Local architectural firm of Bugenhagen and Molander was awarded the contract with the Minneapolis firm of Craft and Boerner serving as consultants (WCI May 3, 1928, p. 9).

COMMENTS/REFERENCES:

Recorded by RTI-FLQ

Date 6-19-85

### Continuation Form

SITS Number 32WD468

### Item No. FEATURE DESCRIPTION: Feature 2: RTI85MT060

central second and third story fenrstrations featuring 4 window units per floor and limestone surrounds and spandrels. The pavillion also has limestone quoins. A central semi-circular pediment with limestone medalian, coping and finial, and limestone side friezes. The end pavilions have brick simulation quoins. All windows in this building have been replaced with modern aluminum units. The classroom block has a reinforced concreted frame and hollow clay tile perimeter walls beneath the brick veneer. The gymnasium block is also built of hollow clay tile with brick veneer, but has a steel frame structure. The gymnasium has recessed brick spandrel panels between first and second floor windows on the south side, has numerous glazed tile decorative panels, some in a diamond pattern, and is generally designed in an Art Deco mode.

Recorded by:

RTI-FLQ

Date: 6-19-85

Page 1


iuye 1

I. SITE I.D.	SITS #SITS #Site Code $R$ T1 8 5 M T0 60 $3.2$ $MD$ $46.0$ $10$ $10$ $11$ $13$ $15$ $18$ Site NameLTL Twp R Sec QQQ QQ Q $19$ $38$ $39$ $40$ $47$ $48$ $49$ $50$ Map Quad $38$ $39$ $40$ $47$ $48$ $49$ $50$ $51$ $68$ $69$ $70$ $77$ $78$ $79$ $80$ City 1000 INTERTION	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 5. NE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
II. SITE DESCRIPTION	117BUILDING MATERIALSStreet Name19232424Street Name25242424Street Name25252424Sire COMPONENTSFEATURE DATA4243244614of Features4825244741Asphalt Siding/Shingle44Asphalt Siding/Shingle4825Feature #5020581Chicken Coop60pre-1880621Corral/Enclosure641880-1900641880-190069Earth/Clay70Grain Storage721915-193074Privy761930-194574Privy761930-194574Well/Windmill80post-194574Workshop71Glass, Block74Dwelling:Sngl/Mobile13Excellent11Dwelling:Sngl/Mobile13Excellent12Dwelling:Sngl/Perm17Good13Garage/Carriage House25Poor24Commercial/OfficeSIGNIFICANCE34Educational36Eligible34Governmental44Contributing34Governmental44Contributing34Educational36Eligible34Garage/Carriage59Irregular34Governmental44Non-contrib.34Fainee74Polygon	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
ONLY	Fieldwork Date       0       1	0=Unknown 1≃Known
OFFICE USE ON	Soil AssociationEcozoneArea SignfCR TypeVerified SiteNon-Site4143444546474849State RegistryNational RegisterE C F T FMS Number505152535460	

### NDCRS ARCHITECTURAL SITE FORM

	NDC	CRS ARCHITECTUR	AL SITE FORM			
Field (	Code_RT185MT060	Page 2	· .	SITS N	UMBER <u>32</u>	WD 468
ACCESS				•		
DESCRI	PTION OF SITE					
SIG. FI	EAT					
NON-SI	G. FEAT				1	
OWNER'	S NAME, ADDRESS, ANI	O PHONE NUMBER				
FEATUR	E #	_ NAME IN NAME E	BLOCK			
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone X Poured Concrete Refaced Unknown Other	$ \begin{array}{c}                                     $	Metal x Brick	ROOF TYPE Gable Hipped Deck Gambrel x Flat Other	undated	Plat Map(s) County Atla Date Block Sanborn Map Topo Map(s)
ARCI	HITECTURAL SIGNIFIC	NCE		HISTORICAL S	IGNIFICAN	CE
Rep. of t	stic Values $x$ ype, period, $1$	/isual Landmark Too new to be e Lacking integri Not High Style	lig. 🔤 Ass	sociated with sociated with sociated with locality	significa	ant event
	RIPTION: This 1940 ith neo-classical fo entation, has no mag		cade. It ut			
OTHER HISTOR	ICAL INFORMATION:	This feature wa	s designed b	y local archi	tect, Ira	Rush.
COMMENTS/REF	ERENCES:			-		
Recorded by	RTI-FLQ				Date	6-19-85

 $\langle \rangle$ 



OFFICE USE ONLY

50

SITE I.D.

SITE DESCRIPTION

11.

7

Coder ----

National Register

51

ECF

52

TF

53

MS Number

54

State Registry

Date Coded in ----610


60

Fie	eld Code RT185MT060	Page 2		SITS NU	1BER 32WD 468
ACC	CESS			•	-
DES	SCRIPTION OF SITE	····			
	G. FEAT.				
	N-SIG. FEAT	ar Marina (Marina) (M Marina) (Marina) (Mari			
OWN	NER'S NAME, ADDRESS, AND P	HONE NUMBER	• • • •		
FEA	NTURE #N	AME IN NAME B	LOCK	n - Martina manana manana manana manana manana manana an	
BASEMENT yes no x unknow other WINDOWS x Origin Altere	Brick Concrete Block Fieldstone Cut Stone X Poured Concrete Refaced Unknown Dal Other	$ \begin{array}{r} -1 \\ -1 \\ 1 \\ 2 \\ - 2 $	Metal x Brick None Wood Other	Gable Hipped Deck Gambrel	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Undated Other School Board Records
	ARCHITECTURAL SIGNIFICANC	<u>E</u>	<u> </u>	HISTORICAL SI	GNIFICANCE
Work of High / Rep. of method	of Master Vis Artistic Values X Too of type, period, Lac d of construction Not	ual Landmark new to be el king integrit High Style	ig. Ass y Ass y Ass	ociated with	significant person significant event development of
FEATURE D	DESCRIPTION: This modern	, brick addit	ion houses m	usic and agri	cultural class
OTHER HIS	STORICAL INFORMATION:				
-					
COMMENTS,	/REFERENCES:		•		· · · ·

Recorded by RTI-FLQ

Date 6-19-85

1



Fiel	d Code <u>RTI85MT060</u> Page 2	SITS NUMBER 32WD 468
- ACCE	SS	
DESC	RIPTION OF SITE	
SIG.	FEAT.	
	SIG. FEAT	
OWNE	R'S NAME, ADDRESS, AND PHONE NUMBER	
FEAT	URE #NAME IN NAME BLOCK	
BASEMENT x yes no unknown other WINDOWS x Origina Altered	Brickx 1MetaConcrete Block1 1/2x BricFieldstone2NoneCut Stone2 1/2Woodx Poured Concrete3OtheRefacedOther0Unknown00	ROOF TYPEDATING METHOD1GablePlat Map(s)kHippedCounty AtlasDeckDate BlockGambrelSanborn Map(s)rFlatTopo Map(s)xOther1983School Board Records
Work of High Ar Rep. of method	RCHITECTURAL SIGNIFICANCE         Master       Visual Landmark         tistic Values       X Too new to be elig.         type, period,       Lacking integrity         of construction       Not High Style	locality
Campus is	SCRIPTION: This new gymnasium/cafeteria addit oriented diagonally on the site. A local arch gned this feature.	


OTHER HISTORICAL INFORMATION:


COMMENTS/REFERENCES:

٠

Recorded by RTI-FLQ


Date 6-19-85





Feature	12
acing Southeast Fl North F2 West	
Storage Location	B.W. Photo I.D. Code <u>RTI85MT-Roll 25 Frame</u>

Storage Location NDCRS	
Recorded By JLH	Date 2 85




## Field Code RTI85MTOLO

SITS Number 32WD468


Feature 2

B.W. Photo I.D. Code RTIS5MT\_Roll 25

Frame 17



Storage Location NDCRS Recorded By JLH




Feature 🤰

B.W. Photo I.D. Code RTI85MT-Roll 25

Frame 15


Date 12/85



# Field Code\_RTI85MTO60

SITS Number 32410466


Feature 5



B.W. Photo I.D. Code RTI85MT-Roll 25 Frame 12

Feature\_\_\_\_

	B.W. Photo I.D. Code	RTI85MT-Roll	Frame
Storage Location	NDCRS		
Recorded By <b>J</b>	H	Date	12 85



Date Coded 11-1, 95

Fi	ield Code	e RTI85MT116		Page 2		SITS NU	MBER 32 W D 485
~. AC	CCESS						
DE	ESCRIPTIC	ON OF SITE 1	st Addi	tion, Lot	and South 1	/2 Lot 8, Blo	ock 28
SI	IG. FEAT.	Y.W.C.A.	-1				
NC	ON-SIG. F	EAT.				- <del></del>	
OW	WNER'S NA (701) 8	ME, ADDRESS, A 338-1812	ND PHON	E NUMBER Y	ICA; 205 3rd	Ave. S. E., 1	Minot, N.D.;
FE	EATURE #	1		IN NAME BL	OCK <u>YWCA</u>		
BASEMENT x yes no unkno other WINDOWS x Origi Alter		DUNDATION MATER Brick Concrete Block Fieldstone Cut Stone Poured Concret Refaced Unknown Other	<	$\frac{\text{STORIES}}{1}$ $\frac{1}{1}$ $\frac{1}{2}$ $\frac{2}{2}$ $\frac{2}{3}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Undated Other City Assessor's Card
	ARCHITE	CTURAL SIGNIFI	ANCE		<u>}</u>	HISTORICAL SI	GNIFICANCE
High Rep.	of type,	: Values x	Too ne Lackin	Landmark w to be eli g integrity gh Style	.g. Asso	ciated with	significant person significant event development of
FEATURE	DESCRIPT	ION: Modern I	ouildin	g.			
		,			,		
OTHER HI	ISTORICAL	_ INFORMATION:					
	,	· -· .					
COMMENTS	S/REFEREI	NCES:					


Recorded by RTI-MEM

r )

\_\_\_\_\_ Date \_\_\_\_\_ 7-11-85

## Field Code RT185 MT116

### SITS Number 32 WD485




		ARCHITECTURAL SI		1 <u> </u>
I. SITE I.D.	Field Code <u>R.T.L.8.5 M.T.L.L.5</u> , <sup>1</sup> Site Name <u>B.e.H.h.o.n.y.</u> , <u>C.h.v.r.c.h.</u> <sup>19</sup> Map Quad <u>51</u>	LT 38 39 LT 68 69	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
		17	18 MAIN ENTRANC	
	Street # $1   2  5  19 23$		BUILDING MATERI 24LUnknown	
		FEATURE DATA	43 Asbestos Sid 42 44 Asphalt Sidi 45 Brick 50 Clay Tile e 57 Composition	ng/Shingle struct. system Board
	58 السلسا Chicken Coop 62 السلسا Corral/Enclosure 66 السلسا General Storage 70 السلسا Grain Storage 74 السلسا Privy	60 [] pre-1880 64 [] 1880-1900 68 [] 1900-1915 72 [] 1915-1930 76 [] 1930-1945	61LConcrete Blo 65L3LConcrete, Po 69L_LEarth/Clay 73L_LEarthen Bric 77L_Glass, Block	ock 2= oured/Cast Primary exterior ck finish
NO	ہ Well/Windmill ہے۔۔۔۔ 2 کی۔۔۔۔ Workshop	80LJ post-1945	یللے Glass, Pigme ایللے Log ایلیظ Metal, Decor	
TE DESCRIPTION	15 Dwelling:Sngl/Perm 19 السلسط Hotel/Motel 23 ملسط Garage/Carriage House	CONDITION 13 L Excellent 17 Good 21 Fair 25 Poor	1011 Metal, Frame 1411 Metal, Horiz 1811 Metal, Sheet 2211 Perma-Stone 2611 Plastic, Vir	3= 2. Siding Both 2. I & 2
II. SITE	31       Commercial/Office         34       Educational         38       Engineering Struc.         42       Governmental         46       Health Care	29 Lostroyed SIGNIFICANCE 36 L Eligible 40 Not Eligib 44 Contribution 48 Non-contril	ng 45LJ Tarpaper b. 49LJ Thatch	
	57 الله Religious       8         61 المله Social/Recre/Arts       8         65 المله Transportation       8	PLAN SHAPE 55 Circular 59 Irregular 63 I-J L-Shaped 67 I-J Polygonal 71 I-J Rectangular	52L_J Wood, Frame 56L_J Wood, Horz. 60L_J Wood, Shingl 64L_J Wood, Vert. 68L_J Other	e/Shake
	73 Ul Other	75   Square     75   Square     78   T-Shaped     3   U-Shaped     7   Other	<b>PORCH</b> 79ایک Original 4مالیک Addition/Alt 8ایک Removed/None	
	Fieldwork Date $\begin{array}{c c} & & & \\ 10 & & 15 \\ \hline \\ 0 & & 15 \\ \hline \\ 0 & \\ 1 & & \\ 22 \end{array}$			JBuilder 0=Unknown JEngineer 1=Known JDesigner/ Architect
ONLY	OFFICE USE ONLY	Signf CR Type	Verified Site Non-Site	
USE	41 43 44 45 46 State Registry National Regis		48 49 F MS Number	
FFICE	50 51	52 53	54 60	una constante de la constante de

•

.

ARCHITECTURAL SITES



SITE DESCRIPTION

Field C	Code_RTI85MT115	Page 2		SITS_NU	MBER 32 WI	>4.86
ACCESS_					*****	
DESCRIF	PTION OF SITE 1st A	Addition, Lots 3	-6, Block 28			- 
SIG. FE	EAT. church -1; c	:hurch school -2			1	
NON-SIC	G. FEAT					
OWNER'S Minc	5 NAME, ADDRESS, AND ot, N.D.; (701) 838-	) PHONE NUMBER	Bethany Lut	heran Church;	215 3rd Av	/e. S.E.,
FEATURE	E #1	NAME IN NAME B	LOCK <u>Betha</u>	nia Sk. Ev. L	utheran Chu	urch
BASEMENT 	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$   \frac{\frac{x}{1}}{\frac{1}{2}} \frac{1}{\frac{1}{2}} \frac{1}{\frac{2}{2}} \frac{1}{\frac{1}{2}} $	CORNICE Metal Brick X None Wood Other	ROOF TYPE <u>x</u> Gable Hipped Deck Gambrel Flat Other	<u>1915</u>	THOD Plat Map(s) County Atlas Date Block Sanborn Map(s) Topo Map(s) Other
ARCH	HITECTURAL SIGNIFICA	INCE		HISTORICAL SI	GNIFICANCE	Manual Control Cont
High Artis	stic Values 1	/isual Landmark Too new to be el Lacking integrit Not High Style	ig. Asso v xAsso	ociated with ociated with ociated with locality	significant	event
transepts, ha tower (4-side recessed doub glass; a late glass windows	RIPTION: This Gothi as a steeply pitched ed) is situated at t ble doors (wood) and ern with louvered, l s in lancet arch ope metal screening) as	d cross-gable ro the southeast co d a stained-glas ancet arch open enings, also pie	of and stucc rner and inc s transom; a ings (2 each rce the main	o wall claddi ludes: a lanco narrow lance wall); and a (east) facad	ng. A cant et arch ope t window w <sup>4</sup> battlement e (1 large	ted entry ening with ith stained Stained- window
was organized congregation church. Serv for the churc This ediface	ICAL INFORMATION: 1 d in 1886 by Ibriam purchased this prop vices were conducted ch building, complet was designed by loc tember 7, 1915.	Luvius Lundeby, berty and began d in the basemen ted in 1916, was	a mission p construction t until Marc laid (Minot	astor. In th of the basem h of 1915, wh Daily News A	e spring of ent portion en the corn ugust 19,	f 1912 the n of the nerstone 1961).

COMMENTS/REFERENCES:

Recorded by RTI-MEM

Date 8-9-85

Continuation Form

SITS Number 32WD486

### Item No. FEATURE DESCRIPTION; RTI85MT115 - Feature 1

configuration, articulated by pointed buttresses, with the gable roof transepts comprising the western most, interior bay of each. These side gables feature vergeboard trim and a pointed finial. Other design elements include a gabled parapet and a blind lancet arch both on the main facade, and a beveled water table. In 1953 a new entry, along the west elevation, and adjoining church school were constructed. A shed roof vestibule, situated at the northeast church corner, was erected at this time as well and basement openings (rectangular) were altered with glass bricks (Minot Daily News August 19, 1961).

Recorded by: RTI-MEM

Date: 8-9-85

Page 1

		ARCHITECTURAL			Pag	ge l	
I. SITE I,D.	Field Code <u>R.T.I.85 M.T.I.I.5</u> 1 10 Site Name 19 Map Quad 51		39 40	State <u>32</u> 11 wp R wp <sub>a</sub> R <sub>a</sub>	47 4 Sec <sub>a</sub> Q	$ \begin{array}{c}                                     $	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>4</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
	City Min Inlot I I I I I			18LZIMAI	N ENTRA	NCE	
	25		42	24 Li Unk 43 Li Asb 44 Li Asp	estos S halt Si	RIALS iding/Shingle ding/Shingle	l= struct.
N	51 LILI Barn 53 LLC 58 LILI Chicken Coop 62 LILI Corral/Enclosure 66 LILI General Storage 70 LILI Grain Storage 74 LILI Privy	FEATURE DATA         9       12         1513       Const. D         60       pre-1880         64       1880-190         68       1900-191         72       1915-193         76       1930-194         80       post-194	# )ate )0 5 30 5	45Bri 50Cla 57Com 61Con 65Con 69Ear 73Ear 77Gla 1Gla 4Log	ck positio crete B crete, th/Clay then Br ss, Blo ss, Pig	n Board lock Poured/Cast ick ck mented	system 2= Primary exterior finish
II. SITE DESCRIPTION	15       Jwelling:Sngl/Perm         19       Hotel/Motel         23       Garage/Carriage House         27       Gravestone/Marker         31       Commercial/Office         34       Educational         38       Engineering Struc.         42       Governmental         46       Health Care         50       Industrial/Utility	CONDITION 13 L Excellen 17 L Good 21 Fair 25 Poor 29 Destroye SIGNIFICANCE 36 Eligible 40 Not Elig 44 Contribu 48 M Non-cont PLAN SHAPE 55 L Circular	ible iting rib.	10 Met 14 Met 18 Met 22 Per 26 Pla 30 Pol 33 Sto 37 Sto 41.2 Stu 45 Tar 49 Tha 52 Woo	al, Hor al, She ma-Ston stic, V e one, Cut one, Unc icco/Pla paper itch od, Fram	me iz. Siding et e inyl ut ster	3= Both 1 & 2 4= Second exterior finish
	57 Religious 61 Social/Recre/Arts 65 Transportation 69 Warehouse 73 July Other	59       Irregula         63       L-Shaped         67       Polygona         71       Rectangu         75       Square         78       T-Shaped         3       U-Shaped         71       Other	ır I Ilar	60 Woo 64 Woo 68 Oth 79 Ori 4 Add	od, Shin od, Vert Ner RCH	gle/Shake . Siding ltered	
	Fieldwork Date 01801818151 10 15 Other Info. Churricihi Sic	hioroil		6 10 10 Eth 9 10 10 Sty	le 211	⊖Builder ⊖Engineer ⊖Designer/ Architect	O≃Unknown 1≃Known
ONLY	OFFICE USE ONLY Soil Association Ecozone Area	Signf CR Type	e Verif	ied Site	Non-Si		
USE	41 43 44 45 46 State Registry National Regis	47	48	S Number	49		
)FFICE	50 51	يت 52	53 5 51000 1000 1000 1000 1000 1000 1000 1	4 ******	60		

II. SITE DESCRIPTION

•

•

JEFICE LISE ON V

•

Field C	ode RTI85MT115	Page 2		SITS NUM	MBER 32 WD4PM
ACCESS					
DESCRIP	TION OF SITE	,			
SIG. FE	AT			•	
	. FEAT				
OWNER'S	NAME, ADDRESS, AND	PHONE NUMBER			
FEATURE	#2	NAME IN NAME B	LOCK		
BASEMENT 	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$\frac{x}{1}$	CORNICE Metal Brick X None Wood Other	Gable	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map(s Topo Map(s) <u>undated</u> Other City Assessor's Card
Work of Ma High Artis Rep. of ty	tic Values $\overline{x}$ ] pe, period, $\overline{x}$ ]		igAss yAss	HISTORICAL SI ociated with ociated with ociated with locality	GNIFICANCE significant person significant event development of

FEATURE DESCRIPTION: Modern addition to Bethany Church which houses a church school.

\

OTHER HISTORICAL INFORMATION:

.

COMMENTS/REFERENCES:

٠


-1

Recorded by RTI-MEM

Date 8-9-85


# Field Code\_RTIBSMTILS

SITS Number 32WD486





B.W. Photo I.D. Code RTI85MT-Roll 23 Frame 14




Date 12/85

# Field Code RTI85MT115

SITS Number 37 WD48(0

Feature 2



B.W. Photo I.D. Code RTI85MT-Roll 23 Frame 17-

1

Feature

	B.W. Photo	I.D. Cod	e RTI85MT-Roll	Frame
Storage Location	NDCRS			
Recorded By ME	M		Date	<u>~ 12/85</u>

	ARCHITECTURAL SITES	•
I. SITE I,D.	SITS #         SITS #         SITS #         Site Name $\underline{S}_{1}$ $\underline{10}$ $\underline{11}$ $\underline{13}$ $\underline{15}$ $\underline{18}$ Site Name $\underline{S}_{1}$ $\underline{10}$ $\underline{11}$ $\underline{13}$ $\underline{15}$ $\underline{18}$ Site Name $\underline{S}_{1}$ $\underline{10}$ $\underline{11}$ $\underline{13}$ $\underline{15}$ $\underline{18}$ Mup R Sec. 000 00 0 $\underline{0}$ $\underline{12}$ $\underline{11}$ $\underline{11}$ $\underline{11}$ $\underline{11}$ $\underline{12}$ $\underline{12}$ $\underline{11}$ $\underline{12}$	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>3</sub> 5. NE <sup>1</sup> / <sub>4</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
	City MIL IN ALL INAIN ENTRANCE	
	Street       Image: Building for the state of the state	l= struct.
	SITE COMPONENTSFEATURE DATA45 協品Brick46 協山日#67 Features48 岡山日#50 Lay Tile51 Ladia53 LABANGConst. Date57 Lacomposition Board58 LadiaChicken Coop60 Lapre-188061 Laconcrete Block62 LadiaCorral/Enclosure64 La 1880-190065 Laconcrete, Poured/Cast	system 2= Primary
N	66General Storage681900-191569Earth/Clay70Grain Storage721915-193073Earthen Brick74Privy761930-194577Glass, Block78Well/Windmill80post-19451Glass, Pigmented2Workshop7Hetal, Decorative	exterior finish
SITE DESCRIPTION	8 Image: Multiple       CONDITION       10 image: Multiple       10 image: Multiple<	3= Both 1 & 2
11. SI	31Commercial/OfficeSIGNIFICANCE331Stone, Cut34Educational36Eligible37Stone, Uncut38Engineering Struc.40Not Eligible41Stucco/Plaster42Governmental44Contributing45Tarpaper46Health Care48Non-contrib.49Thatch	4= Second exterior finish ·
	501Industrial/UtilityPLAN SHAPE52Vood, Frame5311551156Wood, Horz. Siding571Religious5911160Wood, Shingle/Shake611Social/Recre/Arts6311Social/Recre/Shake64Wood, Vert. Siding65111Polygonal680006911Rectangular1100	
	73 Land     Other     75 Land     Square     PORCH       78 Land     T-Shaped     79 Land     Original       3 Land     U-Shaped     4 Land     Addition/Altered       7 Land     Other     8 Land     Removed/None	
	Fieldwork Date       0 17 11815       16 0 21 Ethnic 18 Builder         10       15       19 0 01 Style 21 0 Engineer         0ther Info.       22       46 0 Designer/	O=Unknown 1=Known
ONLY	OFFICE USE ONLY Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
USE	41 43 44 45 46 47 48 49 State Registry National Register E C F T F MS Number	
OFFICE	50 51 52 53 54 60	ŀ

ł

Field C	Code_RTI85MT113	Page 2	SITS NU	MBER 32WD487
ACCESS				
DESCRIP	TION OF SITE 1st	Addition, West 1/2 L	ots 1 and 2, Block 2	7
SIG. FE	AT. <u>apartment ho</u>	use -1		
NON-SIG	. FEAT.			
OWNER'S Mino		D PHONE NUMBER Ward	County, c/o County A	uditor; Courthouse,
FEATURE	#	NAME IN NAME BLOCK		
BASEMENT 	FOUNDATION MATERI Brick Concrete Block Fieldstone Cut Stone X Poured Concret Refaced Unknown Other	$ \begin{array}{c}                                     $	NICE ROOF TYPE Metal Gable Brick Hipped None Deck Wood Gambrel Other X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1926 Sanborn Map(s) Undated Other City Assessor's Card
Work of Ma High Artis x Rep. of ty	tic Values	ANCE Visual Landmark Too new to be elig. Lacking integrity Not High Style	HISTORICAL SI Associated with Associated with X Associated with Iocality	significant person significant event

FEATURE DESCRIPTION: This free standing, brick apartment building is 3 stories high with a 2-story extension situated at the south edge of the east elevation. Except for aluminum sash storms and new wood doors, this feature remains intact. All windows are set in rectangular openings and are predominately 1/1 double-hung with wood sash. The main facade (north), east and west elevations are all laid in running bond with belt courses of soldier brick at each floor division, while the rear (south) wall displays an American bond pattern. The main facad has a 5-bay configuration with an entry in the center. This opening features a brick frontispiece with segmental pediment, a wood door with side lights and a transom with stenciled lettering which reads, "Emerson". The parapet of this wall is also adorned with a central segmental pediment as well as 3 battlements situated at each corner. The east and west elevation are 6-bays each with a slight 2-bay projection. A door with side lights and transom pierces the irregular rear wall.

OTHER HISTORICAL INFORMATION: This apartment building was constructed by Permelia Emerson after the death of her husband, Richard H. Emerson on May 19, 1925 (1927 Polk's City Directory). Permelia was also one of the buildings original occupants.


COMMENTS/REFERENCES: Recorded by RTI-MEM

Date 7-12-85

# Field Code RTI85MT113

SITS Number 32 WD487

Feature



B.W. Photo I.D. Code RTI85MT-Rol123 Frame 22

Storage Location NDCRS

Recorded By MEM

Date_	12/85	*****
-------	-------	-------

		ARCHITECTURAL SITES	1095 T	C
I. SITE I,D.	Field Code <u>B.T. 1.85 M.T. 1.1.4</u> 1 Site Name <u>E.I.I.I.S.o.m. Appercisionent</u> 19 Map Quad 51	38 39 40	SITS # State County Site Number <u>3 2</u> <u>wD</u> <u>48 8</u> <u>11 13 15 18</u> wp R Sec 000 00 0 <u>5 5 8 2 47 48 49 50</u> wp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> 000 0 <del>77 78 79 80</del>	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 5 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 3 6. SE <sup>1</sup> 3 7. SW <sup>1</sup> 3 8. NW <sup>1</sup> 3 9. C
			18 LIJMAIN ENTRANCE	
	Street # 1224	±,	BUILDING MATERIALS	
	Street Name Bird   Aivist Bi		43 Asbestos Siding/Shingle	1=
		42 FEATURE DATA	Asphalt Siding/Shingle 45نتBrick 50ناClay Tile	struct. system
		Life Const. Date	57 Composition Board 61 Concrete Block	2=
	62 Corral/Enclosure 6	4 1880-1900	65 Concrete, Poured/Cast	Primary exterior
		8 💷 1900-1915 2 💷 1915-1930	69LlEarth/Clay 73LlEarthen Brick	finish
	74 Privy 7	6 L 1930-1945	77 Glass, Block	
-	78 المسل Well/Windmill 81 2 المسل Workshop	ol post-1945	ı∟JGlass, Pigmented ₄∟JLog	
		CONDITION	7 Metal, Decorative	3=
11	الكلك Dwelling:Multiple 11 للسلم Dwelling:Sngl/Mobile	CONDITION 3 LL Excellent	10∟1Metal, Frame 14∟1Metal, Horiz. Siding	.Both
50	15 Dwelling:Sngl/Perm 1	7 Lu Good	18 Metal, Sheet	1 & 2
วี ว		1∟ Fair 5∟ Poor	22∟⊥Perma-Stone 26∟⊥Plastic, Vinyl	
-	27 Gravestone/Marker 2	9 L Destroyed	30 L Pole	
•	31 Commercial/Office 34 Educational	SIGNIFICANCE	ع الطاع Stone, Cut ع السا Stone, Uncut	4= Second
=	38 Engineering Struc. 40	OL_ Not Eligible	41L_J Stucco/Plaster	exterior
		4 LL Contributing	45LLI Tarpaper 49LLI Thatch	finish ·
	46 Health Care 40	8 Non-contrib. PLAN SHAPE	52 Wood, Frame	
	53 Military 5:	5LLI Circular	56 Wood, Horz. Siding	
		9L Irregular 3L L-Shaped	60∟JWood, Shingle/Shake 64∟JWood, Vert. Siding	
		Polygonal		
		1141 Rectangular	PORCH	
		5∟J Square 8∟J T-Shaped	79LU Original	
		السا U-Shaped السا Other	Aland Addition/Altered	
	Fieldwork Date <u>C17</u> 11185 10 15		6년의 Ethnic 18의Builder 9년의 Style 21의Engineer	O=Unknown 1=Known
	Other Info. $\lfloor 1 \\ 22 \\ 22 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1$		461 Designer/ 45 Architect	
	OFFICE USE ONLY			
- 1		ignf CR Type Verif	ied Site Non-Site	
nst USt	41 43 44 45 46 State Registry National Regist		49 5. Number	
UFF1CE			S Number	•
5	50 51	52 53 54	4 60	

II SITE DESCRIPTION

٠

DEETCE HEE ON V

	Field C	ode_RTI85MT114	Page 2		SITS NUM	1BER 32W0483
	ACCESS					
≻.	DESCRIP	TION OF SITE <u>lst Add</u>	ition, Lots 7	and 8, Block	27	
	SIG. FE	AT. apartment house	<u> </u>			
	NON-SIG	. FEAT				
	OWNER'S Mino	NAME, ADDRESS, AND PI t, N.D.; phone number	HONE NUMBER	Hall of Minot e	Inc.; 108 E.	Burdick Express,
	FEATURE	#N/	AME IN NAME B	LOCK		
x ye no un ot WINDO Or	ENT s known her WS iginal tered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other		Matra	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1918 Sanborn Map(s) Topo Map(s) undated Other City Assessor's Card
	ARCH	ITECTURAL SIGNIFICANCE		H	ISTORICAL SIG	GNIFICANCE
Wo Hi X Re me	rk of Ma gh Artis p. of ty thod of (	sterVisu tic ValuesToo pe, period,Lack constructionXNot	al Landmark new to be el ing integrit High Style	ig. <u> </u>	ciated with s	significant person significant event development of

FEATURE DESCRIPTION: This 3-bay brick apartment building, on an elevated base, is freestanding. The main facade faces north and is composed of 3 identifical sections. Each section has a 3-bay configuration in an a, b, a pattern. The "a" bays have windows at each level which are predominately triple 3/1 double-hung with wood sash and rowlock sills. The "b" bays have a 3 tiered balcony supported by 3 brick posts, which encompasses a brick staircase. Entries are located at each tier and include a single wood door with side lights at the main level, and 2 wood doors at each level above. The brick parapet, with stone coping, is flat at each "a" bay and rises to a truncated gable at the "b" bays. This wall, as well as the east and west elevations, are laid in running bond with belt coursing that includes soldier, strecher and/or header set bricks along the parapet, at floor divisions, and above and below window openings. Truncated gable parapets top the east and west elevations which are each pierced by both fixed and double-hung windows. The rear (south) wall, laid in American bond, has several 1/1 double-hung windows on all 4 elevations have aluminum sash storms.

OTHER HISTORICAL INFORMATION: Otto E. Ellison, member of the real estate firm of Ellison E. and Sons, own the property when the building, which is still known as Ellison Apartments, was erected (Tax Assessor Records; 1918 Polk's City Directory).


COMMENTS/REFERENCES:

Recorded by RTI-MEM

Date 7-17-85

## Field Code RT185MT114


SITS Number 32 WD488



ARCHITECTURAL SITES

IUYE 1

C



SITE DESCRIPTION 

	ARCHITECTURA	SITES		• <u>•</u> • • •
I. SITE I.D.	Field Code $R.T.V. \Theta \leq M.T. O.G.Z.$ I IO Site Name 19 38 Map Quad 51 $68$	State 3 2 11 LTL Twp R So 39 40 LTL <sub>a</sub> Twp <sub>a</sub> R <sub>a</sub> So 69 70	77 78 79 80	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
	$\begin{array}{c} \text{City} \underline{[M]i} \underline{[m]o} \underline{[+]} \underline{[+]}$	· ·	ENTRANCE	
	Street       Image: Street	24⊥Unkn         43⊥Asbe         42       44⊥Asph         45⊡Bric         #       50LClay         0ate       57LComp         0       65LConc         00       65LConc         55       69LEart         30       73LEart	stos Siding/Shingle alt Siding/Shingle k Tile osition Board rete Block rete, Poured/Cast h/Clay hen Brick	l= struct. system 2= Primary exterior finish
II. SITE DESCRIPTION	74       Privy       78         78       Well/Windmill       80       post-19         2       Workshop       80       post-19         8       Dwelling:Multiple       CONDITION         11       Dwelling:Sngl/Mobile       13       Excelle         15       Dwelling:Sngl/Perm       17       Good         19       Hotel/Motel       21       Fair         23       Garage/Carriage House       25       Poor         27       Gravestone/Marker       29       Destroy         31       Commercial/Office       SIGNIFICANC         34       Engineering Struc.       40       Not Eli         34       Engineering Struc.       40       Not Eli         42       Governmental       44       Contrib         46       Health Care       48       Non-con         50       Industrial/Utility       PLAN SHAPE         51       Grigious       59       Irregul         61       Social/Recre/Arts       63       L-Shape         65       Transportation       67       Polygor         69       Warehouse       71       Rectang         73       Other       <	15       1 L Glas         4 L Log       7 L Meta         7 L Meta       10 Meta         10 Meta       14 Meta         14 Meta       18 Meta         18 Meta       18 Meta         22 Perm       26 Pole         26 Pole       9 Ston         26 33 A Ston       37 Ston         25 J Tarp       7 L Stoc         37 L Ston       52 Wood         25 J Mood       56 Wood         60 A C Mood       68 Othe         16 A Mood       68 Othe         17 A Mood       68 Othe         18 A Mood       68 Othe         19 A Mood       68 Othe         10 A Mood       68 Othe         10 A Mood       68 Othe         10 A Mood       68 Othe	s, Pigmented 1, Decorative 1, Frame 1, Horiz. Siding 1, Sheet a-Stone tic, Vinyl e, Cut e, Cut e, Uncut co/Plaster aper ch 1, Frame 1, Horz. Siding 1, Shingle/Shake 1, Vert. Siding er	3= Both 1 & 2 4= Second exterior finish
OFFICE USE ONLY	Fieldwork Date 1815 10 15 Other Info. 19 19 19 19 22 OFFICE USE ONLY Soil Association Ecozone Area Signf CR Ty 41 43 44 45 46 47 State Registry National Register E C F 50 51 52	Styl الحيال 29 4 4 ve Verified Site		0=Unknown 1=Known

Field C	ode <u>RTI85MT062</u>	Page 2		SITS NUM	BER 32WD 598
ACCESS_		an a			
DESCRIP	TION OF SITE Orig	inal Minot, Lot	s 5-12, Block	< 10	
SIG. FE	AT. <u>church -1;</u> sc	hoo1 -2	ر بورید اور	1997 - Jan Jan Marin, die Jahr pas andre aus die Jahre Ger	an agus gu ann an an an an ann an an an an an an a
NON-SIG	. FEAT				
OWNER'S N.D.	NAME, ADDRESS, AN ; (701) 838-1618	D PHONE NUMBER	St. Leo's Chu	urch; 216 1st.	. St. S. E., Minot,
FEATURE	#	NAME IN NAME B	LOCK <u>St</u>	Leo's	
yes x no unknown	FOUNDATION MATERI Brick Concrete Block Fieldstone Cut Stone X Poured Concret Refaced Unknown Other		Metal Brick X None Wood Other	Gable Hipped Deck Gambrel	DATING METHOD Plat Map(s) County Atlas 1908 Date Block Sanborn Map(s) Topo Map(s) Other
Work of Ma $\overline{x}$ High Artis $\overline{x}$ Rep. of ty	ITECTURAL SIGNIFIC ster tic Values pe, period, construction	<u></u>	igAsso yAsso	HISTORICAL SIG Dociated with s Dociated with s Dociated with o locality	

FEATURE DESCRIPTION: St. Leo's Church, designed in the Gothic Revival style, is a Latincross shaped, brick building situated on an elevated limestone base (rough-faced ashlar) and topped by a steeply pitched cross gable roof. The principal facade (east) has a 3-bay configuration, deliniated at the main level by a limestone arcade composed of 3-rounded arch openings (portals), with archivalt molding, resting on clustered columns with stylized valute capitals. Each opening includes recessed metal doors (double), a stone lintel, and a stainedglass window transom. Above, 2 brick pilasters divide the main wall which features (continued)

OTHER HISTORICAL INFORMATION: St. Leo's started as a Catholic mission in Minot and was established as a church congregation in 1888. In 1908, Rev. Joseph Raith dedicated the present church building and remained as paster until 1941. A fire, which originated in a Christmas nativity display, occurred in the church on January 14, 1966 and caused internal damage including the destruction of a rose window (north trancept) imported from Germany (Minot Daily News, January 15, 1966, June 2, 1978).

COMMEN	ITS.	/RE	FER	ENC	ES:
--------	------	-----	-----	-----	-----

Recorded by RTI-MEM

Date 8-15-85

#### Continuation Form

SITS Number 3200598

#### Item No. FEATURE DESCRIPTION (1): RTI85MT062

(in the large center bay): 6 narrow stained-glass windows set in a small stone arcade, which rest on the stone course set between the level division; and a round stainedglass window with tracery forming quatrafoils in a circular pattern. Atop, the front gable, with a cross finial, is broken by a series of blind arches (5) each with a small oculus. Side gables, situated above the transepts, display a similar treatment. The transepts, which project from the mid-section of the side elevations are each pierced by a large rounded arch opening, with hood moulds, filled with a rose window atop 6 narrow, rounded arch windows (all stained-glass). In January of 1966, however, a fire destroyed the original window glass (imported from Germany) in the north transept opening (Minot Daily News, January 15, 1966, p. 1). It has since been replaced. The side ele-vations, each composed of 3 sections also feature: blind (rounded) arcading along the roof line; brick buttresses, with beveled stone caps, situated at each wall breck; a rounded arch opening with stained-glass (east section); a round stained-glass window (west section); and a stone belt course at the window sill level. Other structural elements include: a 6-bay aspe (with 5 rounded arch stained-glass windows) and a single level flat roof extension (with stained-glass windows set in segmental arch openings) which both adjoin the rear (west) elevation; a roof spire at the center ridge; and 2 steeples which flank the main facade. Both of the later 4-sided elements have wood shingle spires with cross finials; shaped wood parapets with a crucifix motif; and louvered lanterns. The south steeple, however, is taller and possess a south facing entry. Other differences include the tower corner pinnacles which are shingled spires on the north steeple and stylized crosses on the south steeple. Alteracations to this building include the recent application of new, white mortar between the bricks on all elefyvations and 2 modern additions on the south wall.

•

Recorded by: RTI-MEM

Date: 8-15-85

Page 1

	ARCHITECTURAL STIES	
I. SITE I.D.	SITS #SITS #SITS #Site County Site Number $R T 1 \cdot 3 \cdot 5 \cdot M T \cdot 6 \cdot 6 \cdot 2$ $2 \cdot 1 \cdot 3 \cdot 5 \cdot M T \cdot 6 \cdot 6 \cdot 2$ $2 \cdot 1 \cdot 3 \cdot 5 \cdot M T \cdot 6 \cdot 6 \cdot 2$ $2 \cdot 1 \cdot 1 \cdot 3 \cdot 5 \cdot M T \cdot 6 \cdot 6 \cdot 2$ $2 \cdot 1 \cdot $	1. N5 2. E5 3. S5 4. W5 5. NE5 6. SE5 7. SW5 8. NW5 9. C
II. SITE DESCRIPTION	City MILINE LIFEIB LAMAIN ENTRANCEIB LAMAIN ENTRANCEStreet Name LISIT ISIT ISIT ISIT ISIT ISIT ISIT ISI	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
OFFICE USE ONLY	$78 \ I \ T-Shaped$ $79 \ I \ Original$ $3 \ I \ U-Shaped$ $4 \ I \ Addition/Altered$ $7 \ I \ Other$ $8 \ I \ Removed/None$ Fieldwork Date $16 \ I \ I \ I \ I \ I \ I \ I \ I \ I \ $	0=Unknown 1=Known
	Coder Selar Boded a Coded a Constant	· ·

•

Field C	ode_RTI85MT062	Page 2		SITS NU	MBER 32WD598
ACCESS_					
DESCRIP	TION OF SITE				
SIG. FE	AT	, 		- Navindra and - Navina (1997) (201 - and - Andrews (1997) (201 - and - Andrews (1997) (201 - Andrews	- Martin and its a The Annual State Strength - Social State of State (State of State )
NON-SIG	. FEAT				
	NAME, ADDRESS, AN				
FEATURE	#2	NAME IN NAME B	LOCK St. L	eo's School	
BASEMENT 	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone X Poured Concrete Refaced Unknown Other	$\frac{ALS}{P} = \frac{\frac{STORIES}{1}}{\frac{1}{2}}$ $\frac{1}{2}$ $\frac{1}$	Motal	Gable	DATING METHOD Plat Map(s) County Atlas Date Block 1926 Sanborn Map(s) Topo Map(s) 1924-27 Other Polk's City Directory
ARCH	ITECTURAL SIGNIFIC	ANCE		HISTORICAL SI	GNIFICANCE
Work of Ma High Artis Rep. of ty method of	ster tic Values pe, period, construction	Visual Landmark Too new to be el Lacking integrit Not High Style	ig. Ass y X Ass	ociated with ociated with ociated with locality	significant person significant event development of

FEATURE DESCRIPTION: The main pavillion of this 3-story brick school features a notched flat parapet with limestone coping, and beveled belt courses (limestone) occurring at the water table and at the roof line. The principal entry is situated at the slightly projecting northern most bay (east wall) and is surrounded by a brick, frontispiece with a shaped parapet and cross finial. Above, the main wall is adorned with a stone block with 2 carved scrolls framing letters which reads "ST LEO'S SCHOOL". Other stone details (main facade) include: the surrounds and box sill of the 3rd floor, north bay opening; a shield embellishing the parapet; and decorative blocks set in horizontal alignment between window openings. A slightly projecting brick cross is also situated on the south wall of this portion of the building. The north and south elevations of the rear wing are each divided into 7-bay articulated by pointed buttresses with stone caps. Window openings on the south and west elevations, as well as those on the main facade, have been altered with modern metal sash fixtures. Original multi-light, industrial sash windows with awnings and hoppers each, remain intact on the north wall. An L-shaped brick addition (1 story) including classrooms and a 2-bay garage adjoins the rear section of the south wall.

OTHER HISTORICAL INFORMATION: Sanborn Maps and Polk's City Directories indiate that St. Leo's Parochical School (Catholic) was built between 1924 and 1926. The school was originally operated by the Franciscan Sisters of Charity, with Sister Stella Niagara serving as headmistress.

### COMMENTS/REFERENCES:

Recorded by RTI-MEM

Date 8-15-85


:

-

Field C	ode RT	185MTC	<u>362</u>
---------	--------	--------	------------

SITS	Number	فېن کې ا	20.	29	2

Feature 1 B.W. Photo I.D. Code <u>RTI85MT-Roll</u> Z4 Frame 3



Feature			
B.W.	Photo	I.D.	Code_RTI85MT-Roll

Frame\_\_\_\_\_

Storage 3	Locati	onNDCRS
Recorded	By	JLH

Date 2	85
--------	----

# Field Code\_R1185M\_TO62


SITS Number 3200998

Feature

Feature 21



## B.W. Photo I.D. Code RTI85MT-Roll Z4 Frame 33



B.W. Photo I.D. Code RTI85MT-RollZ4 Frame 28

Storage Location NDCRS

Recorded By MEM


Date 12/85

### Field Code RTI85MT067


SITS Number 32WD598

Feature **Z** 

Feature 2



B.W. Photo I.D. Code RTI85MT-Roll24 Frame 30



B.W. Photo I.D. Code <u>RTI85MT-Rol1Z4</u> Frame 27 Storage Location <u>NDCRS</u> Recorded By <u>MEM</u> Date <u>12185</u>

• :	ARCHITECTURAL SITES	
I. SITE I.D.	SITS #SITS #S	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
	City MI In lo It I I I I I I I I I I I I I I I I I I	
	Street #       BUILDING MATERIALS         19       23         Street Name       STL ISIWI         25       42         42       44	l= struct.
N	SITE COMPONENTSFEATURE DATA45 Brick46 PIL # of Features48 PIL Feature #50 Clay Tile51 PIL Barn53 PIL Pre-188057 Composition Board58 PIL Chicken Coop60 Pre-188061 Concrete Block62 PIL Corral/Enclosure64 Pre-188065 Concrete, Poured/Cast66 PIL General Storage68 PI 1900-191569 PIEarth/Clay70 Privy76 PIE-193073 Prick74 Privy76 Post-193077 PIEarthen Brick78 PIL Well/Windmill80 Post-194510 Piss, Pigmented2 PIL Workshop4 Piss100	system 2= Primary exterior finish
II. SITE DESCRIPTION	8	3= .Both 1 & 2 4=
	34Educational36Eligible37Stone, Uncut38Engineering Struc.40Not Eligible41Stucco/Plaster42Governmental44Contributing45Tarpaper46Health Care48Non-contrib.49Thatch50Industrial/UtilityPLAN SHAPE52Wood, Frame53Military55Circular56Wood, Horz. Siding57Religious59Irregular60Wood, Shingle/Shake61Social/Recre/Arts63L <shaped< td="">64Wood, Vert. Siding65Transportation67Polygonal68Other</shaped<>	Second exterior finish
	69       71       Rectangular         73       0ther       75       Square       PORCH         78       T-Shaped       79       Original         3       U-Shaped       4       Addition/Altered         76       0ther       8       Removed/None	
	Fieldwork DateDiv1816161818101015191919191919Other Info.19191919191919224545Architect	0=Unknown 1≖Known
USE ONLY	OFFICE USE ONLY Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
OFFICE U	State Registry National Register E C F T F MS Number	,
OFF	50 51 52 53 54 60	

Field C	Code RTI85MT023	Page 2		SITS NU	MBER 32 WD GIL			
ACCESS_			an a shi a shi An a shi a					
DESCRIP	DESCRIPTION OF SITE Original Minot, Lot 3, Block 4							
SIG. FE	AT. commerical blo	ck -1						
NON-SIG	6. FEAT							
OWNER'S Rich	S NAME, ADDRESS, AND Mard and Linda Fisher	PHONE NUMBER A ; 616 Lincoln	merican Bank Ave., Minot,	<pre>x and Trust (T , N.D.; (701)</pre>	<u>. Coons Trust), c/o</u> 852-3361			
FEATURE	#1	NAME IN NAME B	LOCK		a 1.00 Mar - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1			
	FOUNDATION MATERIAL: Brick Concrete Block Fieldstone Cut Stone Poured Concrete Refaced X Unknown Other	$\frac{S}{x} = \frac{STORIES}{x} \frac{1}{1} \frac{1}{1/2} \frac{2}{2} \frac{2}{2} \frac{1}{2} \frac{1}{2} \frac{3}{0}$	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel Other	DATING METHOD Plat Map(s) County Atlas Date Block 1913 Sanborn Map(s) Topo Map(s) 1910-12 Other Tax Assessment Records			
Work of Ma High Artis Rep. of ty	ITECTURAL SIGNIFICAN aster Vin tic Values Too vpe, period, <u>x</u> La construction No	 sual Landmark o new to be el cking integrit	ig. Ass	HISTORICAL SI sociated with sociated with sociated with locality				
EATURE DESCR		t High Style			development of Assessor's Card).			

OTHER HISTORICAL INFORMATION: Original owner of this building was Mary Nash who also owned the Nash Block on S. Main. Ward Co. Tax Assessment Records indicate that the present concrete building was erected between 1910 and 1912 in place of a wood building which formerly occupied the site.


COMMENTS/REFERENCES:

Recorded by RTI-FLQ Date 7-23-85

## NDCRS SITE FORM Photo Section

# Field Code RTI85MT023

SITS Number 32 WD 616




Feature

Feature

B.W. Photo I.D.	Code	RTI85MT-Roll	Frame	
Storage Location NDCRS	•			N
Recorded By MEM		Date_	12185	

ARCHITECTURAL SITES

Page 1



Field (	Code RTI85MT107	Page 2		SITS NUM	MBER 32WDW17
ACCESS					a an
DESCRI	PTION OF SITE Origin	nal Minot, Lots	20 and 21,	Block 20	
SIG. FE	EAT. commercial b	lock -1			
	G. FEAT				
OWNER'S	S NAME, ADDRESS, AND , Minot, N.D.; (701)	PHONE NUMBER			orsteen; P.O. Box
FEATURI	E #	NAME IN NAME B	LOCK		
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIAL Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$   \frac{\frac{x}{1}}{\frac{1}{2}} \frac{1}{1/2}   \frac{2}{2} \frac{1}{1/2} $	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel Flat x Other barrel	DATING METHOD Plat Map(s) County Atlas Date Block 1932 Sanborn Map(s Topo Map(s) <u>undated</u> Other City Assessor's Card
Work of Ma High Artis Rep. of ty	AITECTURAL SIGNIFICAN asterVi stic ValuesTo /pe, period,La constructionNo	sual Landmark onew to be el cking integrit	ig. Ass y Ass	HISTORICAL SI ociated with ociated with ociated with locality	
FEATURE DESCR	RIPTION: In 1963 thi	s building was	remodeled t	o house a bra	nch bank with a

FEATURE DESCRIPTION: In 1963 this building was remodeled to house a branch bank with a drive through facility. At this time, the southern section was converted to a drive. Remaining walls were completely veneered in cinder blocks or stuccoed and the main entry replaced with an aluminum sash fixture.


OTHER HISTORICAL INFORMATION: Belle Kopald, wife of Maurice J. Kopald, then secretarytreasurer of Kopald Electric Co., owned the property when this feature was built (Tax Lists). Polk's City Directory for the years 1930-31 indicates H & D Motor Company at this location.

COMMENTS/REFERENCES:


Recorded by RTI-MEM

.

Date 7-10-85



SITS Number 32 WOLD



		ARCHITECTURAL SITES	Page 1	
I. SITE I.D.	Field Code <u>R.T.1.8.5 M.T.0.2.4</u> 10 Site Name <u>S.h.a.w. B.v.1.1.3.1.n.9</u> 19 Map Quad 51	$\begin{array}{cccc} & & & & \\ \hline & & & \\ $	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 5. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
	$\operatorname{City}_{\underline{M_{1}},\underline{m_{0}},\underline{m_{0}},\underline{m_{1}},\underline{m_{0}},\underline{m_{1}},\underline$		18 C MAIN ENTRANCE	
	Street # $1 1 1 0$ 19 23 Street Name $1 15 + 15 17 15 001$ 25		BUILDING MATERIALS 24 43 43 43 44 44 44 44 45 Asphalt Siding/Shingle	struct.
7	51     Barn     53     53       58     Chicken Coop     60       62     Corral/Enclosure     60       66     General Storage     60       70     Grain Storage     60       74     Privy     70	FEATURE DATA         Image: Presenter of the sector of th	45L3uBrick 50L-JClay Tile 57L-JComposition Board 61L-JConcrete Block 65L-JConcrete, Poured/Cast 69L-LEarth/Clay 73L-JEarthen Brick 77L-JGlass, Block 1L-JGlass, Pigmented 4L-JLog	system 2= Primary exterior finish
II. SITE DESCRIPTION	15       Jowelling:Sngl/Perm         19       Hotel/Motel         23       Garage/Carriage House         27       Gravestone/Marker         31       Commercial/Office         34       Educational	CONDITION 13 - Excellent 17 - Good 21 - Fair 25 - Poor 29 - Destroyed SIGNIFICANCE 36 - Eligible	7 Imetal, Decorative         10 Imetal, Frame         14 Imetal, Horiz. Siding         18 Imetal, Sheet         22 Imetal, Sheet         26 Imetal, Perma-Stone         26 Imetal, Plastic, Vinyl         30 Imetal, Stone, Cut         37 Imetal, Stone, Uncut         41 Imetal, Stucco/Plaster	3= Both 1 & 2 4= Second exterior
	42       Governmental       4         46       Health Care       4         50       Industrial/Utility       4         51       Health Care       4         57       Religious       4         61       Social/Recre/Arts       4         65       Iransportation       4         69       Ultiplication       4         73       Other       5	10 L Not Eligible         14 Non-contrib.         18 Non-contrib.         9LAN SHAPE         55 C Circular         59 L Irregular         53 L Shaped         57 L Polygonal         71 L Rectangular         75 L J Square         78 L J T-Shaped	41 Li Stucco/Fraster 45 Li Tarpaper 49 Li Thatch 52 Li Wood, Frame 56 Li Wood, Horz. Siding 60 Li Wood, Shingle/Shake 64 Li Wood, Vert. Siding 68 Li Other PORCH 79 Li Original	finish
	Fieldwork Date $0  0   0   0   0   0   0   0   0   0  $	علامی U-Shaped 7لیا Other	4       Addition/Altered         8       Removed/None         16       9         19       20         Style       21         1       46         1       45	0=Unknown 1=Known
ONLY	OFFICE USE ONLY Soil Association Ecozone Area	Signf CR Type Verif	Fied Site Non-Site	
USE	41 43 44 45 46 State Registry National Regis	47 48	49 IS Number	
OFFICE	50 51	52 53 5	54 60	<b>]</b> .
5	Coder RTIFIQ		Date Coded 223mme 85	

s.

÷

	NDC	AS ANGILLEGIONA			
Field C	Code_RT185MT024	Page 2		SITS NU	MBER 32WD620
ACCESS_				9 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	
DESCRIF	TION OF SITE Origi	nal Minot, Lots	4, 5, 6 and	7, Block 4	19 - 2 - 19 - 19 - 19 - 19 - 19 - 19 - 1
SIG. FE	AT. commerical blo	ock -1		an - 1944 an	
NON-SIG	G. FEAT				
OWNER'S 1541	NAME, ADDRESS, AND S. Broadway, Minot	PHONE NUMBER	J.D. Caldwel 52-3939	1, R.L. Wood	and D. Kilene;
FEATURE	#	NAME IN NAME B	LOCK		
BASEMENT yes no x unknown other WINDOWS Original x Altered	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone Poured Concrete Refaced X Unknown Other	$ \begin{array}{c}                                     $	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1926 Sanborn Map(s) Undated Other City Assessor's Card
ARCH	HITECTURAL SIGNIFICA	INCE		HISTORICAL SI	GNIFICANCE
High Artis	tic Values	/isual Landmark Too new to be el .acking integrit lot High Style	ig. Ass y XAss	ociated with	significant person significant event development of


FEATURE DESCRIPTION: Although the windows and store fronts of this 3-story brick commerical block have been radically altered very recently, several other architectural details survive, including rowlock sills, soldier course lintels and checkered-course brick pilasters, which define the 3-bay facade, and parapet. The facade, also has several sandstone decorative elements, including plaster bases and stylized elements between the 1st and 2nd floors. Where presently there are stucco in-fill panels with fix windows on the first floor and with aluminum sliders on the second and third, there originally was a garage door in the center bay, store fronts on the two side bays, paired 8/1 double-hung sash in the large upper floor openings and 6/1 double-hung sash in the small upper floor openings. This building also includes a 50' x 65' one story addition to the south, located at the rear of Lots 6 and 7. This addition is original to the building (City Assessor's Card).

OTHER HISTORICAL INFORMATION: Originally this building housed Shaw Garage, a business owned and operated by Walter S. Shaw and Robert E. Barron (Ward Co. Tax Lists; 1927 Polk's City Directory). By 1934 Johnson Tire Co. occupied this site (Minot Daily News, June 25, 1935, p. 2).

**COMMENTS/REFERENCES:** 

Recorded by RTI-FLQ

Date 6-23-85



۲	ARCHITECTURAL SITES	
I. SITE I.D.	SITS #SITS #SITS #SITS #Site County Site Number $\begin{array}{c} 3.2 \\ 11 \\ 12 \\ 12 \\ 19 \\ 19 \\ 19 \\ 19 \\ 1$	1. N= 2. E= 3. S= 4. W= 5. NE= 5. NE= 5. SE= 7. SW= 8. NW= 8. NW= 9. C
	City MI: NISTELLI 18 4 MAIN ENTRANCE	
	Street #       BUILDING MATERIALS         19       23         Street Name       Build         25       24         Unknown         43       Asbestos Siding/Shingle         44       Asphalt Siding/Shingle         SITE COMPONENTS       FEATURE DATA       45         46       48       50         Clay Tile       50	l= struct. system
	46 [2]] # of Features48 [2]] Feature #50 []] Clay Tile51 []] Barn53 []] []] Const. Date57 []] Composition Board58 []] Chicken Coop60 []] pre-188061 []] Concrete Block62 []] Corral/Enclosure64 []] 1880-190065 []] Concrete, Poured/Cast66 []] General Storage68 []] 1900-191569 []] Earth/Clay70 []] Grain Storage72 []] 1915-193073 []] Earthen Brick74 []] Privy76 []] 1930-194577 []] Glass, Block78 []] Well/Windmill80 []] post-19451 []] Glass, Pigmented	2= Primary exterior finish
DESCRIPTION	2 L J Workshop       4 Jog         8 J Metal, Decorative       7 Metal, Decorative         9 J Metal, Frame       10 Metal, Frame         11 J Metal, Mobile       13 J Excellent         15 J Metal, Sngl/Mobile       13 J Face         15 J Metal, Horiz. Siding       18 Metal, Sheet         19 J Hotel/Motel       21 J Fair         23 J Garage/Carriage House       25 Poor	3= .Both 1 & 2
II. SITE	27       Gravestone/Marker       29       Destroyed       30       Pole         31       Commercial/Office       SIGNIFICANCE       33       Stone, Cut         34       Educational       36       Eligible       37       Stone, Uncut         38       Engineering Struc.       40       Not Eligible       41       Stucco/Plaster         42       Governmental       44       Contributing       45       Tarpaper         46       Health Care       48       Non-contrib.       49       Thatch	4= Second exterior finish
	50Industrial/UtilityPLAN SHAPE52Wood, Frame53Military55Circular56Wood, Horz. Siding57Religious59Irregular60Wood, Shingle/Shake61Social/Recre/Arts63LShaped64Wood, Vert. Siding65Transportation67Polygonal68Other69Warehouse71Rectangular68Other	
	73 L J     Other     75 J     Square     PORCH       78 J     T-Shaped     79 J     Original       3 J     U-Shaped     4 J     Addition/Altered       7 J     Other     8 J     Removed/None	
	Fieldwork Date       017       185       1600       Ethnic 180       Builder         10       15       190       15       190       100       100       100         Other Info.       10       10       100	0=Unknown 1=Known
<b>NULY</b>	Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
OFFICE USE	41     43     44     45     46     47     48     49       State Registry     National Register     E C F T F MS Number	
OFF	50 51 52 53 54 60 Date foded 10000000	ľ

\*

•••

Field C	ode_RTI85MT117	Page 2		SITS NU	MBER 3210DE33
ACCESS					
DESCRIP	TION OF SITE 1st Add	lition, Nort	h 1/2 Lot 8	and Lot 9, Blo	ock 28
SIG. FE	AT. armory school -	-1			
NON-SIG	. FEAT.				
	NAME, ADDRESS, AND PHO Minot, N.D.; (701) 857		Minot Public	School Distr	ict 1; P. O. Box
FEATURE	# NAM	IE IN NAME B	LOCK <u>Armor</u>	у	
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$\frac{\text{STORIES}}{1}$ $\frac{1}{1} \frac{1}{1/2}$ $\frac{x}{2} \frac{2}{1/2}$ $\frac{3}{0 \text{ther}}$	CORNICE Metal X Brick None Wood Other	ROOF TYPE x Gable Hipped Deck Gambrel Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1913 Sanborn Map(s) Topo Map(s) 1903-13 Other Tax Lists
ARCH	ITECTURAL SIGNIFICANCE			HISTORICAL SI	GNIF ICANCE
Wark of Ma	stor Visua	1 Landmank	Acc	anistad with	cignificant noncon

<pre>Work of Master High Artistic Values Rep. of type, period, method of construction</pre>	Visual Landmark Too new to be elig. Lacking integrity Not High Style	Associated with significant p Associated with significant e <u>x</u> Associated with development o locality	event
---	---	--	-------

FEATURE DESCRIPTION: This 2-story, painted brick building has a front gable roof. The facade (west) has 3 bays divided by 2 interior, tower-like projections, also of brick. These towers, as well as the intersecting stepped parapet, are capped by corbeled brick and battlements which led the appearance of a fortified gothic castle. The central bay features a stone block, near the roof line which reads, "Armory"; and a round headed entry surrounded by voussoirs with crossettes and a scroll bracket in the keystone position. A modern aluminum sash door, with transom and side light, has been placed in this opening. All window openings, except those (2) on the main level of the outer bays, have been filled with cinder block leaving only flat arch lintels (brick) intact. The east (rear) elevation has a stepped parapet gable and an entry at each level, both with modern doors. Rafters are exposed on the side elevations. These walls are pierced by several rectangular openings which have aluminum sash windows or brick infills.


OTHER HISTORICAL INFORMATION: Polk's City Directories and Ward Co. Tax Lists (1905-13) indicate that this building was erected between 1910 and 1912 and original was occupied by Minot's Military Training School while serving as an armory as well.

COMMENTS/REFERENCES:


Recorded by RTI-MEM

Date 7-12-85

NDCRS SITE FORM Photo Section



SITS Number 3000683



		SITS #	
	Field Code	State County Site Number	1. N <sup>1</sup> 2
	BT.1.85MT.09.3	32 WD 202	2. E <sup>1</sup> 2
o.	1 10	11 13 15 18	3. S <sup>1</sup> <sub>2</sub>
I.D.	Site Name	LTL TWP R Sec QQQ QQ Q	4. W <sup>1</sup> 2
ய	Town, Crierier	LTL Twp R Sec QQQ QQ Q D = 1.5.51 = 8.5.2.4 $E = 8.8.3239 = 40 = 47 = 48 = 49 = 50$	5. NE½
SITE	19 38	39 40 47 48 49 50	6. SE¼
	Map Quad	$LTL_a$ Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub>	7. SW-4
Ξ.	51 M. I.N. C.T.		8. NW-4
	51 68	69 70 77 78 79 80	9. C
		18 3 MAIN ENTRANCE	
	City MILINIOITI		
		BUILDING MATERIALS	
	Street # 19 23	24L_Unknown	
		$43 \sqcup$ Asbestos Siding/Shingle	1=
	Street Name EI CENTRAL AIVIEI I	42 44 Asphalt Siding/Shingle	struct.
	SITE COMPONENTS FEATURE DATA		system
	461011 # of Features $48011$ Feature		393000
	$51 \sqcup Barn$ $53 \sqcup 9 \square 12 \square $	Date 57 Composition Board	
	58 LL Chicken Coop 60 L pre-1880		2=
	$62 \sqcup Corral/Enclosure$ $64 \sqcup 1880-190$		Primary
	$66 \sqcup$ General Storage $68 \sqcup$ 1900-191		exterior
	$70 \sqcup$ Grain Storage $72 \sqcup$ 1915-193		finish
	$74 \sqcup$ Privy $76 \sqcup 1930-194$		
	$78 \sqcup Well/Windmill 80 \sqcup post-194$		
	2 Workshop	4LJL0g	
NO		7LLIMetal, Decorative	
11	8 Dwelling:Multiple CONDITION	101 Metal, Frame	3=
IP	11 Dwelling:Sngl/Mobile 13 Deceller		Both
SCF.	15 Dwelling:Sngl/Perm 17 LL Good	18LMetal, Sheet	1 & 2
DESCRIPTION	19 Hotel/Motel 21 Fair	22L_JPerma-Stone	
1	23 Garage/Carriage House 25 Poor	26∟⊥Plastic, Vinyl	
SITE	27 Gravestone/Marker 29 Destroye		
S	31 [O, ]] Commercial/Office SIGNIFICANCE		4=
<u> </u>	34 Let Educational 36 Eligible		Second
II	38 Engineering Struc. 40 Not Elig		exterior
	42 Governmental 44 L Contribu	iting 45L Tarpaper	finish ·
	46 Health Care 48 Non-cont	rib. 49L_1 Thatch	
i	50 Industrial/Utility PLAN SHAPE	52 Wood, Frame	
	53 Military 55 Circular		
	S7 لسل Religious 59 السل Irregula		
	61 Social/Recre/Arts 63 L L-Shaped		
	65 Transportation 67 Polygona	al 68L_JOther	
	69 لللل Warehouse 71 المستقد Rectangu		
	73 LL Other 75 Square	PORCH	
	78 J T-Shaped		
	U-Shaped الساد U-Shaped		
	7LJ Other	811 Removed/None	
	the second se	D. D. E. L. B. B. D. D. J. J.	O the base of the
	Fieldwork Date 062285	16 0101 Ethnic 1810 Builder	0=Unknown
	10 15	19 LL Style 21 Engineer	1=Known
	Other Info. $22$	46 Designer/	
~	OFFICE USE ONLY	45 Architect	
ONLY	Soil Association Ecozone Area Signf CR Typ	e Verified Site Non-Site	l
	Contrassociation Leozone Area Signi CR Typ	e territed site NUM-Site	Į
SE		48 49	ł
S	State Registry National Register E C F	TF MS Number	1
ы	oute negroup national negroter E L F		· ·
OFFICE USE	50 <b>51</b> 52	53 54 60	<b>]</b> .
Ъ.			I
		and the second MCMCCCMACTURE and the second states of the second states for the second states of the	

ARCHITECTURAL SITES

 $\mathcal{C}$ 

inde T

۹,

\*

Field C	ode_RTI85MT093	Page 2		SITS NU	MBER 32 WD808
ACCESS_					
DESCRIP	TION OF SITE Origina	a] Minot, W. 4	0' of W 80',	Lots 16-20,	Block 19
SIG. FE	AT. commerical b	lock -1			
NON-SIG	. FEAT			***	99
OWNER'S N.D.	NAME, ADDRESS, AND 1 ; (701) 838-3858	PHONE NUMBER	Thomas L. Wo	ld; 1900 Mead	owlark Drive, Minot,
FEATURE	#I	NAME IN NAME B	LOCK		
BASEMENT x yes no unknown other WINDOWS x Original Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$\frac{S}{x} = \frac{STORIES}{x}$ $\frac{x}{1}$ $\frac{1}{2}$ $\frac{2}{2}$ $\frac{2}{3}$ $\frac{1}{2}$ $\frac{1}{2}$	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel x Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1926 Sanborn Map(s) Indated Other City Assessor's Card
ARCH	ITECTURAL SIGNIFICAN	<u>E</u>		HISTORICAL SI	GNIFICANCE
Work of Ma High Artis X Rep. of ty method of	tic Values Too pe, period,Lac	sual Landmark o new to be el cking integrit : High Style	ig. Ass y XAss	ociated with	significant person significant event development of
and what appe plate glass w	IPTION: Although the ars to be a new base indow frames and the re fixed industrial s	, significant recessed entr	original ele y with its p	ments are int ressed metal	act such as the ceiling. Windows
	CAL INFORMATION: This e owned and operated y).				


COMMENTS/REFERENCES:

.

Recorded by RTI-FLQ

Date 6-22-85

NDCRS SITE FORM Photo Section



~								6	,
		ARCHIT	ECTURAL	SITES		Ęu	9c T	ر ب	<b>.</b>
I. SITE I.D.	Field Code R.T.I. D. 5 M.T.O.P.2 I IO Site Name C.I.O.A.R.S. I9 Map Quad 51			LTL <u>39</u> LTL <u>69</u> <u>7</u>	State 32 11 Twp R 55 83 O Twp <sub>a</sub> R <sub>a</sub>	$\frac{24}{47}$	Site I 15 QQ QQ 49 $QQ_a$ QQ <sub>a</sub> $QQ_a$ QQ <sub>a</sub> 79	Q 2 50	1. N½ 2. E½ 3. S½ 4. W½ 5. NE¼ 6. SE¼ 7. SW¼ 8. NW¼ 9. C
	City $ M_1   N_1 o  T_1$ Street # $ 1   1   7 $ Street Name $ E_1   C   E   N  T_1  P_1  A   L_2  C $ SITE COMPONENTS	FEATU	RE DATA		24 ∟Unk 43 ∟ Ast 44 ∟ Ast 45 <b>3</b> Bri	ING MATE known bestos S bhalt Si ick	<b>RIALS</b>		l= struct. system
	51 L Barn 53 L 58 L Chicken Coop 62 L Corral/Enclosure 66 L General Storage 70 L Grain Storage 74 L Privy	$\begin{array}{c c} 1 & 1 & 1 \\ 60 & \square & \mathbf{p} \\ 64 & \square & 1 \\ 68 & \square & 1 \\ 72 & \square & 1 \\ 76 & \square & 1 \end{array}$	eature ( onst. Da re-1880 880-1900 900-1919 915-1930 930-1949 ost-1949	ate D 5 D 5	50 Cla 57 Con 61 Con 65 Con 69 Ear 73 Ear 77 Gla 1 Gla 4 Log	npositic icrete E icrete, ith/Clay ithen Br ass, Blo ass, Pig	lock Poured/ ick ick		2= Primary exterior finish
ILE DESCRIPTION	8       Jowelling:Multiple         11       Dwelling:Sngl/Mobile         15       Dwelling:Sngl/Perm         19       Hotel/Motel         23       Garage/Carriage House         27       Gravestone/Marker	17 L G 21 F 25 P 29 D	xcellen ood air oor estroye		7 Met 10 Met 14 Met 28 Met 22 Per 26 P1a 30 Po	tal, Dec tal, Fra tal, Hor tal, She rma-Stor astic, N le	riz. Sid eet ne /inyl		3= Both 1 & 2
11. >	42 Governmental	36 L E 40 N 44 C 48 N PLAN	FICANCE ligible ot Elig ontribu on-cont SHAPE ircular	ting rib.	33 🗳 J Sto 37 🗔 Sto 41 L J Sto 45 L J Tar 49 J Tha 52 J Woo 56 J Woo	one, Uno ucco/Pla rpaper atch od, Fran	cut Aster Me	9	4= Second exterior finish
	57 لــلـا Religious 61 لـلـا Social/Recre/Arts 65 لــلـا Transportation	59 I 63 I 67 P 71 R 75 S 78 T	rregula -Shaped olygona ectangu quare -Shaped I-Shaped	r ] lar	60 ∟ Woo 64 ∟ Woo 68 ∟ Otl 79 ∟ Or 4 ∟ Ade	od, Shin od, Vert her R <b>CH</b>	ngle/Sha Sidin Altered	ke	
	Fieldwork Date $0 6 2285$ 10 $15Other Info. 22$		III	_11	16년 Eti 19년 의 Sty	yle 21	K⊔Engin ∭Desig	eer	O=Unknowr 1≖Known
ONLY	OFFICE USE ONLY Soil Association Ecozone Area	Signf	CR Type	Ver	ified Site	Non-Si	te		
DFFICE USE	41 43 44 45 46 State Registry National Regis	-	47	48 T F	MS Number	49			
0FF1	50 51		<u>52</u>	53	54				•

	NDCRS	S ARCHITECTURAL	SITE FORM		
Field C	ode <u>RTI85MT092</u>	Page 2		SITS NU	MBER 32WD809
ACCESS_					
DESCRIP	TION OF SITE <u>Origina</u>	1 Minot, E. 40	' of W. 80'	, Lots 16-20;	Block 19
SIG. FE	AT. commerical blo	ock -1			
,	. FEAT				
OWNER'S	NAME, ADDRESS, AND F , Minot, N.D.; (701)	HONE NUMBER J			e; 812 21st. St.
FEATURE	# N	IAME IN NAME BL	0CK		
MENT ves inknown other Dows Driginal Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$ \begin{array}{c} \hline 1 \\ \hline 1 \\ \hline 1 \\ \hline 2 \\ \hline 2 \\ 1/2 \end{array} $	Motal	Gable Hipped	1926 Sanborn Map(
Nork of Ma High Artis Rep. of ty	ITECTURAL SIGNIFICANC ster	 sual Landmark new to be eli sking integrity	gAss Ass XAss	HISTORICAL SI ociated with ociated with ociated with locality	


upper floor windows have been replaced with in-fill panels and casement sash. The shutters are not original. The base blocks on the facade are sandstone. The rear of the building is skewed because of the proximity to the Soo Line tracks. Rear windows are industrial sash. The original store front had a wood base and decorative glass transom panels. The upper floor had 1/1 double-hung wooden sash (City Assessor's Card).


OTHER HISTORICAL INFORMATION: This feature originally housed Minot Supply Co., a wholesale automobile supply business (1927 Polk's City Directory).


COMMENTS/REFERENCES:

Recorded by RTI-FLQ

Date 6-22-85







Recorded By MEM

Date 2	85
--------	----

	ARCHITECTURAL SITES	
I. SITE I.D.	SITS #         SITS #         SITS #         SITS #         State County Site Number $\underline{A}, \underline{T}, \underline{I}, \underline{B}, \underline{5}, \underline{M}, \underline{D}, \underline{I}, \underline{B}, \underline{O}, \underline{I}, $	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>4</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
	Street #       BUILDING MATERIALS         19       23         Street Name       E       E       E         25       24         Street Name       E       E       E         25       42       44       Asbestos Siding/Shingle         25       42       44       Asphalt Siding/Shingle         26       51       48       50       E         27       53       48       50       Clay Tile         51       53       53       Const. Date       57       Composition Board         58       60       pre-1880       61       Concrete Block	l= struct. system 2=
NOI.	62Corral/Enclosure641880-190065Concrete, Poured/Cast66General Storage681900-191569Earth/Clay70Grain Storage721915-193073Earthen Brick74Privy761930-194577Glass, Block78Well/Windmill80post-19451Glass, Pigmented2Workshop71Metal, Decorative	Primary exterior finish
SITE DESCRIPTION	8       Image: Dwelling:Multiple       CONDITION       10       Metal, Frame         11       Dwelling:Sngl/Mobile       13       Excellent       14       Metal, Horiz. Siding         15       Dwelling:Sngl/Perm       17       Good       18       Metal, Sheet         19       Hotel/Motel       21       Fair       22       Perma-Stone         23       Garage/Carriage House       25       Poor       26       Plastic, Vinyl         27       Gravestone/Marker       29       Destroyed       30       Pole         31       Commercial/Office       SIGNIFICANCE       33       Stone, Cut	3= .Both 1 & 2 4=
11.	3436Eligible37Stone, Uncut38Engineering Struc.40Not Eligible41Stucco/Plaster42Governmental44Contributing45Tarpaper46Health Care48Non-contrib.49Thatch50Industrial/UtilityPLAN SHAPE52Wood, Frame53Military55Circular56Wood, Horz. Siding57Religious59Irregular60Wood, Shingle/Shake61Social/Recre/Arts63L-Shaped64Wood, Vert. Siding65Transportation67Polygonal68Other	Second exterior finish
	69   71   Rectangular     73   0ther   75   Square     78   7-Shaped   79     78   1-Shaped   4     79   0riginal     3   0ther     8   1     9   0ther	
٨	Fieldwork Date       0       0       27       6       0       10	0=Unknown 1=Known
ONLY	Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
CE USE	41 43 44 45 46 47 48 49 State Registry National Register E C F T F MS Number	
OFFICE	50 51 52 53 54 60	

C

4

, t

Field Co	ode_RTI85MT091_	Page 2		SITS NU	MBER_32W0810
ACCESS_					
DESCRIP	TION OF SITE Origina	1 Minot, E. 6	0',Lots 16-2	20, Block 19	
SIG. FE	AT. commercial bl	ock -1			
NON-SIG	. FEAT				
	NAME, ADDRESS, AND P ue, Minot, N.D.; (701			Brunner Quivi	eri; 21 E. Central
FEATURE	# N	AME IN NAME B	LOCK	alaataa ay ahaa ahaa ahaa ahaa ahaa ahaa a	
	FOUNDATION MATERIALS Brick Concrete Block X Fieldstone Cut Stone Poured Concrete Refaced Unknown Other	$ \begin{array}{c}     1 \\     1 \\     2 \\     2 \\     1/2 \end{array} $	Metal Brick X None Wood Other	Gable Hipped Deck Gambrel	DATING METHOD Plat Map(s) County Atlas Date Block 1904 Sanborn Map(s) Topo Map(s) Other
ARCH	ITECTURAL SIGNIFICANC	<u> </u>	0 - 17 - 19 - 19 - 19 - 19 - 19 - 19 - 19	HISTORICAL SI	GNIFICANCE
<pre>Work of Ma High Artis Rep. of ty method of</pre>	tic Values Too pe, period, Lac	ual Landmark new to be el king integrit High Style	ig. Ass y $x Ass$	sociated with	significant person significant event development of
The store fro 3rd floors of rugated steel brick-bearing	IPTION: The facade o nt now has a new bric the main facade and siding. Only the re wall construction in up with plywood.	k base and st the entire ea ar of the bui	uccoed walls st side have lding revea	s on the first e been covered ls its rubble	with vertical cor- foundation and its
Grocery Co.,	CAL INFORMATION: Thi a wholesale grocery a treasurer and manage	nd fruit busi	ness then op	perated by H.B	. Finch, secretary,

COMMENTS/REFERENCES:


٠

٠

Recorded by RTI-FLQ

Date 6-22-85

- ,



٢	ARCHITECTURAL SITES	C
I. SITE I.D.	SITS #SITS #Field CodeState County Site Number $\underline{P,T,1,0,4}_{1}$ $\underline{N,T,1,0,4}_{1}$ $\underline{I,1}$ $\underline{I0}$ State County Site Number $\underline{3,2}$ $\underline{WD}$ $\underline{CD1}_{11}$ $\underline{10}$ Site NameSite NameLTL Twp R Sec QQQ QQ Q $\underline{Sm,a,c,t}$ $\underline{B,10,c,V_{1}}$ $\underline{19}$ $38$ Map Quad $\underline{M,1,N,0,T}_{51}$ $\underline{51}$ $68$ $\underline{69,70}$ $77,78,79,80$	1. N <sup>1</sup> 5 2. E <sup>1</sup> 5 3. S <sup>1</sup> 5 4. W <sup>1</sup> 5 5. NE <sup>1</sup> 5 6. SE <sup>1</sup> 5 7. SW <sup>1</sup> 5 8. NW <sup>1</sup> 5 9. C
	City       Image:	l= struct. system
	46 [2]] # of Features48 [2]] Feature #50 [] Clay Tile51 []] Barn53 []] 9 [0] [0] Const. Date57 [] Composition Board58 []] Chicken Coop60 [] pre-188061 [] Concrete Block62 []] Corral/Enclosure64 [] 1880-190065 [] Concrete, Poured/Cast66 []] General Storage68 [] 1900-191569 [] Earth/Clay70 []] Grain Storage72 [] 1915-193073 [] Earthen Brick74 []] Privy76 [] 1930-194577 [] Glass, Block78 []] Well/Windmill80 [] post-19451 [] Glass, Pigmented2 []] Workshop4 [] Log4 [] Log	2= Primary exterior finish
ITE DESCRIPTION	810Metal, Decorative11111313141514Metal, Horiz. Siding151717171910171719101717231017231010231010231010211010231010241010251010261010271010271010211010211021102210231024102510261027 <t< td=""><td>3= Both 1 &amp; 2</td></t<>	3= Both 1 & 2
II. S	31Commercial/OfficeSIGNIFICANCE33Stone, Cut34Educational36Eligible37Stone, Uncut38Engineering Struc.40Not Eligible41Stucco/Plaster42Governmental44Contributing45Tarpaper46Health Care48Non-contrib.49Thatch50Industrial/UtilityPLAN SHAPE52Wood, Frame5355Circular56Wood, Horz. Siding	4= Second exterior finish
	57       Irregular       60       Wood, Shingle/Shake         61       Social/Recre/Arts       63       Irregular       64       Wood, Vert. Siding         65       Irregular       67       Polygonal       68       Other         69       Warehouse       71       Rectangular       68       Other         73       Other       75       Square       PORCH         78       Irshaped       79       Original         3       U-Shaped       4       Addition/Altered         74       Other       8       Irregular	
	Fieldwork Date $\begin{array}{ c c c c c c c c c c c c c c c c c c c$	0=Unknown 1=Known
USE ONLY	OFFICE USE ONLY Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
OFFICE (	State Registry National Register E C F T F MS Number	
	n sur ann an thar ann an th Ann an thar ann	

SITE DESCRIPTION 11

DEETCE HEE ONI V

Field C	ode_RTI85MT104	Page 2		SITS NUM	IBER <u></u> 3	200821
ACCESS						
DESCRIP	TION OF SITE Original	Minot, East	25' Lots 17	, 18 and 19, B	lock 20	
SIG. FE	AT. commercial bloc	:k -1				
NON-SIG	. FEAT.					
OWNER'S 14 W	NAME, ADDRESS, AND PL . Central Ave., Minot	HONE NUMBER N.D.; (701)	Helen Elizabo 838-8379	eth Hoberman,	c/o Held	and Seney;
FEATURE	#N/	AME IN NAME B	LOCK Gree	engards		
BASEMENT <u>x</u> yes no unknown other WINDOWS Original <u>x</u> Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$\frac{1}{\frac{1}{1}}$ 1 1/2	CORNICE Metal Brick X None Wood Other	Gable	1913 undated	Plat Map(s) County Atlas Date Block Sanborn Map(s Topo Map(s)
ARCH	ITECTURAL SIGNIFICANCE			HISTORICAL SIG	GNIFICANC	<u>.E</u>
High Artis x Rep. of ty	ster Visc tic Values Too pe, period, Lack construction X Not	al Landmark new to be el king integrit High Style	ig. Ass y XAss	ociated with s ociated with s ociated with c locality	significa	nt event


FEATURE DESCRIPTION: Although plywood covers the transom and the main entry has an aluminum sash door, significant original store front elements remain intact such as the marble base, plate glass windows with pressed metal frames and wood paneled ceiling in the recessed main entry, as well as the wood door and wood paneled ceiling in the adjoining entry offset to the west. The upper level of this facade (south) is intact as well and includes a parapet frieze of header bricks projecting in a checker board pattern, 2 wooden sash Chicago-type windows with multi-light transoms and cut stone lugsills. Pressed metal letters, on the frieze, which read, "Greengards," were likely added in the early 1920s when members of this family owned the building (see historical information). The east elevation also features several 1/1 th)

double-hung windows with transoms set in segmental arched openings. Most o wall has been faced with concrete blocks.		
OTHER HISTORICAL INFORMATION: This building originally housed the Minot Op owned and operated by editor Winfield M. Smart. By 1924 it was known as th and occupied by the main store of Greengard Bros. and Co., a clothing retai by Henry Greengard (1913 and 1924 Polk's City Directory).	e Gree	ngard Blo
COMMENTS/REFERENCES:		
Recorded by RTI-MEM	Dato	7-10-85

NDCRS SITE FORM Photo Section

Field Code RTI85MT104

SITS Number 32 WD821



		ARCHITECTURAL SIT	ES	יטאב ד	с. С
I. SITE I.D.	Field Code <u>R.T.I.8.5 M.T.O.9.5</u> <i>1</i> Site Name <u>T.o.m.p.K.I.n.5. B.I.o.c.K</u> <i>19</i> Map Quad <u>51</u>	LTL 	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>3</sub> 5. NE <sup>1</sup> / <sub>4</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
	City $[M_1] [N_1 \sigma_1 \tau_1]$		18 CIMAIN E	NTRANCE	
	Street # $\begin{bmatrix} 1 \\ 19 \end{bmatrix} = \begin{bmatrix} 16 \\ 23 \end{bmatrix}$ Street Name $\begin{bmatrix} 10 \\ 25 \end{bmatrix} = \begin{bmatrix} 10 \\ 10 \end{bmatrix} = \begin{bmatrix} 10 \\ 25 \end{bmatrix}$	541111111	Asphal		l= struct.
	SITE COMPONENTS 46 46 4 4 of Features 51 4 53 4 53 4 53 4 53 4 53 4 53 4 53 53 53 53 53 53 53 53 53 53 53 53 53	FEATURE DATA 18 1 Feature # 12 1 Feature # 12 1 Const. Date 60 1 pre-1880 64 1 1880-1900 68 1 1900-1915 72 1915-1930 76 1 1930-1945 80 post-1945	45 G Brick 50 Clay T 57 Compos 61 Concre 65 Concre 69 Earth/ 73 Earthe 77 Glass, 1 Glass, 4 Llog	ition Board te Block te, Poured/Cast Clay n Brick Block	system 2= Primary exterior finish
II. SITE DESCRIPTION	8       Jowelling:Multiple         11       Jowelling:Sngl/Mobile         15       Jowelling:Sngl/Perm         19       Jowelling:Sngl/Perm         23       Jowelling:Sngl/Perm         23       Jowelling:Sngl/Perm         23       Jowelling:Sngl/Perm         23       Garage/Carriage House         27       Jowelling:Sngl/Perm         31       Commercial/Office         34       Jowelling:Struct         38       Jowelling:Struct	CONDITION 13 L Excellent 17 L Good 21 Fair 25 Poor 29 Destroyed SIGNIFICANCE 36 Eligible 40 Not Eligible	7 Metal, 10 Metal, 14 Metal, 18 Metal, 22 Perma- 26 Plasti 30 Pole 33 Stone, 37 Stone, 41 Stucco	Horiz. Siding Sheet Stone c, Vinyl Cut Uncut /Plaster	3= Both 1 & 2 4= Second exterior finish
	42       Governmental         46       Health Care         50       Industrial/Utility         53       Military         57       Religious         61       Social/Recre/Arts         65       Transportation         69       Warehouse         73       Other	44 L Contributing 48 Contributing PLAN SHAPE 55 Circular 59 L Irregular 63 L - Shaped 67 Polygonal 71 L Rectangular 75 Square 78 T - Shaped 3 L U-Shaped 7 L Other	. 49∟⊥ Thatch 52∟⊥ Wood, 56∟⊥ Wood, 60∟⊥ Wood,	Frame Horz. Siding Shingle/Shake Vert. Siding al on/Altered	
ONLY	Fieldwork Date $0 0 12245$ 10 15 Other Info. $122$ 22 OFFICE USE ONLY Soil Association Ecozone Area	Signf CR Type V	16 20 Ethnic 19 20 Style 45 erified Site No		O=Unknown 1≈Known
OFFICE USE 0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	47 47 ister ECFTF	8 49 MS Number		
R		52 53	54 60		J

Field (	Code_RTI85MT095	Page 2		SITS NU	MBER 32 W084 7
ACCESS					
DESCRIF	TION OF SITE Origin	nal Minot, Lots	23 and 24,	Block 19	
SIG. FE	AT. commerical blo	ock -1			
NON-SIG	6. FEAT				
OWNER'S P.O.	NAME, ADDRESS, AND Box 1577, Minot, N	PHONE NUMBER .D.; (701) 852-	Clayton H. 0136	Johnson and E	lliott Obedin;
FEATURE	#	NAME IN NAME B	LOCK <u>Tompk</u>	ins Block	
BASEMENT 	FOUNDATION MATERIAL Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$ \begin{array}{c}                                     $	CORNICE Metal Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atla Date Block Sanborn May Topo Map(s) undated Other City Assessor's Car
ARCH	ITECTURAL SIGNIFICAN	NCE		HISTORICAL SI	GNIFICANCE
High Artis	tic Values To /pe, period,La	isual Landmark oo new to be el acking integrit ot High Style	ia. Ass	ociated with :	significant person significant event development of

FEATURE DESCRIPTION: This facade has sustained minimal alteration: the transom panel of the store front has been covered with marlite and the 2nd floor 1/1 double-hung sash covered with storm windows. Significant architectural elements include small brick pilasters between 2nd floor windows dividing the facade into 9 bays. Sandstone trim includes the coping, a belt course above the windows, the name block, capitals and bases on the small pilasters, a continuous sill, and a variety of Art Deco decorative elements. At the rear of the building the north half is one story and the south half is 2 story.


OTHER HISTORICAL INFORMATION: This ediface was erected after a fire which occurred on July 9, 1923, destroyed the original brick building also known as the Tompkins Block, on these lots. Jarvis H. Tompkins built this feature to house his real estate firm as well as other businesses (1924 Polk's City Directory).

COMMENTS/REFERENCES:

Recorded by RTI-FLQ

Date 6-22-85

NDCRS SITE FORM Photo Section



Recorded By MEM

ARCHITECTURAL SITES

.

inde T

Ć.

I. SITE I.D.	SITS #         SITS # <th c<="" th=""><th>1. N½ 2. E½ 3. S½ 4. ₩½ 5. NE¼ 6. SE¼ 7. S₩¼ 8. N₩¼ 9. C</th></th>	<th>1. N½ 2. E½ 3. S½ 4. ₩½ 5. NE¼ 6. SE¼ 7. S₩¼ 8. N₩¼ 9. C</th>	1. N½ 2. E½ 3. S½ 4. ₩½ 5. NE¼ 6. SE¼ 7. S₩¼ 8. N₩¼ 9. C
II. SITE DESCRIPTION	City (M)   N   D   T	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish 0=Unknown 1=Known	
OFFICE USE ONLY	Other Info.       1       46L Designer/ Architect         OFFICE USE ONLY       46       47       48       49         Soil Association       Ecozone       Area Signf       CR Type       Verified Site       Non-Site         41       43       44       45       46       47       48       49         State Registry       National Register       E C F T F       MS Number       60		

Fiel	d Code_RTI85MT096	Page 2		SITS NU	MBER 32WD	843
ACCE	SS		· · · · · · · · · · · · · · · · · · ·			
DESC	RIPTION OF SITE Origi	nal Minot, Lots	25 and 26,	Block 19		
SIG.	FEAT. commercial bl	ock-1				
NON-	SIG. FEAT					1971 - 1971 - 1972 - 1972 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 - 1974 -
OWNE S	R'S NAME, ADDRESS, AND tores; 118 N. 29th, Bi	PHONE NUMBER	Charles and	Harriet Ba <b>rer</b>	, c∕o Big Be	ar
FEAT	URE #1	NAME IN NAME B	LOCK			
BASEMENT x yes no unknown other WINDOWS Origina x Altered	Cut Stone <u>x</u> Poured Concrete Refaced Unknown 0 Other	$ \begin{array}{c}                                     $	CORNICE Metal X Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	Co Da	at Map(s) punty Atlas ate Block anborn Map(s) ppo Map(s) ther
A	RCHITECTURAL SIGNIFICA	NCE		HISTORICAL SI	GNIFICANCE	
Work of High Ar X Rep. of method	Master V tistic Values T type, period, L of construction X	isual Landmark oo new to be el acking integrit ot High Style	ig. Ass y <u>x</u> Ass	sociated with sociated with sociated with locality	significant significant development	person event of
new brick Second flo replaced w steel indu wall above	SCRIPTION: This store base, plate glass wind or windows have been c with fixed units prior strial sash. Unaltere the store front with ck extends down the si	ows and plywood overed with cor to 1964 (City A d portions of t sandstone copin	siding cove rugated meta ssessor's Ca he facade ir g and contir	ering over the al siding. Th ard). Windows aclude the bro auous second s	transom par ey had alrea at the rear wn glazed br	nel. ady been r are rick

OTHER HISTORICAL INFORMATION: This feature was erected in 1917, replacing an earlier brick building on the site, by Julius Fauchald to house a branch of his business known as the New York Department Store (1916-18 Tax Lists; 1917 Polk's City Directory).


.

<b>C</b> 0	MME	NTS	/RE	FERI	ENCE	S:

Recorded by RTI-MEM

Date 6-22-85

NDCRS SITE FORM Photo Section



Recorded By MEM

Date	131	85	
------	-----	----	--

ARCHITECTURAL SITES

IUYE 1

	ARCHITECTURAL SITES	C
I. SITE I.D.	Field Code $Q_{1} 1 8 5 M T 09 7 10$ Site Name $S_{10} C 0 M S_{10} C 09 7 10$ Site Name $S_{10} C 0 M S_{10} C 0 M $	1. N5 2. E5 3. S5 4. W5 5. NE5 6. SE5 7. SW5 8. NW5 9. C
İ	City MILINOTI IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
	Image: Street #     Image: Street #     Image: Street #     BUILDING MATERIALS       19     23     24     Unknown	
	Street Name       NIAIIIN       SITE       43       Asbestos Siding/Shingle         25       42       43       Asphalt Siding/Shingle         25       42       44       Asphalt Siding/Shingle         26       50       50       50         27       42       43       Asbestos Siding/Shingle         26       42       43       Asphalt Siding/Shingle         27       42       43       Asphalt Siding/Shingle         28       42       43       Asphalt Siding/Shingle         46       43       50       Clay Tile	l= struct. system
7	48 End reatures       48 End reature #       50 Clay The         51 Ling Barn       53 Ling Oil Const. Date       57 Composition Board         58 Ling Chicken Coop       60 Ling pre-1880       61 Concrete Block         62 Ling Corral/Enclosure       64 Ling 1880-1900       65 Concrete, Poured/Cast         66 Ling General Storage       68 Ling 1900-1915       69 Ling Earth/Clay         70 Ling Grain Storage       72 Ling 1915-1930       73 Ling Earthen Brick         74 Ling Privy       76 Ling 1930-1945       77 Ling Glass, Block         78 Ling Well/Windmill       80 Ling post-1945       1 Ling Glass, Pigmented         2 Ling Workshop       4 Ling	2= Primary exterior finish
SITE DESCRIPTION	8       Image: Multiple       CONDITION       10       Metal, Frame         11       Dwelling: Sngl/Mobile       13       Excellent       14       Metal, Horiz. Siding         15       Dwelling: Sngl/Perm       17       Good       18       Metal, Sheet         19       Hotel/Motel       21       Fair       22       Perma-Stone         23       Garage/Carriage House       25       Poor       26       Plastic, Vinyl         27       Gravestone/Marker       29       Destroyed       30       Pole	3= Both 1 & 2
II. SI	31Commercial/OfficeSIGNIFICANCE33Stone, Cut34Educational36Eligible37Stone, Uncut38Engineering Struc.40Not Eligible41Stucco/Plaster42Governmental44Contributing45Tarpaper46Health Care48Non-contrib.49Thatch50Industrial/UtilityPLAN SHAPE52Wood, Frame	4= Second exterior finish
	53 L I Military55 L Circular56 Wood, Horz. Siding57 L I Religious59 L Irregular60 Wood, Shingle/Shake61 L I Social/Recre/Arts63 L L-Shaped64 Wood, Vert. Siding65 L I Transportation67 Polygonal68 Other69 L Warehouse71 Rectangular73 Guare73 L Other75 Square79 Original	
	علينا U-Shaped علينا Addition/Altered المالين Other علينا Removed/None	
	Fieldwork Date $0_102285$ 16 $02$ Ethnic 18 Builder101516 $02$ Ethnic 18 Builder19 $02$ Style 21 EngineerOther Info. $12$ I I I I I I I I I I I I I I I I I I I	0=Unknown 1=Known
ONLY	OFFICE USE ONLY Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
USE	41 43 44 45 46 47 48 49 State Registry National Register E C F T F MS Number	
<b>OFFICE</b>	50         51         52         53         54         60	

-

Field C	ode_RTI85MT097	Page 2		SITS NU	MBER 32WD844	
ACCESS						
DESCRIP	TION OF SITE Origi	nal Minot, Lot	17, Block 19			
SIG. FE	AT. commericial b	ock -1			······	
NON-SIG	. FEAT.					
	OWNER'S NAME, ADDRESS, AND PHONE NUMBER <u>Fauchald Holding Co, c/o Dennis and Mary</u> Grad; 14 N. Main St., Minot, N.D.; (701) 839-6587					
FEATURE	#	NAME IN NAME B	LOCK			
BASEMENT 	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$\frac{\text{STORIES}}{x \ 1} \\ \frac{1}{2} \ 1 \ 1/2 \\ 2 \\ 2 \ 2 \ 1/2 \\ 3 \\ 0 \text{ ther} $	Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1904 Sanborn Map(s Topo Map(s) undated Other City Assessor's Card	
ARCH	ITECTURAL SIGNIFIC	NCE		HISTORICAL SI	GNIFICANCE	
High Artis x Rep. of ty	tic Values] pe, period,l	isual Landmark oo new to be el acking integrit lot High Style	igAss yAss	ociated with	significant person significant event development of	
Card) with a over the tran the store fro	IPTION: The store new brick base, gla som panel, and alum ont is intact with ing and deco decora	iss block and fi inum canopies o ts light brown	xed glass wi ver the enti brick in Art	ndows. A pai res. However Deco coursin	nted sign board , the facade above g patterns and	

OTHER HISTORICAL INFORMATION: Ansel P. Slocum, a druggist, constructed this feature in 1901 to house his retail business (1905 Polk's City Directory).


.

COMMENTS/REFERENCES:

۰,

Recorded by RTI-FLQ

Date 6-22-85



ARCHI	TECTU	IRAL S	ITES

iade T

ć.

		ARCHITECTURAL	21152			
				SITS #		
	Field Code		S	tate County S	ite Number	1. N <sup>1</sup> 5
	R.T. 1.8.5.M.T.O.9.8	2	-	$2 \mu D$	845	2. E <sup>1</sup> <sub>2</sub>
D.			11			3. $S_{2}^{1}$
I.D.	Site Name		LTL Twp			4. $W_{2}^{1}$
	Mans, F. I.e. I.d.S.		0 155	R Sec 000 <u>3324</u> 6	00 00 00 00 00 00 00 00	5. NE1
SITE	19	38	39 40	47 48	49 50	6. SE <sup>1</sup> <sub>4</sub>
S	Man Quad		LTL <sub>a</sub> Twp <sub>a</sub>	R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub>	QQ <sub>a</sub> Q <sub>a</sub>	7. SW1
	MUN	OT		ha seca veva	QQ <sub>a</sub> Q <sub>a</sub>	8. NW4
	51		69 70	77 78	79 80	9. C
	City M11N01711111		186	4 MAIN ENTRANCE		
	1	17	_			
	Street #			BUILDING MATERIA	LS	
	19 23			Unknown	·	
	Street Name NI MAILINI 151+			Asbestos Sidi		1=
	25		-	Asphalt Sidin	g/Sningle	struct.
	SITE COMPONENTS	FEATURE DATA		3_Brick		system
	46 1 # of Features 4	# Feature #		LClay Tile		
	51 L Barn 53 L	LL Const. Da		Composition B		0
	58 LL Chicken Coop	60 pre-1880		Concrete Bloc		2=
		64 1880-1900		Concrete, Pou	red/last	Primary
		68 LL 1900-1915		Earth/Clay		exterior
	•	72 1915-1930		Earthen Brick		finish
		76 . 1930-1945		⊥Glass, Block	<b>.</b>	
		80 post-1945		Glass, Pigmen	tea	
Z	2 Laura Workshop				+ 4	
Ĕ				Metal, Decora	tive	<b>)</b> _
Ы	8 Dwelling: Multiple	CONDITION		Metal, Frame	Cidina	3= Doth
DESCRIPTION		13 L Excellent		Metal, Horiz.	Staing	Both
ES(	<b>U U I</b>			Al Metal, Sheet		1 & 2
	· · · · · · · · · · · · · · · · · · ·	21 L Fair		Perma-Stone	,	
SITE		25 Poor		Plastic, Viny	1	
SI		29 Destroyed		Pole		4=
.	31 LOLL Commercial/Office	SIGNIFICANCE		Stone, Cut		4= Second
		36 Eligible		Stone, Uncut	_	exterior
		40∟ Not Eligi 44∟ Contribut		L Stucco/Plaste		finish
		48 LL Non-contr		Tarpaper ∣Thatch		1111511
1	50 Industrial/Utility	PLAN SHAPE		Wood, Frame		
1		55 LLI Circular		⊥ Wood, Horz. S	idina	
		59 L Irregular		⊥ Wood, Shingle		•
1		63 L-Shaped		⊥ Wood, Vert. S		
1		67 Polygonal		⊥ Other	iaing	
1		71 Rectangul				
ļ		75 Square	~!	PORCH		
1		78 J T-Shaped	791	Original		
		3 U-Shaped		Addition/Alte	red	
ļ		7 U Other		L Removed/None		
1		,		· · ·		
I	Fieldwork Date 016 2245		16 101	실 Ethnic 18일	luilder	0=Unknown
l	$\frac{10}{10}$ 15			의 Style 21인E	ingineer	1=Known
[	Other Info. $\frac{22}{22}$				esigner/	
Į				45	Architect	
	OFFICE USE ONLY				-	
S	Soil Association Ecozone Area	Signf CR Type	Verified S	Site Non-Site		
_				· •		
S	<u>41 43 44 45 46</u>	47	48	49		
بب	State Registry National Regi	ster ECF	TF MS Nun	nber		
OFFICE USE		<b></b>		فيتبي المراجع ا		
Ë	50 51	52	53 54	60		•
0					- J	

1


.

E E

Field Code <u>RTI85MT</u>	098 Page 2	SITS NUMBER 22WD845
ACCESS	-	
DESCRIPTION OF SIT	'E Original Minot, West 1/	2 Lot 28; Block 19
SIG. FEAT. comme	erical block -1	
NON-SIG. FEAT.		
OWNER'S NAME, ADDR		arren R. Brey, c/o Dennis and Mary Grad;
FEATURE #1	NAME IN NAME BLOC	K
BASEMENT FOUNDATION x yes Brick no Concret unknown Fieldst other Cut Sto Poured Refaced WINDOWS X Unknown Original Other x Altered	I MATERIALSSTORIESC $x$ 11/2 $one$ 2 $x$ $one$ 21/2 $one$ 21/2 $one$ 01/2 $one$ 0 $one$ 0	ORNICE       ROOF TYPE       DATING METHOD         Metal       Gable       Plat Map(s)         Brick       Hipped       County Atla         None       Deck       Date Block         Wood       Gambrel       1904       Sanborn Map         Other       x Flat       Topo Map(s)         Other       1901-05       Other         Kecords       Dother       Date Second
ARCHITECTURAL S	IGNIFICANCE	HISTORICAL SIGNIFICANCE
Work of Master High Artistic Values Rep. of type, period, method of constructio	Visual Landmark Too new to be elig. X Lacking integrity Not High Style	Associated with significant person Associated with significant event Associated with development of locality
on the north side of the (City Assessor's Card). narrow rear end) is beca	building, but the store f The irregular plan of the use the lot is situated ad	l in place in the segmental arch openings ront was completely remodeled in 1962 building (the rear half tapers to a jacent to the Soo Line tracks. The store vertises "S.D. Kivley, Jewelers".
THER HISTORICAL INFORMA		ment records indicate a construction originally housed a clothing store
date between 1901 to 190		

.


• : **,** · · ·




		C
v	ARCHITECTURAL SITES	· ·
I. SITE I.D.	SITS #Site County Site Numbe $(R,T,L,B,5,M,T,O,L,2)$ $(R,T,L,B,5,M,T,O,L,2)$ $1$ $10$ $(R,T,L,B,5,M,T,O,L,2)$ Site Name $(R,T,L,B,5,M,T,O,L,2)$ $1$ $10$ $(R,T,L,B,5,M,T,O,L,2)$ Site Name $(R,T,L,B,5,M,T,O,L,2)$ $10$ $(R,T,L,B,5,M,T,O,L,2)$ Site Name $(R,T,L,B,5,M,T,O,L,2)$ $10$ $(R,T,L,B,5,M,T,O,L,2)$ Site Name $(LTL,Twp, R, Sec 000, 00, 0)(M, O, O, L, W, O, T, S, T, S, T, S,	r 1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 3 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 3 8. NW <sup>1</sup> 3 9. C
	City MIN IDICITION 18 MAIN ENTRANCE	
	Street #       BUILDING MATERIALS         19       23         Street Name       19         25       42         42       43         Asbestos Siding/Shingl         44       Asbestos Siding/Shingl         44       Asphalt Siding/Shingle         51       53         58       53         58       60         58       60         58       60         57       Concrete Block	struct. system 2=
ION	62Corral/Enclosure641880-190065Concrete, Poured/Cast66General Storage681900-191569Earth/Clay70Grain Storage721915-193073Earthen Brick74Privy761930-194577Glass, Block78Well/Windmill80post-19451Glass, Pigmented2Workshop7IdexGlass, Decorative	Primary exterior finish
SITE DESCRIPTION	8	3= .Both 1 & 2
II. S	31Commercial/OfficeSIGNIFICANCE33Stone, Cut34Educational36Eligible37Stone, Uncut38Engineering Struc.40Not Eligible41Stucco/Plaster42Governmental44Contributing45Tarpaper46Health Care48Non-contrib.49Thatch50Industrial/UtilityPLAN SHAPE52Wood, Frame53Military55Circular56Wood, Shingle/Shake61Social/Recre/Arts63L <shaped< td="">64Wood, Vert. Siding65Transportation67Polygonal68Other</shaped<>	4= Second exterior finish
	69   71   Rectangular     73   0ther   75   Square   PORCH     78   T-Shaped   79   Original     3   U-Shaped   4     Addition/Altered     71	
ONLY	Fieldwork Date       Image: Style       <	0=Unknowr 1=Known
	Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
OFFICE USE	41     43     44     45     46     47     48     49       State Registry     National Register     E C F T F     MS Number	
OFF	50         51         52         53         54         60	·

ARCHITECTURAL SITES

I UAG T



SITE DESCRIPTION



1			NDCRS AF	RCHITECTURAL	. SITE FORM			
	Field Co	de <u>RTI85MT013</u>	3	Page 2		SITS NU	MBER 3211	JD 867.
	ACCESS_		aga nga mga nga nga nga nga nga nga nga nga nga n		1917 - 18 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 - 1917 -			
	DESCRIPTION OF SITE Original Min				1 and 2, B10	ock 3		
SIG. FEAT. commerical block -1; commerical block -2								
	NON-SIG.	FEAT.						
	OWNER'S	NAME, ADDRESS ciates; P.O. E	5, AND PHO 30x 848, M <sup>-</sup>	NE NUMBER inot, N.D.;	Fauchald Ho (701) 852-01	lding Co, c/o 196	Brady Mar	tz and
	FEATURE	#1	NAM	E IN NAME BL	.ОСК	1871 1971 1971 1971 1971 1971 1971 1971		
Or	es hknown cher WS	FOUNDATION MA Brick Concrete E Fieldstone Cut Stone X Poured Cor Refaced Unknown Other	ATERIALS Block Crete	STORIES     1     1 1/2     x 2     2 1/2     3     0ther	CORNICE x Metal Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING ME	THOD Plat Map(s) County Atlas Date Block Sanborn Map(s Topo Map(s) Other
	ARCH	ITECTURAL SIGN	NIFICANCE		ļ	HISTORICAL SI	GNIFICANCE	
Wo Hi X Re me	ork of Ma gh Artist p. of type thod of c	ster tic Values be, period, construction	Visua Too ne Lackir Not Hi	l Landmark ew to be eli ng integrity igh Style	g. Asso / Asso / X Asso	ociated with ociated with ociated with locality	significar significar developmer	it person it event it of

FEATURE DESCRIPTION: In 1953 (City Assessor's Card) the store front (east) of this brick building with a romaneque design, was remodeled leaving only the pressed metal cornice with dentils intact. Earlier (1920) the lower level of the north elevation was veneered in brick along with the adjoining building to the west and subsequently both structures housed a single business, Woolworths. Except for the eastern 10', the original upper level of the north elevation of this building remains exposed. This brick wall, laid in running bond and presently painted, features a flat parapet, a corbeled frieze comprised of header bricks set in a checker board pattern, and 5 round-headed, double-hung windows with wooden sash. These openings have header brick lintils with connecting imposts (corbeled brick). This building has been abandoned and its windows boarded.

OTHER HISTORICAL INFORMATION: This feature and the adjoining building south (RTI85MT014) were constructed in 1894 by bricklayer Hiram T. VanWagoner and are the only 19th century buildings left in Minot's original commerical core. P. Peter Lee financed the construction of this building, known as the Lee Block, which originally housed his general store offering dry goods, clothing, groceries and furniture. In 1904 Lee erected a two-story annex (Feature 2) to his business. As well as providing extra space for Lee's retail goods this addition also housed the city's U.S. Post Office as well as numerous professional services. In 1909, Julius Fauchalds purchased the Lee Block and subsequently Feature 1 was occupied by Fauchalds 5 and 10 and Feature 2 by Shirley's Grocery. In 1916 the Woolworths Co. purchased Feature 1 to house a branch of their national department store. This company expanded their Minot store into Feature 2 in 1920 (WCI 6, Jan. 1920, pg. 1; MDN, 6 Feb, 1982).

COMMENTS/REFERENCES:

Recorded by RTI-MEM

LUYE A

I. SITE I.D.	SITS #SITS #SITS #Site County Site Number $\begin{array}{c} 3 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\$	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 2 6. SE <sup>1</sup> 2 7. SW <sup>1</sup> 2 8. NW <sup>1</sup> 2 9. C
II. SITE DESCRIPTION	Image: Street intermediate	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
OFFICE USE ONLY	7LJ Other       8LJ Removed/None         Fieldwork Date       016 215 815       16 00 Ethnic 18 0 Builder         10       15       19 20 Ethnic 18 0 Builder         11       12       15       19 20 Ethnic 18 0 Builder         11       12       15       19 20 Ethnic 18 0 Builder         11       12       15       19 20 Ethnic 18 0 Builder         11       12       14       14       15         0FFICE USE ONLY       Ecozone Area Signf CR Type Verified Site Non-Site       Architect         41       43       44 45       46       47       48       49         State Registry       National Register       E C F T F MS Number       50       51       52       53       54       60	0=Unknown 1=Known

II. SITE DESCRIPTION

i c

Field Co	ode_RT185MT013	Page 2		SITS NU	MBER 32100	632
ACCESS						
DESCRIP	TION OF SITE	ga da sana ya sa ana sa				
SIG. FE/	\T		AL - The second se			<b></b>
	. FEAT					Ngang - 11-15 - 19-19-19-19
OWNER'S	NAME, ADDRESS, A	ND PHONE NUMBER				
FEATURE	#2	NAME IN NAME	BLOCK			
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATER Brick Concrete Bloc Fieldstone Cut Stone X Poured Concre Refaced Unknown Other	$\frac{\text{STORIES}}{\text{IALS}} \qquad \frac{1}{1} 1$	CORNICE x Metal 2 Brick None 2 Wood 0ther	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	Cou Dat 1904 Sar Top	at Map(s) unty Atlas ce Block born Map(s) oo Map(s)
Work of Ma High Artist	ITECTURAL SIGNIFI		k Ass elig. Ass ity XAs	HISTORICAL SI sociated with sociated with sociated with locality	significant p significant e	)erson ≥vent )f

FEATURE DESCRIPTION In 1920 (City Assessor's Card) this ediface, as well as the adjoining building (east) were remodeled to house a single business, Woolworths. At this time, a new brick veneer was applied to the 1st story, north wall of both features. The main entry of this building (north wall) was redone as well to serve as a side entrance for the department store. The original upper level of this brick facade remains exposed and features a flat parapet with stone block coping, a projecting pressed metal cornice underscored by 2 string courses of corbeled brick, and corner brick quions. The main wall, laid in a running bond and presently painted, is punctured by symmetrically placed 1/1 double-hung windows with wood sash intact. The central window, slightly larger than the rest, is offset of projecting brick panels. The remaining openings possess flat arched lintels of radiating brick with a continuous limestone sill underneath. A thin veneer of stucco covers the brick wall (west) which faces the alley. Segmental arch window openings are evident on the 2nd floor, the 1st floor windows (rectangular) are fixed. Most windows of this abandoned ediface are boarded.

OTHER HISTORICAL INFORMATION See Feature 1.


COMMENTS/REFERENCES

Recorded by RTI-MEM


Date 6-28-85

## Field Code RT185MT013

SITS Number 22.00852



B.W. Photo I.D. Code RTI85MT-Roll 26 Frame 25




Recorded	By JLH	
----------	--------	--

Date 12 85


## Field Code RTI8SMTOI3

SITS Number 2200862-





B.W. Photo I.D. Code RTI85MT-Roll 26 Frame 25



Recorded By MEM

Date 12	185
---------	-----

		ARCHITECTURAL SITE	S i año	C
I. SITE I.D.	Field Code R.T.J. 8.5 M.T.O.L.4. 1 Site Name $M_{O.C.O.D.S.O.D.}B.V.O.C.V_{+}$ 19 Map Quad $M_{1.1.N}$ 51	LTL <u>0</u> <u>38</u> <u>39</u> LTL <u>68</u> <u>69</u>	SITS # State County Site Number 3.2. 11. 13. 15. 18. Twp R Sec QQQ QQ Q 40. 40. 47. 48. 49. 50. Twp R Sec QQQ QQ Q 47. 48. 49. 50. 77. 78. 79. 80. 18. 70. 77. 78. 79. 80. 77. 78. 79. 80. 77. 78. 79. 80. 77. 78. 79. 80. 79. 80. 18. 70. 77. 78. 79. 80. 79. 80. 18. 70. 77. 78. 79. 80. 18. 70. 77. 78. 79. 80. 77. 78. 79. 80. 77. 78. 79. 80. 18.	1. N 2. E 3. S 4. W 5. NE 5. NE 5. SE 4. SE 4. 7. SW 4. 9. C
	City Milliole 14111111 I Street # 111110 19. 23		BUILDING MATERIALS	
	Street Name SI Maline IST 25 SITE COMPONENTS 46 4 4 of Features 51 3 8 5 5 5 1 1 58 4 6 6 5 1 1	FEATURE DATA FEATURE DATA الالتيانية Feature # APIL Const. Date 60 ب pre-1880	→ 43→Asbestos Siding/Shingle 2 44→Asphalt Siding/Shingle 45→Brick 50→Clay Tile 57→Composition Board 61→Concrete Block	l= struct. system 2=
N	62 LILI Corral/Enclosure 66 LILI General Storage 70 LILI Grain Storage 74 LILI Privy 78 LILI Well/Windmill 2 LILI Workshop	64 1880-1900 68 1900-1915 72 1915-1930 76 1930-1945 80 post-1945	65L_JConcrete, Poured/Cast 69L_JEarth/Clay 73L_JEarthen Brick 77L_JGlass, Block 1L_JGlass, Pigmented 4L_JLog	Primary exterior finish
<b>TE DESCRIPTION</b>	8    Jowelling:Multiple      11    Jowelling:Sngl/Mobile      15    Jowelling:Sngl/Perm      19    Hotel/Motel      23    Garage/Carriage House	CONDITION 13 L Excellent 17 L Good 21 Fair 25 Poor	<pre>7∟ Metal, Decorative 10∟ Metal, Frame 14∟ Metal, Horiz. Siding 18∟ Metal, Sheet 22∟ Perma-Stone 26∟ Plastic, Vinyl</pre>	3= Both 1 & 2
II. SITE	27 Gravestone/Marker 31 Office 34 Governmental 46 Health Care	29 SIGNIFICANCE 36 40 Not Eligible 44 Contributing 48 ↓ Non-contrib.	45∟ Tarpaper 49∟ Thatch	4= Second exterior finish
	50 Industrial/Utility 53 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	PLAN SHAPE 55 Circular 59 Irregular 63 L-Shaped 67 Polygonal 71 L Rectangular	52 Wood, Frame 56 Wood, Horz. Siding 60 Wood, Shingle/Shake 64 Wood, Vert. Siding 68 Other	
	73∟⊥_J Other	75 78 78 3 3 1 5 1 5 1 5 1 5 1 1 5 1 1 1 1 1 1 1	PORCH 79ایا Original 4یا Addition/Altered 8ایا Removed/None	
۲	Fieldwork Date 0162585 10 15 Other Info. 181=181911 MR 22 OFFICE USE ONLY	agioniri, i i Hi	16 C Ethnic 18 Builder 19 C Style 21 Engineer 19 46 Designer/ 45 Architect	0=Unknown 1=Known
E ONLY	Soil Association Ecozone Area		erified Site Non-Site	
CE USE	<i>41 43 44 45 46</i> State Registry National Regi	$\frac{47}{5}$		
OFFICE		52 53	54 60	

SITE DESCRIPTION 11

Field Code RTI85MT014 Page 2	SITS NUMBER 32WD865					
ACCESS						
DESCRIPTION OF SITE Original Minot, Lot 3, Block 3						
SIG. FEAT. commerical block -1						
NON-SIG. FEAT.						
OWNER'S NAME, ADDRESS, AND PHONE NUMBER Fauchald Ho and Associates; P.O. Box 848, Minot, N.D.; (701) 8	olding Company, c/o Brady Martz 352-0196					
FEATURE # NAME IN NAME BLOCK						
BASEMENT yesFOUNDATION MATERIALS BrickSTORIES ICORNICE MetalnoConcrete Block1 1/2Brickx unknownFieldstonex 2x NoneotherCut Stone2 1/2Woodx Poured Concrete3OtherRefacedOtherWINDOWSUnknownOriginal	ROOF TYPEDATING METHODGablePlat Map(s)HippedCounty AtlasDeckDate BlockGambrel1904Sanborn Map(s)X FlatTopo Map(s)Other1982 MDN					
ARCHITECTURAL SIGNIFICANCE	HISTORICAL SIGNIFICANCE					
Work of Master Visual Landmark Ass High Artistic Values Too new to be elig. Ass Rep. of type, period, X Lacking integrity X Ass method of construction Not High Style	sociated with development of					
FEATURE DESCRIPTION: A brick veneer (ca. 1950s) covers the century commerical block. Other alterations include a remo modern aluminum sash windows, with false shutters at the up aluminum sash windows and shutters; and the rear (west) wal metal. Currently this structure is abandoned. This buildi building north, the Lee Block, were built in 1894 by brickl Lee block this building originally displayed a romaneque de openings (City Assessor's Card; <u>MDN</u> , February 6, 1982).	odeled store front (1957) and oper level openings modified with Il covered with corrugated sheet ing along with the adjoining layer Hiram T. Van Wagoner. Like the					
OTHER HISTORICAL INFORMATION: Originally this building how This company was owned by Carl Jacobson of Witlenberg, Wisc of Minot and carried hardware, sheet metal, harnesses and s Directory).	consin and Thurlow Jacobson					
COMMENTS/REFERENCES:						

Recorded by RTI-MEM

\

Date 6-27-85

## Field Code RT185MT014

SITS Number 40000863

Feature

B.W. Photo I.D. Code RTI85MT-Roll 26

## Frame 29



Feature\_\_\_\_ B.W. Photo I.D. Code\_RTI85MT-Roll\_ Frame

Storage I	location	NDCRS
Recorded	By JL	Н

Date 285
----------

 Field Code Recent Cold
 SITS Number 200867

B.W. Photo I.D. Code RTI85MT-Roll 26 Frame 23

Feature\_\_\_\_

	B.W. Photo I.D. Code	RTI85MT-Roll	Frame
Storage Location	NDCRS		
Recorded By JU	4	Date_	12/85

			1 4 ye 1 C	
	r	ARCHITECTURAL SITES		
	Field Code <u>R.T. 1. 8.5 M.T.O. 1.5</u>		SITS # State County Site Number 3.2 .WD,	1. № <sub>2</sub> 2. E <sup>1</sup> 2
.D.	1 10	1	11 13 15 18	3. $S_{2}^{1}$ 4. $W_{2}^{1}$
EI	Site Name John, Ehr, Block,		Twp         R         Sec         QQQ         QQ         Q         Q $5.51$ $2.24$ $1$ $7$ $2$ $2$ $2$ $2$ $3$ $47$ $48$ $49$ $50$	5. NE¼
SITE	19	38 39 40	47 48 49 50	6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4
Ι.	Map Quad		Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub>	8. NW1/4
	51	68 69 70		9. C
	City M1, 10 10 14 1 1 1 1 1		18 LEIMAIN ENTRANCE	
	Street #	17	BUILDING MATERIALS	
	Street Name 181 Map Int 1814		43 Asbestos Siding/Shingle	1=
	25 SITE COMPONENTS	42 FEATURE DATA	44∟_Asphalt Siding/Shingle 453」Brick	struct. system
	$46[O_{11}] # of Features 4$	18 011 Feature #	50LJClay Tile	3930011
	$51 \sqcup Barn 53 \sqcup 1$	910141 Const. Date	57 Composition Board	2=
	<i>58</i> ⊥⊥⊥1 Chicken Coop <i>62</i> ∟⊥⊥1 Corral/Enclosure	60∟1 pre-1880 64∟1 1880-1900	61 Concrete Block 65 Concrete, Poured/Cast	2- Prima <b>r</b> y
	66 L General Storage	<i>68</i> 📖 1900-1915	69LlEarth/Clay	exterior
	70 Lin Storage 74 Lin Privy	72 L. 1915-1930 76 L. 1930-1945	73∟⊥Earthen Brick 77∟JGlass, Block	finish
	78 LL Well/Windmill	80 L post-1945	ILJGlass, Pigmented	
R	2∟ Workshop	·	4L_LOG	
DESCRIPTION	B ليسا Dwelling:Multiple	CONDITION	7∟¶ıMetal, Decorative 10∟⊥Metal, Frame	3=
RIP	11∟∟⊥ Dwelling:Sngl/Mobile	Excellent لبا 13	14 Metal, Horiz. Siding	Both
ESC	15 Dwelling:Sngl/Perm	17 LL Good	18 Metal, Sheet	1 & 2
	عليما Hotel/Motel 23 المسلما Garage/Carriage House	21 L Fair 25 J Poor	22∟⊥Perma-Stone 26∟⊥Plastic, Vinyl	
SITE	27 Gravestone/Marker	29 🖵 Destroyed	30L Pole	
	31 کے Commercial/Office 34 کے Educational	SIGNIFICANCE 36 LL Eligible	33∟⊥ Stone, Cut 37∟⊥ Stone, Uncut	4= Second
II	38 Engineering Struc.	40 L Not Eligible	41 L Stucco/Plaster	exterior
	42 Governmental	44 LL Contributing	45LI Tarpaper	finish ·
	46∟⊥⊥ Health Care 50∟⊥⊥1 Industrial/Utility	48 ∟ Non-contrib. PLAN SHAPE	49LLJ Thatch 52LLJ Wood, Frame	
	53 Military	55 Lircular	56 Wood, Horz. Siding	
	57 Religious	59 Irregular	60 Wood, Shingle/Shake	
	61 Social/Recre/Arts	63 L-Shaped 67 L- Polygonal	64∟1Wood, Vert. Siding 68∟1Other	
	69 لينت Warehouse	71 📖 Rectangular		
	73	75 Square 78 J T-Shaped	PORCH 79LLl Original	
		3 U-Shaped	4 Addition/Altered	
		7 Uther	811 Removed/None	
	Fieldwork Date 016 25815		16 010 Ethnic 18 01 Builder	0=Unknown
	10 15 Other Info. 1.1.1.1.1.1.1.1		19 الملك Style 21 Designer/	1=Known
	Other Info. L.		45 Architect	
ONI	OFFICE USE ONLY Soil Association Ecozone Area	Signf CR Type Veri	fied Site Non-Site	
USE	41 43 44 45 46	47 48	49	
	State Registry National Regi	ster ECFTF	MS Number	
OFFICE	50 51	52 53	54 60	

,

.

Field C	ode <u>RTI85MT015</u>	Page 2		SITS NU	MBER 32WD864		
ACCESS							
DESCRIP	DESCRIPTION OF SITE Original Minot, Lots 4 and 5, Block 3						
SIG. FE	SIG. FEAT. commerical block -1 NON-SIG. FEAT.						
NON-SIG							
OWNER'S Min	NAME, ADDRESS, A ot, N.D.; (701) 8	ND PHONE NUMBER	Floyd K. Kol	obakken; 408	13th Ave. N.E.,		
FEATURE	#1	NAME IN NAME E	BLOCK	de agent de la set Maria (1996) - 1997 (1996) agent de la			
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATER Brick Concrete Bloc Fieldstone Cut Stone X Poured Concre Refaced Unknown Other	$\begin{array}{c} \underline{\text{IALS}} & \underline{\text{STORIES}} \\ k & \underline{-1} & 1 & 1/2 \\ \hline 1 & 1 & 1/2 \\ \hline x & 2 & 1/2 \\ \hline 2 & 1/2 \\ \hline 3 & 0 \\ \hline 0 \\ \hline \end{array}$	Metal Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1904 Sanborn Map( Topo Map(s) undated Other City Assessor's Card		
ARCH	ITECTURAL SIGNIFI	CANCE		HISTORICAL SI	GNIFICANCE		
Work of Ma High Artist X Rep. of ty method of o	ster tic Values pe, period, construction <u>x</u>	Visual Landmark Too new to be el Lacking integrit Not High Style	ig. Ass xy X Ass	ociated with ociated with ociated with locality	significant person significant event development of		
in 1983 (City remain, such cornice. Add central step. stacked brick which have be	Assessor's Card) as a marble base, itionally, decora The running bon s laid along the	• Many original crank down awnin tive stone blocks d brick of this m cornice, at the w odern windows and	elements of og with press embellish t main wall is vall corners	the main (wes ed metal cove he parapet wh broken by head and between t	68 and then again t) facade, however, r and a pressed metal ich features a small der and soldier he upper level opening west (rear) section		

OTHER HISTORICAL INFORMATION: Tax records list Catherine Ehr as the property owner when this building, known as the Ehr Block, was erected. At the time, John Ehr operated his real estate business out of this location (1905 Polk's City Directory).

real estate business			operated his
COMMENTS/REFERENCES:			
Recorded by <u>RTI-MEM</u>	 	Mana ada 21. <b>0</b> de gar a da e gar a de mar a gar a gen a gen a gen a de mar e de mar e de mar e de mar e de mar	Date <u>6-27-85</u>


## Field Code\_RTI85MT015

SITS Number 32WD864

Feature



B.W. Photo I.D. Code RTI85MT-Roll 26 Frame 30



*	-	ARCHITECTURAL SITES	iane t C	· ·
I. SITE I.D.	Field Code B.T.1.85 M.T.0.1.2 10 Site Name S.C.0.f.1.8.1.d. B.1.0.C.K. 19 Map Quad 51	LTL 	$     Twp_a R_a Sec_a QQQ_a QQ_a Q_a                       $	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
	City MILINIO IT I I I I I		18141MAIN ENTRANCE	
	Street #	27	BUILDING MATERIALS	
	Street Name ISI Malin ISIT SITE COMPONENTS	FEATURE DATA	43にAsbestos Siding/Shingle 44にAsphalt Siding/Shingle 4513」Brick	l= struct. system
	51 LIJ Barn 53 LI	8日上上 Feature # 1日上上 Const. Date 60日上上 pre-1880 64日上上 1880-1900	50LIClay Tile 57LIComposition Board 61LIConcrete Block 65LIConcrete, Poured/Cast	2= Primary
	66 L General Storage 70 L Grain Storage 74 L Privy	68 1900-1915 72 1915-1930 76 1930-1945 80	69∟⊥Earth/Clay 73∟⊥Earthen Brick 77∟JGlass, Block 11∟JGlass, Pigmented	exterior finish
DESCRIPTION	2 لــــا Workshop 8 لــــا Dwelling:Multiple 11 لــــا Dwelling:Sngl/Mobile	<b>CONDITION</b> 13 L Excellent	4LLOg 7LMetal, Decorative 10LMetal, Frame 14LMetal, Horiz. Siding	3= .Both
ITE DESCF	15∟⊥⊥ Dwelling:Sngl/Perm 19∟⊥⊥ Hotel/Motel 23∟⊥⊥ Garage/Carriage House	17 Lu Good 21 Lu Fair 25 Lu Poor	18∟⊥Metal, Sheet 22∟⊥Perma-Stone 26∟⊥Plastic, Vinyl	1 & 2
S	311011 Commercial/Office	29 Destroyed SIGNIFICANCE	30山 Pole 3314 Stone, Cut	4=
11.		36∟ Eligible 40∟ Not Eligible	37∟⊥ Stone, Uncut 41∟⊥ Stucco/Plaster	Second exterior
	42 L Governmental	44 LL Contributing	45L_1 Tarpaper	finish ·
	46└──┘ Health Care 50└──┘ Industrial/Utility	48 Lul Non-contrib. PLAN SHAPE	49∟⊥ Thatch 52∟⊥ Wood, Frame	
	53 Military	Circular نا55	56 Wood, Horz. Siding	
- 1		59L Irregular 63L L-Shaped	60∟ Wood, Shingle/Shake 64∟ Wood, Vert. Siding	
		67 الالكان Polygonal 71 الملال Rectangular	68L_JOther	
	73 Lill Other	75 Square	PORCH	
		78 I T-Shaped 3 J U-Shaped	Original لــا79 لــا79 4 لــا4 Addition/Altered	
		7LJ Other	BL Removed/None	
	Fieldwork Date $0 6 212 815$		16 المات الماتين Ethnic الماتين 19 الماتين Style 21 الماتين Engineer	O=Unknown 1=Known
	Other Info. $\frac{\mathbf{A}_1\mathbf{G}_1 = \mathbf{Z}_{11} \text{ immetries}}{22}$	IMIQ	45 46LDesigner/ Architect	
A NO	OFFICE USE ONLY Soil Association Ecozone Area	Signf CR Type Verif	fied Site Non-Site	
USE	41 43 44 45 46 State Registry National Regis	$\frac{47}{47} \qquad \frac{48}{48}$	49 IS Number	
OFFICE	50 51 ************************************	52 53 5 500 50 53 5 1000000000000000000000000000000000000	54 60	ŀ

NDCRS	ARCH	ITECT	URAL	SITE	FORM

Fi	el	d	Code	RTI	85M	T012

Page 2

ACCESS_ DESCRIP	TION OF SITE_Original	Minot, Lots	18 and 19,	Block 2	
SIG. FE	AT. commerical block -	1			
NON-SIG	. FEAT.				
OWNER'S	NAME, ADDRESS, AND PH . Main Street, Minot, I	ONE NUMBER W N.D.; (701) 7	J. and B. P	iehl and K. &	B. Kjelson;
FEATURE	. # NA	ME IN NAME BI	LOCK <u>Sc</u>	ofield Block	
BASEMENT x yes no unknown other WINDOWS x Original Altered	FOUNDATION MATERIALS Brick Concrete Block X Fieldstone Cut Stone Poured Concrete Refaced Unknown Other	$     \frac{\text{STORIES}}{1} \\     \frac{1}{1} \\     \frac{1}{1} \\     \frac{1}{2} \\     \frac{2}{1/2} \\     \frac{1}{2} \\   $	CORNICE x Metal Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1907 Sanborn Map(s) Topo Map(s) undated Other City Assessor's Card
Work of Ma High Artis X Rep. of ty	ITECTURAL SIGNIFICANCE sterVisu tic ValuesToo pe, period,Lack constructionNot	al Landmark new to be el ing integrity High Style	-	ociated with	GNIFICANCE significant person significant event development of

FEATURE DESCRIPTION: The north-half store front was completely remodeled in 1972 (City Assessor's Card). Although the south-half store front has also been remodeled, it remains significant elements of the original, including glazed ceramic tile side columns, the re-tractable awning and the transom panel behind the modern sign board. The upper floors are divided into two bays and contain their original 1/1 double-hung sash and continous stone sills within each bay. The window openings toward the center of the building have flat arches over paired 1/1's. The pressed metal cornice has modillions.

OTHER HISTORICAL INFORMATION: The original owner of this building was Rebecca Scofield, who may have been the wife of James H. Scofield, who managed the Scofield Implement Co. (farm machinery, threshing machines), or Arthur P. Scofield, who managed Scofield's Livery. Designed by local architect William Zimmerman, this building originally contained Keavin's Department Store on the main level, apartment space in the levels above and a billards hall in the basement (1905, 1906 Ward Co. Tax Assessor's List's; 1905, 1907 Polk's City Directories; MDO August 17, 1905).


COMMENTS/REFERENCES:

Recorded by RTI-FLQ

Date 6-22-85

Field Code RTI85MT012

SITS Number 32WD865



	B.W. Photo I.D. Code	KIIOJMI-KOII <b>U</b> Frame	10
Storage Location	NDCRS		
Recorded By <u>ME</u>	m	Date 12185	

v

.

C

	ARCHITECTURAL STIES	
I. SITE I.D.	SITS #         SITS #         SITS #         Site Name         B.v.t.t.t.g.r.q.'s. $38$ 19 $38$ Map Quad $38$ 51 $68$ Site Name $68$ Site Name $11$ $13$ $15$ $19$ $38$ $19$ $38$ $19$ $38$ $19$ $38$ $19$ $38$ $19$ $38$ $19$ $38$ $19$ $38$ $19$ $38$ $19$ $38$ $39$ $40$ $47$ $48$ $47$ $48$ $47$ $48$ $49$ $50$ $111$ $13$ $10$ $100$ $110$ $100$ $110$ $100$ $110$ $100$ $110$ $100$ $110$ $100$ $1100$ $100$	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
II. SITE DESCRIPTION	City Imining (1) (1) (2) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	1= struct. system 2= Primary exterior finish 3= .Both 1 & 2 4= Second exterior finish 0=Unknown 1=Known
FFICE USE ONLY	2245ArchitectOFFICE USE ONLY Soil AssociationEcozone Area Signf CR Type Verified Site Non-Site4143444546474849State RegistryNational RegisterE C F T F MS Number5051525354	

iade T

I. SITE I.D.	Map Quad LTLa	SITS # State County Site Number 3 2 WD $66611$ $13$ $15$ $18Twp R Sec QQQ QQ Q40$ $47$ $48$ $49$ $50Twpa Ra Seca QQQa QQa Qa70$ $77$ $78$ $79$ $80$	1. N5 2. E5 3. S5 4. W5 5. NE5 6. SE5 7. SW5 8. NW5 9. C
-	City Mii Inlo 141 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1812JMAIN ENTRANCE	
	Street # $\begin{bmatrix} 1 & 1 & 1 & 1 \\ 19 & 23 \\ \end{bmatrix}$ Street Name $\begin{bmatrix} 5 &  M  = 1 & 1 & 1 & 1 \\ 25 & 42 \\ \end{bmatrix}$	BUILDING MATERIALS 24 Unknown 43 Asbestos Siding/Shingle 44 Asphalt Siding/Shingle	l= struct.
	SITE COMPONENTS 46 51 Barn 53 48 51 53 53 53 53 53 53 53 53 53 53	453Brick 50Clay Tile 57Cloposition Board	system
	58       Chicken Coop       60       pre-1880         62       Corral/Enclosure       64       1880-1900         66       General Storage       68       1900-1915         70       Grain Storage       72       1915-1930         74       Privy       76       1930-1945         78       Well/Windmill       80       post-1945	61LConcrete Block 65L_Concrete, Poured/Cast 69L_Earth/Clay 73L_Earthen Brick 77L_Glass, Block 1L_Glass, Pigmented	2= Primary exterior finish
DESCRIPTION	2       Workshop         8       Dwelling:Multiple       CONDITION         11       Dwelling:Sngl/Mobile       13       Excellent         15       Dwelling:Sngl/Perm       17       Good         19       Hotel/Motel       21       Fair	4LJLog 7LJMetal, Decorative 10LJMetal, Frame 14LJMetal, Horiz. Siding 18LJMetal, Sheet 22LJPerma-Stone 26LJPlastic, Vinyl	3= Both 1 & 2
II. SITE	27 Gravestone/Marker29 Destroyed31 Commercial/OfficeSIGNIFICANCE34 Educational36 Eligible38 Engineering Struc.40 Not Eligible42 Governmental44 Contributing46 Health Care48 Non-contrib.	30 Pole 33 1 Stone, Cut 37 J Stone, Uncut 41 J Stucco/Plaster 45 J Tarpaper 49 J Thatch	4= Second exterior finish
	50Industrial/UtilityPLAN SHAPE53Military55Circular57Religious59Irregular61Social/Recre/Arts63L-Shaped65Transportation67Polygonal69Warehouse71Rectangular	52لال Wood, Frame 56لال Wood, Horz. Siding 60لال Wood, Shingle/Shake 64لال Wood, Vert. Siding 68لال Other	
	73 L Other 78 L T-Shaped 3 L U-Shaped 7 L Other	<b>PORCH</b> 79لیا Original 4لیا Addition/Altered 8لیا Removed/None	
	Fieldwork Date $0   0   0   3   5   5   10$ 10 0ther Info. $1   1   1   1   1   1   1   1   1   1 $	16 LOO Ethnic 18 OBuilder 19 OG Style 21 OEngineer 19 IIIIIII 46 ODesigner/ 45 Architect	0=Unknown 1=Known
E ONLY	OFFICE USE ONLY Soil Association Ecozone Area Signf CR Type Ver	rified Site Non-Site	
OFFICE USE	41 43 44 45 46 47 48 State Registry National Register E C F T F	49 MS Number	
0FF	50 51 52 53	54 60	].

Field C	ode_RTI85MT016_	Page 2		SITS NUM	MBER 32WD866
ACCESS					
DESCRIP	TION OF SITE Origi	nal Minot, Lots	6 and 7, B1	ock 3	
SIG. FE	AT. commerical b	lock -1; commeri	cal block -	2	
NON-SIG	• FEAT				
OWNER'S	NAME, ADDRESS, AND 200 7th Ave. S.E.,	PHONE NUMBER	Majorie J.	Kermott, Schoo	enwald Investment
FEATURE	#	NAME IN NAME BL	.0CK		
BASEMENT yes no x unknown other WINDOWS Original x Altered	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$ \begin{array}{c} \hline 1 \\ 1 \\ 1 \\ 2 \\ \hline 2 \\ 1/2 \end{array} $	Metal	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1907 Sanborn Map( Topo Map(s) 1907 Other Ward Co. Independent
ARCH	ITECTURAL SIGNIFICA	NCE		HISTORICAL SI	GNIFICANCE
Work of Ma High Artis X Rep. of ty method of	ster V tic Values T pe, period, L construction X	isual Landmark oo new to be eli acking integrity ot High Style	gAss Ass XAss	ociated with	significant person significant event development of
to the south store fronts	IPTION: The brick are laid in a conti were remodeled to s	nuous running bo erve a single bu	ond. In 196 Isiness, But	7 (City Asses tery's, a ret	sor's Card) both ail store. Pre-

sently, they are abandoned. Despite above alterations the second story facade retains original limestone details including: the coping and base molds set below recessed brick panels of the parapet; the architrave surrounds and continuous sills which frame the Chicagolike windows with transoms; and the elaborate first floor cornice (pressed metal) with dentil: (obscured from view of modern awning).

OTHER HISTORICAL INFORMATION: This building originally housed Emerson and Sons Arcade Theatre, which offered "moving picture and vaudville shows". This enterprise was owned by Richard A. Emerson and his son Lewis, operators of a Cigar and News store situated on North Main, as well (WCI 26 Dec. 1907, p.1).

COMMENTS/REFERENCES:

Recorded by RTI-MEM

Date 6-27-85

I UNC T

	ARCHITECTORAL STIES	
I. SITE I.D.	Field Code R = T + B = S = M = 10 Site Name 10 Site Name 19 Map Quad 51	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 2 6. SE <sup>1</sup> 2 7. SW <sup>1</sup> 2 8. NW <sup>1</sup> 2 9. C
Í	City Min 10 1+11 11 11 11 11 11 11 11 11 11 11 11 1	
	117Street #1923BUILDING MATERIALS24Unknown25242642SITE COMPONENTSFEATURE DATA464851Barn535354Chicken Coop6260641880-190066General Storage70Grain Storage71	l= struct. system 2= Primary exterior finish
II. SITE DESCRIPTION	78       Well/Windmill       80       post-1945       1       Glass, Pigmented         2       Workshop       4       Log         8       Dwelling:Multiple       CONDITION       10       Metal, Frame         11       Dwelling:Sngl/Mobile       13       Excellent       14       Metal, Horiz. Siding         15       Dwelling:Sngl/Perm       17       Good       18       Metal, Sheet         19       Hotel/Motel       21       Fair       22       Perma-Stone         23       Garage/Carriage House       25       Poor       26       Plastic, Vinyl         27       Gravestone/Marker       29       Destroyed       30       Pole         31       Commercial/Office       SIGNIFICANCE       33       Stone, Cut         34       Educational       36       Eligible       37       Stone, Uncut         34       Engineering Struc.       40       Not Eligible       41       Stucco/Plaster         42       Governmental       44       Contributing       45       Tarpaper         46       Health Care       48       Non-contrib.       49       Thatch         50       Industrial/Utility       Storcular <td< td=""><td>3= Both 1 &amp; 2 4= Second exterior finish</td></td<>	3= Both 1 & 2 4= Second exterior finish
	57       Irregular       60       Wood, Shingle/Shake         61       Social/Recre/Arts       63       I-Shaped       64       Wood, Vert. Siding         65       Irregular       67       Polygonal       68       Other         69       Warehouse       71       Rectangular       68       Other         73       Other       75       Square       PORCH         78       I-Shaped       79       Original         3       U-Shaped       8       Removed/None         Fieldwork Date       0       15       16       18       Builder         10       15       15       16       18       21<	0=Unknown 1=Known
OFFICE USE ONLY	Other Info.       13       13       19       10       21       119       10       119       10       119       10       119       10       119       10       119       10       119       10       119       10       119       10       119       10       119       10       119       10       119       10	
0		<b>1</b>

Field C	ode RTI85MT016	Page 2		SITS NU	MBER 32010866
ACCESS					
DESCRIP	TION OF SITE				
SIG. FE	AT				
NON-SIG	. FEAT				<u> </u>
OWNER'S	NAME, ADDRESS, AND PH	IONE NUMBER			
FEATURE	# <u>2</u> N/	AME IN NAME B	LOCK		
yes no x unknown	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	1	None X Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1904 Sanborn Map(s) Topo Map(s) 1903-07 Other Ward Co. Tax Lists
Work of Ma High Artis Rep. of ty	tic Values Too pe, period, X Lac	ual Landmark	$\underline{x}$ Ass	ociated with	<u>GNIFICANCE</u> significant person significant event development of

FEATURE DESCRIPTION: It appears that a more recent brick veneer covers the original facade of this early 20th century commerical block. In 1967 (City Assessor's Card) this store front along with the adjoined building north (feature 1) were remodeled to serve a single business, Buttrey's, a retail store. Presently they are abandoned. The rear portion of this building, a single story cinder block addition with a basement vestibule, was constructed sometime after 1932.

OTHER HISTORICAL INFORMATION: Christopher A. Johnson, a partner in the law firm of Johnson and Nestos, owned the property in 1904 when this building was erected. A grocery originally occupied the main level with office space including Johnson and his partner Ragnvold Nestos, law firm, situated above. In the early 1920s Nestos served as governor of North Dakota (1905 Polk's City Directory; 1904 Sanborn Map).

.

COMMENTS	/REF	ERENCES	
----------	------	---------	--

Recorded by RTI-MEM

Date 6-27-85

Field Code RT185MTO16


S	I	Т	S	N	u	m	b	e	r	,

er<u>32WD866</u>

Feature

B.W. Photo I.D. Code RTI85MT-Roll 26

Frame 32




## Feature


B.W. Photo I.D. Code RTI85MT-Roll

Frame

Storage I	Location	NDCRS
Recorded	By J	H

Date 12/85
------------





Feature

	B.W. Photo I.D. Code	RTI85MT-Roll	Frame
Storage Location	NDCRS		
Recorded By 521	+	Date_	12/85


# Field Code RTI85MTOIL

SITS Number 32WD866

Feature 2

B.W. Photo I.D. Code RTI85MT-Rolla

## Frame 33




Feature\_\_\_\_

B.W. Photo I.D. Code RTI85MT-Roll

Frame\_\_\_\_

Storage Location NDCRS Recorded By JLH

Date	2	8	5



Feature\_\_\_\_

B.W. Photo I.D. Code RTI85MT-Roll 26 Frame 20

B.W. Photo I.D. Code RTI85MT-Roll Frame Storage Location NDCRS Date 12/85 Recorded By JLH

.#

lade T

 $\mathcal{L}_{i}$ 

I. SITE I.D.	Map Quad MINOT LTLa	SITS # State County Site Number <u>3 2</u> <u>WD</u> <u>86.7</u> <u>11</u> <u>13</u> <u>15</u> <u>18</u> Twp R Sec QQQ QQ Q <u>40</u> <u>47</u> <u>48</u> <u>49</u> <u>50</u> Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub> <u>70</u> <u>77</u> <u>78</u> <u>79</u> <u>80</u>	1. N <sup>1</sup> 2 2. E <sup>1</sup> 2 3. S <sup>1</sup> 2 4. W <sup>1</sup> 2 5. NE <sup>1</sup> 4 6. SE <sup>1</sup> 4 7. SW <sup>1</sup> 4 8. NW <sup>1</sup> 4 9. C
	$\begin{array}{c} \textbf{City} [M]_{i} [n]_{0} [t] \\ 1 \end{array}$	1814 MAIN ENTRANCE	
SITE DESCRIPTION	1       17         Street #       19       23         Street Name       19       23         Street Name       10       10         25       42         SITE COMPONENTS       FEATURE DATA         46       12       48         51       10       10         11       10       11         11       10       11         11       10       11         11       10       11         11       10       11         12       10       11         13       11       11         14       11       11         15       11       11         16       11       11         17       11       11         15       10       11         16       11       11         17       11       11         14       11       11         15       11       11       11         16       11       11       11         17       11       11       11         17       11       11       11	BUILDING MATERIALS 24 UNknown 43 Asbestos Siding/Shingle 44 Sphalt Siding/Shingle 45 Brick 50 Clay Tile 57 Composition Board 61 Concrete Block 65 Concrete, Poured/Cast 69 Earth/Clay 73 Earthen Brick 77 Glass, Block 1 Glass, Pigmented 4 Clog 7 Metal, Decorative 10 Metal, Frame 14 Metal, Horiz. Siding 18 Metal, Sheet 22 Perma-Stone 26 Plastic, Vinyl 30 Pole 33 Stone, Cut	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4=
.11.	34       Engineering Struc.         38       Engineering Struc.         42       Governmental         46       Health Care         50       Industrial/Utility         57       Religious         61       Social/Recre/Arts         65       Transportation         69       Other         73       Other         Fieldwork Date       0         0       0         61       0         0       0         0       0         65       0         73       0         65       0         74       0         75       0         76       0         77       0         78       0         75       0         76       0         77       0         78       0         78       0         78       0         78       0         78       0         78       0         78       0         78       0	37 J Stone, Uncut 41 Stucco/Plaster 45 Tarpaper 49 Thatch 52 Wood, Frame 56 Wood, Horz. Siding 60 Wood, Shingle/Shake 64 Wood, Vert. Siding 68 Other PORCH 79 Original 4 Addition/Altered 8 Removed/None 16 OQ Ethnic 18 DBuilder	Second exterior finish 0=Unknown
	10 15 Other Info. <u>22</u>	19 GIQI Style 21 QIEngineer 46 QIDesigner/ 45 Architect	1=Known
	OFFICE USE ONLY Soil Association Ecozone Area Signf CR Type Ver	rified Site Non-Site	
USE	41 43 44 45 46 47 48 State Registry National Register E C F T F	49 MS Number	, .
OFFICE	50 51 52 53	54 60	•

Field Code R	TI85MT011
--------------	-----------

....

Page 2

SITS NUMBER 32WEEF/

SIG FI	EAT. commerical block	_1	<u></u>			
	G. FEAT.					
OWNER'S	S NAME, ADDRESS, AND PH Samuelson's Shoes; 15	ONE NUMBER S. Main St.,	A. and H.W. Minot, N.D.	and Hankla ar ; (701) 838-30	nd Alice Samue 027	elson;
FEATURE	E # NA	ME IN NAME B	_0CK		and a state of the	<b></b>
BASEMENT x yes no unknown other VINDOWS Original x Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone Poured Concrete Refaced X Unknown Other	$     \begin{array}{r} \underline{STORIES} \\                                    $	CORNICE Metal Brick None X Wood Other	ROOF TYPE Gable Hipped Deck Gambrel Flat Other	Cou Date 1904 San	t Map(s) nty Atlas e Block born Map(s o Map(s) er
ARCH	HITECTURAL SIGNIFICANCE		, , , , , , , , , , , , , , , , , , ,	HISTORICAL SI	GNIFICANCE	
Work of Ma High Artis Rep. of ty method of	stic Values Too ype, period, X Lack	al Landmark new to be el ing integrit High Style	ig. — Ass	ociated with ociated with ociated with locality	significant e	vent
method of FEATURE DESCR facade veneer	vpe, period, x Lack	ing integrit. High Style ssor's Card ck addition	y <u>x</u> Ass seems to imp were added t	ociated with locality ly the 1964 ne o another bui	development o ew store from lding. Howev	f t,

OTHER HISTORICAL INFORMATION: The 1904 Sanborn Map (earliest for Minot) depicts a brick building, with a concrete frame, at this location.

COMMENTS/REFERENCES:

Recorded by RTI-FLQ


Date 6-22-85

## Field Code RT185MTOIL


Feature

B.W. Photo I.D. Code RTI85MT-Roll 20

Frame 7



Storage Location <u>NDCRS</u> Recorded By J2H



Feature B.W. Photo I.D. Code\_RTI85MT\_Roll 20 Frame

Date	12	8	5	

iaye 1

C

I. SITE I.D.	Field Code $R.T.I. \textcircled{B.5.M.T.O.I. \textcircled{B}}_{10}$ Site Name L. I. I. N. A. e.r. D.r. &	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>3</sub> 6. SE <sup>1</sup> / <sub>3</sub> 7. SW <sup>1</sup> / <sub>3</sub> 8. NW <sup>1</sup> / <sub>3</sub> 9. C
II. SITE DESCRIPTION	City Milling in the intermediate21Street Name 1221Street Name 12Malous IntermediateStreet Name 12Malous IntermediateAddition Matern 12Street Name 12Malous IntermediateAddition Matern 12Street Mame 12Malous IntermediateAddition Matern 12Street Mame 12Malous IntermediateAddition Matern 12Const. DateStreet Mame 12Const. DateStreet Mame 12Const. DateStreet Marker 29Dest. Poon2Const. DateStreet Marker 29Dest. Poon22 </td <td>1= struct. system 2= Primary exterior finish 3= Both 1 &amp; 2 4= Second exterior finish</td>	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish
OFFICE USE ONLY	Fieldwork Date $0.6$ $2.58.5$ 16 $0.0$ Ethnic 18 $0.0$ Builder 19 $1.0$ Style 21 $0.0$ Engineer 21 $0.0$ Ethnic 18 $0.0$ Engineer 21 $0.0$ Engineer 46 $0.0$ Designer/ ArchitectOFFICE USE ONLY Soil AssociationEcozone Area Signf CR Type Verified Site Non-Site4143444546474849State RegistryNational RegisterE C F T F MS Number505152535460	0=Unknown 1=Known

• .

Field C	ode RT185MT018	Page 2		SITS NUM	IBER 32WD868
ACCESS_					
DESCRIP	TION OF SITE Origin	al Minot, Lot 8	, Block 3		
SIG. FE	AT. commerical b	lock -1			
NON-SIG	. FEAT				
OWNER'S P.O	NAME, ADDRESS, AND . Box 333, Surrey, N	n		l Doris June F	Patton;
FEATURE	#1	NAME IN NAME BLO	0CK		
BASEMENT 	FOUNDATION MATERIAL Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$ \begin{array}{c}                                     $	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1904 Sanborn Map( Topo Map(s) Other 1903-07
ARCH	ITECTURAL SIGNIFICAN	CE	ŀ	ISTORICAL SIG	GNIFICANCE
Work of Ma High Artis X Rep. of ty method of	ster Vi tic Values To pe, period, La construction X No	sual Landmark o new to be elig cking integrity t High Style	g. <u>Asso</u> X Asso	ociated with s ociated with s ociated with o locality	significant person significant event development of

FEATURE DESCRIPTION: Over the years this building has been extensively altered. City Assessor records show that 3' of the main (west) wall, which extended over the adjoining building to the north, was removed (1953); the store front remodeled (1964); aluminum infills with aluminum sash windows placed in the upper story windows; and a new opening punctured for an apartment loft window (1981). Remains of the original facade include pilaster-like elements composed of header and stretcher stacked brick topped with limestone blocks. Originally the rear section of the structure was a single story. Since then a two story brick addition has been attached.

OTHER HISTORICAL INFORMATION: Christopher A. Johnson, a partner in the law firm of Johnson and Nestos, owned this property when this building was erected (ca. 1904) and for several years thereafter. Johnson also owned the adjoining building (north) and operated his law practice out of it. A drug store operated by W. B. Hawley originally occupied the main level of this building (1905 Polk's City Directory).

**COMMENTS/REFERENCES:** 

Recorded by RTI-MEM

Date 6-27-85

# Field Code RTI8SMTO18

SITS Number 32WD868

Feature B.W. Photo I.D. Code RTI85MT-Roll 20 Frame 34




Feature

B.W. Photo I.D. Code RTI85MT-Roll

Frame

Storage Location NDCRS Recorded By JLH

Date	12	85



	B.W. Photo I.D. Co	ode	RTI85MT-Roll	Frame
Storage Location	NDCRS			
Recorded By MEM			Date_	12/85

iane T

 $\boldsymbol{<}$ 

I. SITE I.D.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	SITS # State County Site Number 3.2. $(MD)$	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>4</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
II. SITE DESCRIPTION	City [M] []N] 9[C       17         Street #       19       23         Street Name [S] [M]A 1  N       5 4          25       SITE COMPONENTS       FEATURE DATA         46 [D]] # of Features       48 [D]] Feature #         51 []] Barn       53       []] []] []] []] []] []] []] []] []] []]	BUILDING MATERIALS 24 Unknown 43 Asbestos Siding/Shingle 42 44 Asphalt Siding/Shingle 45 Brick 50 Clay Tile 57 Composition Board 61 Concrete Block 65 Concrete, Poured/Cast 69 Earth/Clay 73 Earthen Brick 77 Glass, Block 11 Glass, Pigmented 44 Log 71 Metal, Decorative 10 Metal, Frame 14 Metal, Horiz. Siding 18 Metal, Sheet 22 Perma-Stone 26 Plastic, Vinyl 30 Pole 33 Stone, Cut 37 Stone, Uncut 51 Tarpaper 10 Mod, Frame 52 Wood, Frame 54 Wood, Vert. Siding 68 Other	1= struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish 0=Unknown 1=Known
OFFICE USE ONLY	41 43 44 45 46 47 State Registry National Register ECF1	45 Architect Verified Site Non-Site 48 49 F MS Number	
Ъ		53 54 60	la de la companya de

.

Field C	Field Code_RTI85MT010_		Page 2		SITS NUMBER 32W0869	
ACCESS						
DESCRIP	DESCRIPTION OF SITE Original Minot, North 8" Lot 15 and all Lot 16, Block 2					
SIG. FE	ATCommerical block	: -1				
NON-SIG	. FEAT.					
OWNER'S Mino	NAME, ADDRESS, AND F t, N.D.; (701) 839-28	PHONE NUMBER	Kenneth R.	Kruse; 628 7tł	n Ave. N.E.,	
FEATURE	#N	AME IN NAME B	_0CKTe	mple Court		
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIALS Brick Concrete Block X Fieldstone Cut Stone Poured Concrete Refaced Unknown Other	$\frac{5}{2} \qquad \frac{5}{2} \qquad \frac{1}{1} \qquad \frac{1}{1} \qquad \frac{1}{1} \qquad \frac{1}{2} \qquad \frac{1}$	CORNICE Metal X Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1907 Sanborn Map(s) Topo Map(s) undated Other City Assessor's Card	
Work of Ma High Artis x Rep. of ty	ITECTURAL SIGNIFICANC ster tic Values pe, period, construction Not	 sual Landmark o new to be el cking integrit	ig. <u>x</u> Ass Ass y x Ass	ociated with s	GNIFICANCE significant person significant event development of	
FEATURE DESCR	IPTION: The present	anodized alum	inum store f	ront has been	installed since	

1980 (City Assessor's Card). Second floor window openings have been in-filled with stucco and modern casements. Second floor corbelled brick ornamentation and the sandstone continuous sill and coping are intact on this ornate, early 20th century commerical building.

OTHER HISTORICAL INFORMATION: Original owner of this building was James Johnson, a lawyer whose office was at this address but who lived in nearby Burlington (1907 and 1908 Ward Co. Tax Assessor's Lists; 1909 Polk's City Directory). Johnson and his father-in-law James Colton, founded the nearby town of Burlington in 1883.

### COMMENTS/REFERENCES:

Recorded by RTI-FLQ

Date 6-22-85

# Field Code RT185MTOID

SITS Number 577 VI2869


Feature )

B.W. Photo I.D. Code RTI85MT-Roll 20

Frame



Storage Location\_\_\_NDCRS\_\_\_\_\_ Recorded By JLH



Feature B.W. Photo I.D. Code\_RTI85MT-Roll 20 Frame 14

Date 2	85
--------	----

iade T

.

Asp Quad       III.a       Twp.a       R. Sec.a       QOQ.a       QQ.a       7. SWa         Si       GS       GS       To	SITE I.D.	Field Code R.T.J. 8.5 M.T.O.J. 9. I IO Site Name E.r.e.e.n.9 A.r.d.s. Ig 38 39 Map Quad LTL	1 5 5 8 3 2 4 8 7 9 40 47 48 49 50	1. N년 2. E년 3. S년 4. W년 5. NE년 6. SE년 7. SW년
City (M):Inla[1]         If City (M):Inla[1]         Street Name G: Inla[1]         Street Name G: Inla[1]         Street Name G: Inla[1]         Street Name G: Inla[1]         Street Name G: Inla[2]         Street Name	Ι.			8. NW1/4
Street #       BuilDING MITERALS         Street Name       51 Malitin       1511         Street Name       51 Malitin       51 Malitin         Street Name       52 Malitin       51 Malitin         Street Name       52 Malitin       51 Malitin         Street Name       52 Malitin       51 Malitin         Street Name		City Michaelt	18 Z MAIN ENTRANCE	
Street Name $\underline{S}_{1} = [M_{1}\underline{a}_{1} + 1\underline{1} + 1 + 11$				
SITE COMPONENTS       FEATURE DATA       45.3LBrick       system         66 (211)# of Features       g8 (21) Feature       57 (200) Clay Tile       58 (200) Clay Tile<		Street Name [S.] [M]a]. [n] [5]+[] [] [] [] [] []	43 Asbestos Siding/Shingle	
46 (2) If of Features       48 (2) If Feature #       50 (1) If Peature			$44 \square Asphalt Stating/Sningle 45 \squareBrick$	
SEChicken Coop       60 pre-1880       61Concrete Block       2=         S2Corral/Enclosure       641880-1900       65Concrete, Poured/Cast       Primary         66Grain Storage       661900-1915       69Earth/Clay       Primary         70Grain Storage       721915-1930       73Earthen Brick       Finish         74Privy       761930-1945       73Grass, Pigmented       4000         2Workshop       0UMetal, Decorative       3=         11Dwelling:Sngl/Mobile       13Excellent       14Metal, Horiz. Siding       Both         12Gravestone/Marker       25Poor       260Patic, Vinyl       3=       Both         23Gravestone/Marker       25Poor       260Patic, Vinyl       3=       Scond       exterior         31Ormental       10Note:       11Signerted       4=       Scond       exterior         32Gravestone/Marker       29Decorpted       30Decorpted       30		$46 \left[ \bigcirc 1 \right] $ # of Features $48 \left[ \bigcirc 1 \right]$ Feature #	50LIClay Tile	
10       Corral/Enclosure       64       1880-1900       65       Concrete Poured/Cast GPU Earth/Clay exterior         66       General Storage       62       1900-1915       69       Earth/Clay exterior         70       Grain Storage       72       1915-1930       73       Earthen Brick       finish         74       Privy       76       1930-1945       77       Glass, Block       finish         74       Well/Windmill       80       post-1945       77       Glass, Block       finish         21       Well/Windmill       80       post-1945       71       Glass, Block       finish         8       Dwelling:Sngl/Mobile       13       Excellent       14       Metal, Frame       3=         11       Dwelling:Sngl/Mobile       13       Excellent       14       Metal, Horiz, Stiding       Both         12       Dwelling:Sngl/Mobile       22       Fair       22       Perma-Stone       Both         13       Garage/Carriage House       25       Poor       26       Plastic, Vinyl       3         21       Garage/Carriage House       25       Poor       26       Wood, Frame       Second         310       Chineerial/Kecre/Arts       67				
66       General Storage       68       1900-1915       69       Earth/Clay       Exterior         70       Grain Storage       72       1915-1930       73       Earthen Brick       finish         70       Privy       76       1930-1945       77       Glass, Block       finish         72       Workshop       10       Glass, Pigmented       dulog       finish         71       Dwelling:Multiple       CONDITION       10       Metal, Horiz. Siding       Both         11       Dwelling:Sng1/Mobile       13       Excellent       14       Metal, Horiz. Siding       Both         15       Dwelling:Sng1/Motel       21       Fair       22       Perma-Stone       3a       Both         23       Garage/Carriage House       25       Poor       26       Plastic, Vinyl       2a       Garage/Carriage House       2b       Dost not Eligible       37       Stone, Cut       4a         24       Governmental       4a       Contributing       4s       Tarpaper       finish         310       Conwercial/Office       SIGNIFICANCE       33       Stone, Cut       4a         44       Contributing       4s       Tarpaper       finish			61Concrete Block	
00       Grain Storage       72       1915-1930       73       Earthen Brick       finish         74       Privy       76       1930-1945       77       Glass, Block       finish         74       Well/Windmill       80       post-1945       77       Glass, Pigmented         21       Workshop       4       Llog       71       Metal, Pecorative       3         21       Dwelling:Sngl/Mobile       13       Excellent       14       Metal, Sheet       1 & 2         19       Motel/Motel       21       Fair       22       Perma-Stone       3       Both         21       Gravestone/Marker       29       Destroyed       30       Pole       4       Second         31       Guarational       36       Eligible       37       Stone, Cut       4=         32       Gravestone/Marker       29       Destroyed       30       Pole       4       Second         31       Motelling:super       40       Not Eligible       37       Stone, Cut       4=       Second         32       Governmental       44       Contributing       45       Tarpaper       finish         45       Storal/Recre/Arts       63 </td <td></td> <td>•</td> <td></td> <td></td>		•		
10       Privy       76       1930-1945       77       Glass, Pigmented         72       Well/Windmill       80       post-1945       10       Bass, Pigmented         21       Workshop       71       Glass, Pigmented       33         21       Dwelling:Sngl/Perm       13       Excellent       14       Metal, Frame       34         12       Dwelling:Sngl/Perm       17       God       1841       Metal, Frame       35         13       Excellent       14       Metal, Frame       34       Both         14       Metal, Sheet       1       8       21       Pair       22       Pair       23       Stone, Uncut       Second         31       Educational       36       Eligible       37       Stone, Uncut       Second       exterior         32       Educational       46       Not Eligible       37       Stone, Uncut       Second         34       Educational       55       Gircular       So       So       Stone, Uncut       Second         55				1
78       Well/Windmill       80       post-1945       1Glass, Pigmented         21       Workshop       7Metal, Decorative       3Metal, Parame       3Metal, Parame         8       Dwelling:Sngl/Mobile       13       Excellent       14       Metal, Sneet       18         11       Dwelling:Sngl/Mobile       17       LGood       18       Metal, Noriz, Siding       Both         12       Garage/Carriage House       25       Poor       26       Plastic, Vinyl       Both         27       Gravestone/Marker       29       Destroyed       30       Pole       4=         31       Educational       36       Eligible       37       Stone, Uncut       4=         34       Educational       36       Eligible       37       Stone, Uncut       4=         34       Educational       36       Eligible       41       Stone, Uncut       4=         35       Educational       36       Eligible       37       Stone, Uncut       4=         36       Eligible       37       Stone, Uncut       4=       Second       exterior         36       Industrial/Utility       Flam       Shaped       64       Mood, Vert. Siding			· •	
000000000000000000000000000000000000				
23       Garage/Carriage House       25       Poor       26       Platic, Vinyl         27       Gravestone/Marker       29       Destroyed       30       Pole         27       Gravestone/Marker       29       Destroyed       30       Pole         31Q       Gomercial/Office       33       Stone, Cut       4=         34       Educational       36       Eligible       37       Stone, Uncut       Second         38       Engineering Struc.       40       Not Eligible       41       Larpaper       Finish         46       Health Care       48       Non-contrib.       49       Thatch       Second         50       Industrial/Utility       PLAN SHAPE       52       Wood, Frame       Siding         57       Religious       59       Irregular       60       Wood, Vert. Siding         61       Jocial/Recre/Arts       63       L-Shaped       74       Wood, Vert. Siding         65       Jocial/Recre/Arts       63       L-Shaped       79       Original         31       U-Shaped       79       Original       Julace       0=Unknown         14       Reclassion       16       Ethnic       18       Oues	z	2 Lulu Workshop		
23	01			2-
23	IPI			
23       Garage/Carriage House       25       Poor       26       Platic, Vinyl         27       Gravestone/Marker       29       Destroyed       30       Pole         27       Gravestone/Marker       29       Destroyed       30       Pole         31Q       Gomercial/Office       33       Stone, Cut       4=         34       Educational       36       Eligible       37       Stone, Uncut       Second         38       Engineering Struc.       40       Not Eligible       41       Larpaper       Finish         46       Health Care       48       Non-contrib.       49       Thatch       Second         50       Industrial/Utility       PLAN SHAPE       52       Wood, Frame       Siding         57       Religious       59       Irregular       60       Wood, Vert. Siding         61       Jocial/Recre/Arts       63       L-Shaped       74       Wood, Vert. Siding         65       Jocial/Recre/Arts       63       L-Shaped       79       Original         31       U-Shaped       79       Original       Julace       0=Unknown         14       Reclassion       16       Ethnic       18       Oues	C.R.			
23	ES			
11       11 <td< td=""><td></td><td></td><td></td><td></td></td<>				
11       11 <td< td=""><td>L</td><td></td><td></td><td></td></td<>	L			
38       Engineering Struc.       40       Not Eligible       41       Stucco/Plaster       exterior         42       Governmental       44       Contributing       45       Tarpaper       finish         46       Health Care       48       Non-contrib.       49       Thatch       finish         50       Industrial/Utility       PLAN SHAPE       52       Wood, Frame       finish         51       Military       55       Circular       56       Wood, Horz. Siding       finish         61       Social/Recre/Arts       63       L-Shaped       64       Wood, Vert. Siding       finish         65       Transportation       67       Polygonal       68       Other       off       finish         73       Other       75       Square       PORCH       finish       finish       generical         74       Other       75       Square       79       Original       generical       gen	S			
38	11	-	-	1
46       Health Care       48       Non-contrib.       49       Thatch         50       Industrial/Utility       PLAN SHAPE       52       Wood, Frame         51       Military       55       Circular       56       Wood, Horz. Siding         57       Bilgious       59       Irregular       60       Wood, Shingle/Shake         61       Social/Recre/Arts       63       L-Shaped       64       Wood, Vert. Siding         65       Transportation       67       Polygonal       68       Other         69       Warehouse       71       Rectangular       79       Original         73       Other       75       Square       PORCH         78       T-Shaped       79       Original         3       U-Shaped       4       Addition/Altered         71       Other       8       Removed/None         Fieldwork Date       016       15       16       Ethnic       18       Builder         10       15       19       10       15       Architect         0ther Info.       44       45       46       47       48       49         Soil Association       Ecozone       Area				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
53       Military       55       Circular       56       Wood, Horz. Siding         57       Religious       59       Irregular       60       Wood, Shingle/Shake         61       Social/Recre/Arts       63       L-Shaped       64       Wood, Vert. Siding         65       Transportation       67       Polygonal       68       Other         69       Warehouse       71       Rectangular       79       Original         73       Other       75       Square       PORCH         78       T-Shaped       79       Original         3       U-Shaped       4       Addition/Altered         71       Other       8       Removed/None         120       15       16       Ethnic 18       0         0ther Info.       12       12       46       0       1=Known         1=Known       VFFICE USE ONLY       44       45       46       47       48       49         State Registry       National Register       E C F T F       MS Number       50       51       52       53       54       60				
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		53 Military 55 Circular		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				
73 $\$ 0ther 75 $\$ Square 78 $\$ T-Shaped 3 $\$ U-Shaped 79 $\$ 0riginal 3 $\$ U-Shaped 71 $\$ 0ther 8 $\$ Removed/None Fieldwork Date $\left[0_{16} \left[258_{15}\right] \\ 10 \\ 10 \\ 15 \\ 0 \\ 15 \\ 15 \\ 19 \\ 10 \\ 19 \\ 10 \\ 19 \\ 10 \\ 19 \\ 10 \\ 19 \\ 10 \\ 10$			68 LL Other	
$78 \sqcup T-Shaped 79 \sqcup Original 3 \sqcup U-Shaped 4 \sqcup Addition/Altered 8 \sqcup Removed/None  Fieldwork Date 0 \lor 0 \lor 5 \lor 0 \lor 5 \lor 0 \lor 5 \lor 016 \Box Ethnic 18 \Box Builder18 \Box Builder19 \Box Style 21 \Box Engineer19 \Box Style 21 \Box Engineer46 \Box Designer/45 ArchitectOFFICE USE ONLY Soil Association Ecozone Area Signf CR Type Verified Site Non-Site41 43 44 45 46 47 48 49State Registry National Register E C F T F MS Number50 51 52 53 54 6079 \sqcup 0riginal 41 43 44 45 46 47 48 49$			PORCH	
7 L Other8 L Removed/NoneFieldwork Date $0 + 0 + 5 + 8 + 5 + 5 + 5 + 5 + 5 + 5 + 5 + 5$		78LLI T-Shaped	79LLI Original	
Fieldwork Date $0.66258.51$ 16 0.0 Ethnic 18 Builder 19 0.0 Style0=Unknown 1=KnownOther Info.1516 0.0 Ethnic 18 0.0 Builder 21 0.0 Engineer 46 0.0 Designer/ Architect0=Unknown 1=KnownOFFICE USE ONLY Soil AssociationEcozone Area Signf CR Type Verified Site Non-Site0=Unknown 46 0.0 Designer/ Architect4143444546474849505152535460				
10       15       19 Q Style       21 Q Engineer       1=Known         Other Info.       1       46 Designer/ Architect       1=Known         OFFICE USE ONLY Soil Association       Ecozone       Area Signf       CR Type       Verified Site       Non-Site         41       43       44       45       46       47       48       49         State Registry       National Register       E C F T F       MS Number       50       51       52       53       54       60		7 Lud Other	8LLI Removed/None	
10       15       19 Q Style       21 Q Engineer       1=Known         Other Info.       1       46 Designer/ Architect       1=Known         OFFICE USE ONLY Soil Association       Ecozone       Area Signf       CR Type       Verified Site       Non-Site         41       43       44       45       46       47       48       49         State Registry       National Register       E C F T F       MS Number       50       51       52       53       54       60		Fieldwork Date 0162518151	161001 Ethnic 18101Builder	0=Unknown
Other Info.       1       46 Designer/ Architect         OFFICE USE ONLY Soil Association       Ecozone Area Signf CR Type Verified Site Non-Site         41       43       44       45       46         41       43       44       45       46       47       48       49         State Registry       National Register       E C F T F MS Number       60       60       60				
Image: Problem intermediationImage: Constraint of the state of the sta		Other Info.		
Soil AssociationEcozoneArea SignfCR TypeVerified SiteNon-Site4143444546474849State RegistryNational RegisterE C F T FMS Number505152535460			45 Architect	<b>k</b> .
$\overrightarrow{41}$ $\overrightarrow{43}$ $\overrightarrow{44}$ $\overrightarrow{46}$ $\overrightarrow{47}$ $\overrightarrow{48}$ $\overrightarrow{49}$ State RegistryNational RegisterE C F T FMS Number $\overrightarrow{50}$ $\overrightarrow{51}$ $\overrightarrow{52}$ $\overrightarrow{53}$ $\overrightarrow{54}$ $\overrightarrow{60}$	N		erified Site Non-Site	l
State Registry National Register E C F T F MS Number				1
State Registry National Register E C F T F MS Number	nsi	- · · · · · · · · · · · · · · · · · · ·		1
		State Registry National Register ECFTF	MS Number	<b>.</b> .
	FIC		inner inne	<b>.</b>
	0F			]

Field	Code_RTI85MT019	Page 2		SITS NU	MBER 32WD 870
ACCESS					
DESCRI	PTION OF SITE Origi	nal Minot, Lot	9, Block 3		
SIG. F	EAT. commercial b	lock 1			
NON-SI	G. FEAT				
OWNER' Min	S NAME, ADDRESS, AND ot, N.D.; (701) 838-	PHONE NUMBER	Marvin and S	ara B. Greeng	ard; 7 Souris Court,
	E #	-			
BASEMENT yes x no unknown other WINDOWS Original x Altered	FOUNDATION MATERIA Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$\frac{\text{LS}}{\text{LS}} = \frac{\text{STORIES}}{1}$ $\frac{1}{1} \frac{1}{1/2}$ $\frac{x}{2} \frac{2}{2} \frac{1/2}{3}$ $\frac{3}{0} \text{ Other}$	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel Stlat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1904 Sanborn Map( Topo Map(s) 1900-08 Other Ward Co. Tax Lists
ARC	HITECTURAL SIGNIFICA	NCE		HISTORICAL SI	GNIFICANCE
Work of M High Arti Rep. of t method of	aster stic Values ype, period, construction	'isual Landmark Too new to be el acking integrit lot High Style	igAss yAss yAss	ociated with ociated with ociated with locality	significant person significant event development of
	RIPTION: The expose e remodeled to their				

OTHER HISTORICAL INFORMATION: Mary Nash owned the lot when this building was erected and for several years thereafter (Tax Lists). Known as the Nash block this building originally contained furnished rooms and office space (1904 Sanborn Maps; 1905 Polk City Directory).

COMMENTS/REFERENCES:

Recorded by RTI-MEM

Date 6-27-85

<sup>1</sup> NDCRS SITE FORM Photo Section

## Field Code RT185MT019

SITS Number 32WD 870

Feature 1 B.W. Photo I.D. Code <u>RTI85MT-Roll</u> 20 Frame 35



Feature\_

B.W. Photo I.D. Code\_RTI85MT-Roll\_\_\_\_

Date 285


Frame

Storage Location NDCRS Recorded By JLH

### Field Code RTI85 MTOI9

SITS Number 32W0870

Feature\_\_\_\_




B.W. Photo I.D. Code RTI85MT-Roll 20 Frame 17

Feature

	B.W. Photo I.D. Code_	RTI85MT-Roll	Frame
Storage Location	NDCRS		
Recorded By me	m	Date	17185

LOAC T



SITE DESCRIPTION 11.

Field C	ode_RTI85MT009_	Page 2	SITS NU	JMBER <u>~2W087</u>
ACCESS_				
DESCRIP	TION OF SITE Origina	al Minot, Lot 15 1	ess North "8, Block	2
SIG. FE	AT. commerical bloc	< -1		
	. FEAT.			
OWNER'S		PHONE NUMBER Knowl		19 North 4th St.,
FEATURE	#	NAME IN NAME BLOCK		
yes 10 Jnknown	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other		NICE ROOF TYPE Metal Gable Brick Hipped None Deck Nood Gambrel Other X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block Sanborn Map( Topo Map(s) <u>undated</u> Other City Assessor's Card
ARCH	ITECTURAL SIGNIFICAN ster		HISTORICAL SI <u>x</u> Associated with Associated with <u>x</u> Associated with locality	

OTHER HISTORICAL INFORMATION: Original owner of this building was Ida M. LeSueur, wife of lawyer Arthur LeSueur. His firm, LeSueur, Bradford & Hurley had its office in this


building. Arthur LeSueur was one of the founders of the North Dakota Socialist Party, was elected president of the Minot City Commission in 1911, and was an early leader in the Non-Partisan League (1905 Ward Co. Tax Assessor's List; 1909 Polk's City Directory).


COMMENTS/REFERENCES:


Card).

Recorded by RTI-FLQ

Date 6-22-85







Storage L	ocation	NDCRS
Recorded	By_JL	H

Date_	12	85

LOAR T

	ARCHITECTURAL 5		
I. SITE I.D.	B.C.A.V.R.C. B.I.O.C.K. 19 Map Quad 51 68 68 68 68 68 68 68 68 68 68	SITS # State County Site Number 3.2. $(M)$ $(3)^{-2}$ 11 13 15 18 TL Twp R Sec QQQ QQ Q 2. $(5.51 \cdot 0.31 \cdot 2.41 \cdot 5.72 \cdot 8.31 \cdot 5.72	1. N <sup>1</sup> / <sub>2</sub> 2. E <sup>1</sup> / <sub>2</sub> 3. S <sup>1</sup> / <sub>2</sub> 4. W <sup>1</sup> / <sub>2</sub> 5. NE <sup>1</sup> / <sub>4</sub> 6. SE <sup>1</sup> / <sub>4</sub> 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub> 9. C
II. SITE DESCRIPTION	City Minine Interference       IT         Image: Street Name Simplement       Image: Simplement         25       Street Name Simplement         Street Name Simplement       Image: Simplement         26       SITE COMPONENTS       FEATURE DATA         46       Image: Simplement       Image: Simplement         46       Image: Simplement       Image: Simplement         51       Image: Simplement       Image: Simplement         52       Street Name Simplement       Image: Simplement         53       Image: Simplement       Image: Simplement         54       Image: Simplement       Image: Simplement         56       Image: Simplement       Image: Simplement       Image: Simplement         74       Image: Simplement       Image: Simplement       Image: Simplement       Image: Simplement         74       Image: Simplement       Image: Simplement       Image: Simplement       Image: Simplement       Image: Simplement         75       Image: Simplement       Ima	BUILDING MATERIALS 24 Unknown 43 Asbestos Siding/Shingle 42 44 Sphalt Siding/Shingle 45 Brick 50 Clay Tile 50 Concrete Block 65 Concrete, Poured/Cast 69 Earth/Clay 73 Earthen Brick 77 Glass, Block 11 Glass, Pigmented 4 Log 7 Metal, Decorative 10 Metal, Frame 14 Metal, Horiz. Siding 18 Metal, Sheet 22 Perma-Stone 26 Plastic, Vinyl 30 Pole 33 Stone, Cut 37 Stone, Uncut 10 Thatch 52 Wood, Frame 56 Wood, Horz. Siding 60 Wood, Shingle/Shake 64 Wood, Vert. Siding 68 Other	1= Struct. system 2= Primary exterior finish 3= Both 1 & 2 4= Second exterior finish 0=Unknown 1=Known
OFFICE USE ONLY	Other Info. 22 OFFICE USE ONLY Soil Association Ecozone Area Signf CR Type 41 43 44 45 46 47 State Registry National Register E C F T 50 51 52 5	Verified Site Non-Site 49 F MS Number	
0		NALEYA ALEYAR KARARARA DARIM MARAYARAKI SARAKARARARARARARARARARARARARARARARARARA	8

Field C	ode_RTI85MT008	Page 2		SITS NUM	18ER 32W0872
ACCESS					
DESCRIP Bloc	PTION OF SITE <u>Original</u> k 2	Minot Addit	ion, East 25'	Lot 13 and a	all of Lot 14,
SIG. FE	AT. commerical block	-1	and there are a strateging of the state of the	<del>,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>	
NON-SIG	. FEAT				
0WNER'S 628	NAME, ADDRESS, AND PH 7th Ave. N.E., Minot,	IONE NUMBER N.D.; (701)	Waldo W. Sch 852-2100	oenwald, c/o	Ken Kruse;
FEATURE	. # NA	ME IN NAME B	LOCK		
BASEMENT 	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	STORIES     1     1     1/2     x     2     2     1/2     3     0ther     1	CORNICE Metal Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas 1907 Date Block Sanborn Map(s) Undated Other City Assessor's Card
ARCH	ITECTURAL SIGNIFICANCE		н	ISTORICAL SI	GNIFICANCE
Work of Ma High Artis x Rep. of ty method of	tic Values Too pe, period,Lack	ual Landmark new to be el ing integrit High Style	ig. Asso y <u>x</u> Asso	ciated with s	significant person significant event development of

FEATURE DESCRIPTION: This L-shaped building has primary facades on both Main St. and 1st. Ave. S.E. Each facade originally had different designs and they appear even more different today since the Main St. facade was heavily remodeled in 1982 (City Assessor's Card). The store front and second floor window openings have been filled with aluminum and plate glass which dominate the facade, distracting from the relatively simple rectalinear parapet ornamentation and window openings. While the 1st Ave. S.E. facade was also significantly remodeled in 1975 (Assessor's Card), the original fabric has more distinctive character and thus more successfully depicts the age and associations of the building. The facade is comprised primarily of dark brown rock-faced brick with yellow brick ornamentation such as highlights in the corbelled parapet, hoodmould and keystone on each of the segmental arch window openings and belt courses in the side piers.

OTHER HISTORICAL INFORMATION: Original owner of this building, originally known as the Brauer Block, was F. F. Braver. Carl W. Braver, a real estate and loan agent, had his office in the Main St. store front (1906 and 1907 Ward Co. Tax Assessor's Lists; 1907 Polk's City Directories).

COMMENTS/REFERENCES: Recorded by RTI-FLQ

Date 6-22-85

## Field Code 27185 MT 008

SITS Number 32WD872

Feature\_\_\_\_\_ B.W. Photo I.D. Code <u>RTI85MT-Roll</u> 20 Frame **4** 

# N. Main ST Facade



Feature

B.W. Photo I.D. Code RTI85MT-Roll


Frame

Storage Location NDCRS Recorded By JLH


Date 12 85
------------

Field Code ATI8SMT008

SITS Number 32W0872



# E. CENTRAL Ave. Facade



B.W. Photo I.D. Code RTI85MT-Roll 20 Frame 16

Feature

	B.W. Photo I.D. Code_	RTI85MT-Roll	Frame	
Storage Location	NDCRS			
Recorded By me	m	Date	12185	

v		ARCHITECTURAL SITES	(and T	Ç.
I. SITE I.D.	Field Code <u>R.T.1.85 M.T.00.7</u> 1 10 Site Name <u>K.e.m.p.s.c.</u> , <u>B.1.0.c.K.</u> 19 Map Quad <u>M.</u> 1.N.	LTL Tw 38 39 40 LTL <sub>a</sub> Tw 0.7 68 69 70	SITS # State County Site Number <u>3.2</u> <u>WD</u> <u>87.3</u> <u>11</u> <u>13</u> <u>15</u> <u>18</u> wp R Sec 000 00 0 <u>5.8324</u> <u>5</u> <u>7</u> <u>8</u> <u>47</u> <u>48</u> <u>49</u> <u>50</u> wp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub> <u>77</u> <u>78</u> <u>79</u> <u>80</u> <u>1814</u> MAIN ENTRANCE	1. N= 2. E= 3. S= 4. W= 5. NE= 5. SE= 5. SW= 8. NW= 8. NW= 9. C
	City Miniciti I	17	BUILDING MATERIALS	
	Street $1 1 1 23$		24 Luknown	1
	Street Name [3.] [1.] [1.] [5.]+] 25	42	Asbestos Siding/Shingle السا43 Asbestos Siding/Shingle	l= struct.
	SITE COMPONENTS	FEATURE DATA 뜨니니 Feature #	45 Brick 50 LuClay Tile	system
	51 📖 Barn 53 📙 9	Old Const. Date	57 Composition Board	
		50 L pre-1880 54 L 1880-1900	61 Concrete Block 65 Concrete, Poured/Cast	2= Primary
	66 L General Storage 6	58 LJ 1900-1915	69LlEarth/Clay	exterior
		2 ∟ 1915-1930 26 ∟ 1930-1945	73∟⊥Earthen Brick 77∟JGlass, Block	finish
	78 ليل Well/Windmill ٤	pol post-1945	」LGlass, Pigmented	
NOI	2 لـــل Workshop		4∟lLog 7∟lMetal, Decorative	
DESCRIPTION	8 Juli Dwelling:Multiple	CONDITION 3 L Excellent	10LLI Metal, Frame 14LLI Metal, Horiz. Siding	3≖ .Both
SCR	15 Dwelling:Sngl/Perm 1	7LL Good	18 Metal, Sheet	1 & 2
		P1∟ Fair P5∟ Poor	22∟ Perma-Stone 26∟ Plastic, Vinyl	
SITE	27 Gravestone/Marker 2	9└── Destroyed	30LJ Pole	
	31[O_1] Commercial/Office 34[] Educational 33	SIGNIFICANCE Eligible	33日 Stone, Cut 37日 Stone, Uncut	4= Second
11	38 Engineering Struc. 4	Not Eligible	41 JStucco/Plaster	exterior
		14⊥⊥ Contributing 18∟⊥ Non-contrib.	45 I Tarpaper 49 I Thatch	finish
	50 Industrial/Utility	PLAN SHAPE	52 Wood, Frame	
	53 Military 5	55L Circular	56 Wood, Horz. Siding	
		59∟∟ Irregular 53∟∟ L-Shaped	60LLJ Wood, Shingle/Shake 64LLJ Wood, Vert. Siding	
	65 Transportation	Polygonal	68LJ Other	
		71⊥↓J Rectangular 75∟J Square	PORCH	
		フォレー T-Shaped コーロ U-Shaped	original لــا79 لــا79 الــا4 Addition/Altered	
		7 L Other	8 Removed/None	
	Fieldwork Date 0162295	7.	المات المات المالي Ethnic المالي المالي الم	0=Unknoi
	10 15	19	Style 21 OEngineer المكلية Style 21 المكلية و 46 OIDesigner/	1=Known
	Other Info.		45 47 Architect	
ONLY	OFFICE USE ONLY Soil Association Ecozone Area	Signf CR Type Verifi	ied Site Non-Site	
USE	41 43 44 45 46	47 48	49	
ы Ш	State Registry National Regis		5 Number	
OFFICE	50 51	52 53 54	4 60	
0	<mark>алан адаа жа</mark> ларуу булдадаг төрүсдөг туул жану макин жасан жаларууларуу аларуу каларуу каларуу каларуу канаруу ур	an panananan kan anti ing mananan kan mananangi ng mananan kan kan kan kan kan kan kan kan k		4

Fiel	ld Code_RTI85MT007	Page 2		SITS NUMB	ER 32WD873
ACCE	ESS CRIPTION OF SITEOrig	jinal Minot, West	115' Lot 13, E	31ock 2	
NON	. FEAT. <u>commerical</u> -SIG. FEAT. ER'S NAME, ADDRESS, AN (701) 839-1808		Paul R. Kemper	r; P.O. Box 8	, Minot N.D.;
	TURE #1	NAME IN NAME BL	OCK <u>Kempe</u> r	- BLock	
BASEMENT x yes no unknowr other WINDOWS Origina x Altered	Cut Stone Poured Concret Refaced X Unknown al Other	$\begin{array}{c} & & & \\ & &$	x Metal Brick None Wood Other	Gable Hipped Deck Gambrel x Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1907 Sanborn Map(s) Topo Map(s) undated Other City Assessor's Card
<u>/</u>	ARCHITECTURAL SIGNIFIC	CANCE	HI	STORICAL SIGN	IFICANCE
High A	f Master rtistic Values f type, period, of construction	Visual Landmark Too new to be eli Lacking integrity Not High Style	g. Assoc	iated with si iated with si iated with de locality	gnificant person gnificant event velopment of

FEATURE DESCRIPTION: This store front was remodeled in 1956 (City Assessor's Card). First floor window openings are on the south side (1st St. S.E.) and have been bricked-in except for the transoms. Second floor window openings have stone sills and new aluminum sash. The main facade and approximately 20 feet of the south side have a metal cornice dentils and egg and dart moulding.

OTHER HISTORICAL INFORMATION: Original owners of this building was Blaisdell-Bird Co. and it was called the Blaisdell-Bird Block. John Bird was president and Alfred Blaisdell, vice president of this Investment, Abstract of Title, Loan, Real Estate, and U.S. Land Office Business. Alfred Blaisdell was also the U.S. Commissioner. Both men, along with Arthur Blaisdell, were members of the Blaisdell, Bird and Blaisdell Law Firm. Later, the building was sold to realtors, Louis M. Due and Edward Christensen and it became known as the Due & Christensen block. In 1918, they sold it to George W. Kemper, a sewer and water contractor, and it became the Kemper Block (1906, 1907, and 1918 Ward Co. Tax Assessment Lists; 1907, 1917, and 1922 Polk's City Directories).

COMMENTS/REFERENCES:

Recorded by RTI-FLQ	R	ec	ora	ded	by	RTI	-F	LQ
---------------------	---	----	-----	-----	----	-----	----	----

Date 6-22-85

### Field Code RT18SMT007

SITS Number 2, 2 WO 873




B.W. Photo I.D. Code RTI85MT-Roll CO Frame 3

Feature

	B.W. Photo	I.D. Co	leRTI85MT-Roll	Frame
Storage Location	NDCRS			
Recorded By ME	n		Date_	12185

۰.	~	э	-	•

Ċ



Field C	ode <u>RTI85MT020</u>	Page 2		SITS NUM	18ER 3200874
ACCESS_					
DESCRIP	TION OF SITE <u>Original</u>	Minot, Lots	10, 11 and	12, Block 3	
SIG. FE	AT. commerical block	< -1			
NON-SIG	. FEAT				
OWNER'S 2508	NAME, ADDRESS, AND PHO - 10th Ave. N.W., Mino	ONE NUMBER	James P. Omm 01) 838-5664	en and J. Dea	n Caldwell;
FEATURE	# NAM	1E IN NAME BI	_0CK		
BASEMENT x yes no unknown other WINDOWS Original x Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$\frac{\text{STORIES}}{1}$ $\frac{1}{2}$ $\frac{1}{$	CORNICE Metal Brick None X Wood Other	ROOF TYPE Gable Hipped Deck Gambrel x Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1932 Sanborn Map(s Topo Map(s) undated Other City Assessor's Card
Work of Ma High Artis Rep. of ty	tic Values Too r pe, period, Lack	al Landmark new to be el ing integrity High Style	Ass Ass	ociated with s	<u>GNIFICANCE</u> significant person significant event development of


FEATURE DESCRIPTION: The east 75' of this building was erected in 1934; the west 25' (same design) in 1958. More recently (1981) the main level interior was made two floors. At this time, the exterior was also altered including a new store front as well as panels of wood siding, pierced with aluminum sash windows, placed on all 4 elevations. Additionally, the exposed brick (running bond) of these walls were painted creme. Original details still intact include brick quoins on the corners of the principal (east) facade and at the two recessed walls which break the south wall and corbeled courses of brick defining the original main level and the parapet.

OTHER HISTORICAL INFORMATION: The original building and subsequent addition were constructed by Montgomery Ward and Company, to house their Minot store (1934-54 Tax Assessment Records).

**COMMENTS/REFERENCES:** 

Recorded by RTI-MEM

Date 6-27-85



Recorded By JLH

Date\_12/85

iane T

<

1		
	SITS #	• N11.
	Field Code State County Site Number	1. $N_{2}^{1}$
-	<u>BJ185MJ031</u> <u>3.2</u> <u>WD</u> <u>876</u>	2. $E_{2}^{1}$ 3. $S_{2}^{1}$
I.D.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$3.3^{2}_{2}$ 4. $W_{2}^{1}$
	Site Name B. A. B. Dr. D.q	4. W2 5. NE4
SITE	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5. $NE_{4}$ 6. $SE_{4}$
S	Map Quad $\frac{19}{10} + \frac{13}{10} = \frac{19}{10} + \frac{19}{10} = \frac{19}{1$	7. $SW_4^1$
Γ.		8. $NW_{4}^{1}$
1	51 $68$ $69$ $70$ $77$ $78$ $79$ $80$	9. C
]		
	City Miinelt 111111111111111111111111111111111111	
	1 17	
	Street # BUILDING MATERIALS	
		1=
	Street Name S Main S TILLS 43 Asbestos Siding/Shingle	struct.
	SITE COMPONENTS FEATURE DATA 45 Brick	system
	46 OIL # of Features 48 OIL Feature # 50 A Clay Tile	
	51 Jan 53 11963 Const. Date 57 Composition Board	
	58 LLL Chicken Coop 60 pre-1880 61 Concrete Block	2=
	62 Li Corral/Enclosure 64 1880-1900 65 Concrete, Poured/Cast	Primary
	$66 \sqcup J$ General Storage $68 \sqcup 1900-1915$ $69 \sqcup Earth/Clay$	exterior
	$70 \sqcup I$ Grain Storage $72 \sqcup 1915-1930$ $73 \sqcup$ Earthen Brick	finish
	$74 \sqcup Privy$ $76 \sqcup 1930-1945$ $77 \sqcup Glass, Block$	
	78 Well/Windmill 80 post-1945 11 Glass, Pigmented	
	2 L Workshop 4LLOg	
DESCRIPTION	7L_IMetal, Decorative	
1	8 Dwelling:Multiple CONDITION 10LL Metal, Frame	3=
۲F	11 Dwelling: Sngl/Mobile 13 LL Excellent 14 Metal, Horiz. Siding	.Both
SC.	15 Dwelling: Sngl/Perm 17 Good 18 Metal, Sheet	1 & 2
Ĕ	19 Hotel/Motel 21 Fair 22 Perma-Stone	
	23 Garage/Carriage House 25 Poor 26 Plastic, Vinyl	
SITE	27 Gravestone/Marker 29 Destroyed 30 Pole	
S	31 OIL Commercial/Office SIGNIFICANCE 33 Stone, Cut	4=
	34 Ligible 37 Stone, Uncut	Second
-	38 L Engineering Struc. 40 L Not Eligible 41 L Stucco/Plaster	exterior
	42 Governmental 44 Contributing 45 Tarpaper	finish ·
	46 Health Care 48 Won-contrib. 49 Thatch	i I
	50 Industrial/Utility PLAN SHAPE 52 Wood, Frame	
	53 Military 55 Circular 56 Wood, Horz. Siding	
	57 Religious 59 Irregular 60 Wood, Shingle/Shake	
	61 Social/Recre/Arts 63 LJL-Shaped 64 Wood, Vert. Siding	
	65 Transportation 67 Polygonal 68 Other	
	69 Warehouse 71 LL Rectangular	l l
	73 Lill Other 75 Lill Square PORCH	
	78 L J T-Shaped 79 C Original	
	3 U-Shaped 4 Addition/Altered	
	7 Uther 8 Removed/None	
	Fieldwork Date 0 10 18 18 15 16 210 Ethnic 18 01 Builder	0=Unknown
	$\frac{10}{10} \qquad 15 \qquad \qquad 10 \qquad 10 \qquad 10 \qquad 10 \qquad 10 \qquad 10 \qquad $	1=Known
	Other Info. 460 Designer/	
	Other Info. 22 46101Designer/	
~	OFFICE USE ONLY	
ONLY	Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
USE	<u>41 43</u> <u>44 45 46</u> <u>47 48</u> <u>49</u>	
ū	State Registry National Register E C F T F MS Number	<b>.</b>
IC		·
OFFICE	50 51 52 53 54 60	
	Padata Difference in the second	•

\*

NDCRS ARCHITECTURAL SITE	υυκς Ακ	-411	こし	UKAL	SIL	FURM
--------------------------	---------	------	----	------	-----	------

э


SITS	NUMBER	32W	D8-	76
------	--------	-----	-----	----

Field Code_RTI85MT031 Page 2 SIT	'S NUMBER 32WD876
ACCESS	
DESCRIPTION OF SITE Original Minot, Lots 1 and 2, Block 6	
SIG. FEAT. commerical block -1	
NON-SIG. FEAT	
OWNER'S NAME, ADDRESS, AND PHONE NUMBER Ellison Reality, Co. Minot, N.D.; phone number not available	; P. O. Box 2064,
FEATURE # NAME IN NAME BLOCK	
BASEMENT       FOUNDATION MATERIALS       STORIES       CORNICE       ROOF TY         x yes       Brick       x 1       Metal       Gabl         no       Concrete Block       1 1/2       Brick       Hipp         unknown       Fieldstone       2       X None       Deck         other       Cut Stone       2 1/2       Wood       Gamb         x Poured Concrete       3       Other       X Flat         WINDOWS       Unknown       Other       Other       Other         Altered       Other       Other       Other       Other	e Plat Map(s) Ded County Atlas Date Block Drel Sanborn Map(s) Topo Map(s)
ARCHITECTURAL SIGNIFICANCE HISTORICA	L SIGNIFICANCE
Work of Master Visual Landmark Associated w High Artistic Values X Too new to be elig. Associated w Rep. of type, period, Lacking integrity Associated w method of construction Not High Style localit	vith significant person vith significant event vith development of Sy
FEATURE DESCRIPTION: modern brick building	
OTHER HISTORICAL INFORMATION:	
COMMENTS/REFERENCES:	
Recorded by RTI-MEM	Date 6-28-85

# Field Code RT185MT031

SITS Number 32WD876

Date 12185



Storage	Location_	NDCRS	

Recorded By MEM

iade T

	SITS #	
		te Number 1. N <sup>1</sup> 2
	$\begin{array}{c} 3 \\ 2 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1$	87.8 2. E <sup>1</sup> 2
I.D.		
		QQ Q 4. W <sup>1</sup> / <sub>2</sub> 7. 8 5. NE <sup>1</sup> / <sub>4</sub>
SITE	Site Name $LTL$ Twp R Sec QQQ $P_{2}, 1, e, r, E, h, r, B, 1, o, c, K$ 19 $38$ $39$ $40$ $47$ $48$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
SI	19 38 39 40 47 48 Map Quad LTL, Twp, R, Sec, QQQ	$49 \ 50 \ 0. \ 524 \ 00. \ 0. \ SW_4$
Ι.	Map Quad $M_1 N_0 T$ $LTL_a Twp_a R_a Sec_a QQQ_a$	$QQ_a Q_a$ 7. SW <sup>1</sup> / <sub>4</sub> 8. NW <sup>1</sup> / <sub>4</sub>
	$\begin{array}{c} M_{1} N_{0} T_{1} \\ 51 \end{array}$	79 80 9. C
		// 50
	City Millale HILL 182-MAIN ENTRANCE	
	Street # 1 1 1 C 4 BUILDING MATERIAL	s
	Street # LILIOIAL BUILDING MATERIAL	
1		ng/Shingle 1=
	Street Name $S Main S V Asbestos Sidir25 42 44 Asphalt Sidir$	
	SITE COMPONENTS FEATURE DATA 45 Brick	system
	46 1 # of Features 48 Feature # 50 Clay Tile	
	51 Barn 53 19 10 51 Const. Date 57 Composition Bo	
	58 Lill Chicken Coop 60 lipre-1880 61 Concrete Block	
	62 Corral/Enclosure 64 1880-1900 65 Concrete, Pour	
	66 Lill General Storage 68 Lil 1900-1915 69 Li Earth/Clay	exterior
	70 Grain Storage 72 1915-1930 73 Earthen Brick	finish
	74 Privy 76 1930-1945 77 Glass, Block	
4	78 Well/Windmill 80 post-1945 IL Glass, Pigment	Led
NO	2 └──── Workshop	tivo
DESCRIPTION	BLI Dwelling:Multiple CONDITION 201 Metal, Frame	3=
IP	$11 \ Dwelling:Sngl/Mobile$ $13 \ Excellent$ $14 \ Metal, Horiz.$	
CR	15 Dwelling: Sngl/Perm 17 L Good 18 Metal, Sheet	1 & 2
ES	19 Hotel/Motel 21 Fair 22 Perma-Stone	1 4 2
		1
SITE	27 Gravestone/Marker 29 Destroyed 30 Pole	· •
SI	31 OIL Commercial/Office SIGNIFICANCE 33 [4] Stone, Cut	4=
	and I Educational and Elizable and Change Haget	Second
H	38 Engineering Struc. 40 Not Eligible 41 Stucco/Plaster	r exterior
	42 Governmental 44 Governmental 44 Governmental 44	finish ·
	46 Health Care 48 Non-contrib. 49 Thatch	1
	50 Industrial/Utility PLAN SHAPE 52 Wood, Frame	
	53 Military 55 Circular 56 Wood, Horz. S	
	57 Religious 59 Irregular 60 Wood, Shingle,	/Shake
	61 Social/Recre/Arts 63 L L-Shaped 64 Wood, Vert. S	iding
	65 Inter 67 Polygonal 68 Other	
	69 Varehouse 71 LL Rectangular	
	73 Other 75 Square PORCH	
	78 T-Shaped 79 Original	
	3 U-Shaped 4 Addition/Alte	rea
	7LJ Other 8LJ Removed/None	
	Fieldwork Date $0.62.885$ 1600 Ethnic 1808	uilder O=Unknown
	$\frac{10}{10} \qquad 15 \qquad \qquad 10 \qquad 10 \qquad 10 \qquad 10 \qquad 10 \qquad 10 \qquad $	ngineer 1=Known
		esigner/
	Other Info. $\lfloor 1 \\ 22 \\ 45 \\ 461 \\ 61 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ $	Architect
<u> </u>	OFFICE USE ONLY	
ONLY	Soil Association Ecozone Area Signf CR Type Verified Site Non-Site	
USE	<u>41 43</u> <u>44 45 46</u> <u>47 48</u> <u>49</u>	
	- 第二十二 - ジャック・キャック - ジェン・コード - ビー・ビー - ビー・シャー・シャー・ション・ション - ビー・ション・ション - ビー・ション・ション・ション・ション・ション・ション・ション・ション・ション・ション	
)1:		
OFFICE	50 51 52 53 54 60	ľ
	Pata Poded com	

٠

Field C	ode RTI85MT032	Page 2	-	SITS NU	MBER 32W0878
ACCESS_					
DESCRIP	TION OF SITE Origina	al Minot, Lot	3, Block 6		
SIG. FE	AT. commerical bloc	< -1			
NON-SIG	. FEAT				
OWNER'S Los	NAME, ADDRESS, AND I Gatos, CA; phone numl	PHONE NUMBER Der not availa	Ruth Parker ble	Flowers Wood,	P.O. box 1770,
FEATURE	#	NAME IN NAME B	LOCK		
BASEMENT x yes no unknown other WINDOWS Original x Altered	Brick Concrete Block Fieldstone	$\frac{5}{2} \qquad \frac{\text{STORIES}}{1} \qquad \frac{1}{1} \qquad \frac{1}{1/2} \\ \frac{1}{2} \qquad \frac{2}{2} \qquad \frac{1}{2} \qquad \frac{1}{2} \\ \frac{1}{2} \qquad \frac{1}{2} \qquad \frac{1}{2} \qquad \frac{1}{2} \\ \frac{1}{2} \qquad \frac{1}{2} \qquad \frac{1}{2} \qquad \frac{1}{2} \\ \frac{1}{2} \qquad 1$	CORNICE Metal X Brick None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1907 Sanborn Map(s) Undated Other City Assessor's Card
	ITECTURAL SIGNIFICAN	-		HISTORICAL SI	· · · · · · · · · · · · · · · · · · ·
Work of Ma High Artis X Rep. of ty method of	ster Vis tic Values Too pe, period, Lac construction <u>x</u> Not	sual Landmark o new to be el cking integrit : High Style	igAss yXAss	ociated with ociated with ociated with locality	significant person significant event development of
east-facing f	IPTION: After two re acade displays little 2nd story openings	e of its origi	nal details.	The store f	ront has been

r covered with a simulated brick veneer. The rough faced stone set along the parapet, in the checker board pattern of the frieze (painted brown), and in a continuous sill below the 2nd story windows, is the only original fabric still evident. The exposed portions of the north, south elevations, and the rear (west) wall have been stuccoed.

OTHER HISTORICAL INFORMATION: Originally this building housed a general merchandise business owned and operated by Peter Ehr. This ediface along with the adjoining brick block south and a building formerly located on Lots 1 and 2 (now demolished) were known as the Peter Ehr Block. Construction of this block was announced in 1904, however, it was not completed until 1905 (1905 Polk's City Directory; MDN May 31, 1904).

**COMMENTS/REFERENCES:** 

Recorded	by	RTI-MEM	Date	6-28-85
			-	and the second

1e RT185MT032

SITS Number 32-WD878

e <u>1</u> oto I.D. Code <u>RTI85MT-Roll</u> 27



Feature\_\_\_\_

B.W. Photo I.D. Code\_<u>RTI85MT-Roll</u>


Date 12 85

Frame

e	Location	NDCRS
led	By JLH	

### Field Code RT185MT032

SITS Number 3240878



B.W. Photo I.D. Code RTI85MT-Roll 27 Frame 33

Feature

	B.W. Ph	noto I.D.	Code	RTI85MT-Roll	Frame	
Storage Location	NDCRS		<b>-</b> .	1		
Recorded By JLH				Da	te 12 85	

1				C
		ARCHITECTURAL SITES	( age 1	
I.D.	Field Code <u>B.T.I.8.5 M.T.O.3.3</u> 1 10	$\frac{3}{11}$	13 15 18	2. $E_{2}^{1}$ 3. $S_{2}^{1}$
I. SITE I	Site Name 1 <u>4.<sup>1</sup>.5</u> 19 Map Quad	38 39 40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4. W½ 5. NE¼ 6. SE¼ 7. SW¼
H	51 <u>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 </u>			8. N₩¼ 9. C
	City MII In OITIIIII		MAIN ENTRANCE	
	Street # 110161 19 23		ILDING MATERIALS JUnknown	
	Street Name <u>ISI Malini ISIF</u> 25 SITE COMPONENTS	42 44	JAsbestos Siding/Shingle JAsphalt Siding/Shingle JBrick	l= struct. system
	46 (211) # of Features 48 51 (11) Barn 53 (11)	Const. Date 57	JClay Tile JComposition Board JConcrete Block	2=
	62 Lili Corral/Enclosure 66 Lili General Storage	64     1880-1900     65       68     1900-1915     69	JConcrete Block JConcrete, Poured/Cast JEarth/Clay JEarthen Brick	2= Primary exterior finish
N	74 LL Privy	76 1930-1945 77 80 90 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	JGlass, Block JGlass, Pigmented JLog	111130
DESCRIPTION		CONDITION101131Excellent141	JMetal, Decorative JMetal, Frame JMetal, Horiz. Siding	3= Both 1 & 2
	19 23 23 Garage/Carriage House	21└─┘ Fair 22└── 25└─┘ Poor 26└──	JMetal, Sheet JPerma-Stone JPlastic, Vinyl	1 & 2
II. SITE	31 (今山) Commercial/Office 34 山山 Educational	SIGNIFICANČE 33∟… 36∟ Lligible 37∟…	JPole JStone, Cut JStone, Uncut	4= Second
	42 L Governmental	44∟ Contributing 45∟ 48∟1 Non-contrib. 49∟	JStucco/Plaster JTarpaper JThatch	exterior finish
	50 Industrial/Utility	PLAN SHAPE52L55LCircular56L	Wood, Frame Wood, Horz. Siding	
	61 Social/Recre/Arts	63LJL-Shaped 64L. 67LJPolygonal 68L.	JWood, Shingle/Shake JWood, Vert. Siding JOther	
	69 Warehouse	71LL Rectangular 75LL Square	PORCH   Original	
	-	3 U-Shaped 4	Addition/Altered Removed/None	
	Fieldwork Date $0$ $6$ $3$ $8$ $5$ $10$ $15$ Other Info. $22$			0=Unknown 1=Known
	OFFICE USE ONLY		45 Architect	-
		Signf CR Type Verified Si	-	
_	<i>41 43 44 45 46</i> State Registry National Regis	$\frac{47}{48}$ ter ECFTF MS Numb	49 ber	
OFFICE	50 51	52 53 54	60	· ·
-			· · · · ·	-

٩

Field (	Code_RTI85MT033	Page 2		SITS NU	MBER 32WD879
ACCESS					
DESCRI	PTION OF SITE <u>Original</u>	Minot, Lot	4, Block 6		
SIG. FE	EATcommercial_block -	1			
NON-SI	G. FEAT.				
OWNER'S Mair	S NAME, ADDRESS, AND PH n St., Minot, N.D.; (70	ONE NUMBER 1) 839-5995	Melvyn Obedi	n, c/o Jerold	Sundet; 106 S.
FEATURI	E # NA	ME IN NAME B	LOCK		
BASEMENT x yes no unknown other WINDOWS Original Altered	FOUNDATION MATERIALS Brick Concrete Block Fieldstone x Cut Stone x Poured Concrete Refaced Unknown Other	STORIES     1     1     1/2     x 2     2 1/2     3     0ther     1	CORNICE Metal Brick X None Wood Other	ROOF TYPE Gable Hipped Deck Gambrel X Flat Other	DATING METHOD Plat Map(s) County Atlas Date Block 1907 Sanborn Map( Topo Map(s) undated Other City Assessor's Card
ARCH	ITECTURAL SIGNIFICANCE		-	HISTORICAL SI	GNIFICANCE
Rep. of ty	stic Values Too /pe, period, X Lack	al Landmark new to be el ing integrit High Style	ia. Ass	ociated with	significant person significant event development of

FEATURE DESCRIPTION: The original fabric on the facade (east) of this 2-story structure has been completely obscured by remodeling which took place in 1968 and then again in 1970 (City Assessor's Card). This building was erected with the adjoining ediface north, and originally was of the same design and materials. The 2-story rear (west) with a single story attachment, has been stuccoed, however, a small section of the original brick walls, laid in American bond, is exposed.

OTHER HISTORICAL INFORMATION: This building along with the adjoining ediface north and a brick building formerly on Lots 1 and 2 (now demolished) were known as the Peter Ehr Block. Fred McGulpin owned the property when this portion of the block was erected and subsequently resided at this address. At the time, McGulpin worked as a foreman for D. A. Dinnie, General Contractor and Builder, and later served as a superintendent for William Zimmerman, a local architect (1905-09 Polk's City Directories).

#### **COMMENTS/REFERENCES:**

Recorded by RTI-MEM

Date 6-29-85


### Field Code RT185MT033

SITS Number 32WD877

Feature

B.W. Photo I.D. Code RTI85MT-Roll 27-

Frame 28




### Feature

B.W. Photo I.D. Code RTI85MT-Roll

Frame


Storage Location NDCRS Recorded By JLH

Date 12 85



SITS Number 3200879

Feature\_\_\_\_



B.W. Photo I.D. Code RTI85MT-Roll **Z7** Frame **34** 

Feature

	B.W.	Photo	I.D.	Code	RTI85MT-R	oll	Frame	
Storage Location	NDCR	S x	·····	_				
Recorded By ME	Μ					Date	12/85	

•

٠

iade T

1			
		SITS # State County Site Number	1. N <sup>1</sup> 2
	Field Code B.T.I. 8.5 M.T.O. 3.A.	3.2 WP Ste Number	2. $E_{2}^{1}$
D.	$1 \qquad \qquad 10$	11 13 15 18	3. $S_{2}^{1}$
Ξ.	Site Name	LTL Twp R Sec QQQ QQ Q	4. W <sup>1</sup> 2
Ш	Maisionitice Temple		5. NE <sup>1</sup> / <sub>4</sub>
SITE	19 38 Map Quad	39 40 47 48 49 50	6. SE¼ 7. SW¼
Ξ.	Map Quad Michor	$LTL_a$ Twp <sub>a</sub> R <sub>a</sub> Sec <sub>a</sub> QQQ <sub>a</sub> QQ <sub>a</sub> Q <sub>a</sub>	7. 5W% 8. NW%
	51 68	69 70 77 78 <b>79</b> 80	9. C
	City M1. 10101+1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1812 MAIN ENTRANCE	
	1 Street #	BUILDING MATERIALS	
	Street # $19$ 23	24 LUnknown	
	Street Name SI Malini SI+11111	43 Asbestos Siding/Shingle	1=
	25	42 44 Asphalt Siding/Shingle	struct.
	SITE COMPONENTS FEATURE DATA 46 CLL # of Features 48 CLL Feature #		system
	51 Barn 53 190171 Const. Da		
	58 LL Chicken Coop 60 L pre-1880		2=
	62 Corral/Enclosure 64 1880-1900	0 65L_JConcrete, Poured/Cast	Primary
	66 [] General Storage 68 [] 1900-191		exterior
	70 L Grain Storage 72 L 1915-1930		finish
	74 Privy 76 1930-1945		
	78 Well/Windmill 80 post-194	5 ⊥∟⊥Glass, Pigmented 4∟⊥Log	
S	2 Luu Workshop	4∟109 7∟⊥1Metal, Decorative	
DESCRIPTION	السبب Dwelling:Multiple CONDITION	10L-1 Metal, Frame	3=
₹IP	11 Dwelling:Sngl/Mobile 13 Excellent		Both
SCF	Dwelling:Sngl/Perm 17 ل Good نام المسلما 15 ا	18L_JMetal, Sheet	1 & 2
Ы	19 Hotel/Motel 21 J Fair	22 L Perma-Stone	
ш	23 Garage/Carriage House 25 Poor	26∟]Plastic, Vinyl	
SITE	27 Gravestone/Marker 29 Destroyed		4=
.	31 Commercial/Office SIGNIFICANCE 34 Educational 36 Eligible		Second
H	38 Engineering Struc. 40 Not Elig		exterior
I	42 Governmental 44 LL Contribut		finish ·
ĺ	46 Health Care 48 Non-conti	rib. 49 Thatch	
l	50 Industrial/Utility PLAN SHAPE	52 Wood, Frame	
	53 Military 55 Circular		· ·
ł	57 Religious 59 Irregula		
	61 QLL Social/Recre/Arts 63 LL Shaped 65 LLL Transportation 67 Polygona		
	69 Warehouse 71 Waretangu		
Į	73 UL Other 75 Square	PORCH	
	78 T-Shaped		
	3 U-Shaped		
	7L Other	8LL Removed/None	
	Fieldwork Date 0162181815	16 LQ Ethnic 18 QBuilder	0≈Unknown
	10 15	علينا Style 21 GEngineer	1=Known
	Other Info. 14161=1Fir 10 15 1+1 1almidi 1H1015		
	22	45 Architect	
	OFFICE USE ONLY Soil Association - Ecozone Area Signf CD Ture	N	i I
	Soil Association Ecozone Area Signf CR Type	e Verified Site Non-Site	l I
USE	41 43 44 45 46 47	48 49	
		T F MS Number	
IC			•
OFFICE	50 51 52	53 54 60	ŀ
0			•

Page 2

SITS	NUMBER	32WD	88	I
------	--------	------	----	---

ACCESS_					
DESCRIP	TION OF SITE <u>Original</u>	Minot Additi	on, Lots 5	and 6, Block f	5
SIG. FE/	AT. meeting hall-1				
NON-SIG	. FEAT				
OWNER'S (701	NAME, ADDRESS, AND PHO ) 839-0922	INE NUMBER	loyd Roll;	10 Parkway, Mi	inot, N.D.;
FEATURE	# NAM	1E IN NAME BL	.0CK		
es o nknown ther	FOUNDATION MATERIALS Brick Concrete Block Fieldstone Cut Stone x Poured Concrete Refaced Unknown Other	$     \begin{array}{r}          STORIES \\             1 \\             1 \\         $	x Metal Brick	Gable Hipped Deck	Topo Map(s)
ork of Mas igh Artist ep. of typ	ITECTURAL SIGNIFICANCE ster	al Landmark new to be eli ing integrity digh Style	ig. <u> </u>	ociated with s	GNIFICANCE significant person significant event development of

FEATURE DESCRIPTION: Except for the store front addition, the facade of this 3-story structure sets back an additional 3' from the side walk which flanks Main St. An early rendering (North Dakota Magazine, June 2, 1907, p. 65) depicts the original store front as including a recessed central entry flanked by display windows, and, offset to the south, a rounded arch door opening with a frontispiece comprised of a wood pediment supported by 2 doric columns. The present store front addition, flush with the sidewalk was erected in 1958. Since then (1970) the arched entry has been blocked, however, the frontispiece remains in place behind a glass display (City Assessor's Card). (continued)

OTHER HISTORICAL INFORMATION: This building originally housed the Masonic Temple of Minot. A 1907 rendering of the building, which appeared in the <u>North Dakota Magazine</u>, shows the architects as Frost and Hosmer. Robert T. Frost worked in Minot for several years (1907-1917 Polk's City Directories).

COMMENTS/REFERENCES:

Field Code RTI85MT034

Recorded by RTI-MEM

Date 6-29-85

### Continuation Form

SITS Number 32WD 8A1

### Item No. FEATURE DESCRIPTION - RTI85MT034

The upper portion of the original facade is intact as well. This brown brick wall, laid in running bond, features a flat parapet with sandstone coping, and an elaborate pressed metal entablature embellished with a dental band cornice and raised letters on the frieze which reads "Masonic Temple". Alternating square and circular windows (2 each) span the third story. These openings, which possess molded brick surrounds, are covered by iron grills. The 1/1 double-hung (with wooden sash) windows of the second floor are each topped with a 6 light transom and have molded brick surrounds as well as a continous sandstone sill.

Exposures of the north, south and west (rear) elevations reveal that each is laid in American bond. Both the north and south walls have a multi-stepped parapets topped with ceramic tile coping. An advertisement for the J.C. Penney Co. is painted on the eastern edge of the north wall. The original rear section of the building is 2 stories. In 1957, a single story cinder block addition was attached.

### Recorded by: RTI-MEM

Date: 6-29-85

Field Code RTI8SMT034


SITS Number 32110881

Feature

Feature\_\_\_\_



B.W. Photo I.D. Code RTI85MT-Roll 27 Frame 27



	B.W. Photo I.D. Code	RTI85MT-Rol127 Frame 35
Storage Location	NDCRS	
Recorded By ME	Μ	Date 12/85