National Register of Historic Places Inventory—Nomination Form

See instructions in *How to Complete National Register Forms*Type all entries—complete applicable sections

For NPS use only

received MAY 1 2 1987 date entered JUN 2 5 1987

1. Name				
historic Ginard Companie I				Algebra (Martin Marty) Setto and the Salah
	IDracy			
2. Location				
street & number 128 W. Pra	nirie			not for publication
city, town Girard		vicinity of		
state Kansas	code 20	county (Crawford	code 037
3. Classification	on			
Category Ownership district public building(s) private structure both site	ition , Accessi _X yes:	ccupied k in progress	Present Use agriculture commercial educational entertainment government industrial military	museum park private residence religious scientific transportation other:
name City of Girard street & number City Hall				
city, town Girard		vicinity of	state	Kansas 66743
5. Location of	Legal Des	scriptio		
courthouse, registry of deeds, etc	Crawford Cou	nty Clerk		
street & number Crawford Co	ounty Courthouse			
city, town Girard			state _k	Kansas 66743
6. Representa	tion in Ex	isting S	urveys	
title N/A		has this prop	erty been determined eli	gible? yes _X_ no
date N/A			federal state	county loca
depository for survey records	N/A			
city, town N/A			state 1	N/A

7. Description

		医二氏性结肠 网络拉拉斯 医多种性 医多种性 医二氏病		
Condition	Check one	Check one		
X excellent dete	eriorated unaltered	X original site		
good ruin	s X altered	moved date		
fair une	xposed	그 보기 그 스 만하는 사별되어		

Describe the present and original (if known) physical appearance

The Girard Carnegie Library (c. 1906) is located at 128 W. Prairie in Girard, Crawford County, Kansas (pop. 2,888). The one-story, rusticated cement block, Neo-Classical building stands on a corner lot one block west of Girard's County Courthouse Square. Its facade orientation is south. The building measures approximately fifty-eight feet from east to west and thirty-six feet from north to south. The building retains its original function as a library.

The one-story, grey cement block building sits on a rusticated cement block, raised foundation. It is a rectangular structure with a truncated hipped roof. Three bays comprise the building's facade and rear, it is one bay deep. A parapetted, entry pavilion projects from the facade's center bay. The roof is covered with asphalt shingles. A limestone water table course runs above the foundation windows. Limestone quoins ornament the building's corners.

The projecting entryway pavilion contains a recessed doorway with a replacement aluminum doorframe. The original door treatment appears to be double wood and glass doors with sidelights and a transom. A limestone lintel surmounts the doorway. Limestone, Ionic columns stand in antis inside the pavilion, supporting a multiply moulded, Classical wooden architrave. This architrave continues around the entire building. A modillioned wooden cornice projects out from a cement block frieze, this treatment continues around the entire building. The pavilion's stepped, parapet holds a limestone tablet bearing the carved "19 Carnegie Library 06" and limestone cartouche above that. Steps lead up to the doorway. They do not appear to be the original steps and are not flanked by limestone abutments. The openings in the pavilion's east and west walls are filled in with corrugated plastic.

The building's fenestration on the first level is 1/1 double hung with transoms. Limestone lintels surmount the windows, limestone jack arches with keystones surmount the transoms, and limestone sills underscore the windows. The windows and transoms are aluminum replacements. Four windows pierce the facade, three windows apiece pierce the east and west elevations, and five windows pierce the north elevation. One—over—one double hung aluminum windows pierce the building's foundation below the first level windows. Limestone lintels surmount the above grade windows. A basement door pierces the foundation wall on the western elevation's foundation wall. An original door on the elevation's foundation wall has been closed for a window.

The interior of the library maintains its original three-bay floorplan with a vestibule entrance. The first floor ceiling has been covered with dropped acoustic tiles. The interior woodwork, such as door and window surrounds, is retained.

National Register of Historic Places Inventory—Nomination Form

	IPS us		
rece	IVEG		
Cale	enter	:0	

Continuation sheet

1

Item number

8

Page

1

nominated libraries maintain a high to moderate degree of architectural and structural integrity.

Industrialist Andrew Carnegie (1835-1919) and the Carnegie Corporation significantly influenced the development and expansion of public library systems worldwide. Between 1886 and 1921 Carnegie funds assisted in the construction of 1,681 city and 108 college libraries in the United States. As a region, the Mid-West, Kansas included, did not have a well established public library system until the Carnegie Program and ranks highest in the number of communities which obtained Carnegie Libraries nationwide. Out of the forty-six states to participate in the library building program, Kansas ranks approximately eleventh in the number of Carnegie Libraries built. For many Kansas communities, the Carnegie Library represented its first library building, providing an environment that all members of the community could share for the purposes of reading, learning, and education.

Eligibility for Carnegie Library funds rested on several factors. Firstly, the population of the community had to exceed 1,000; in Kansas this indicated at least a second class city status. This population requirement generally resulted in county seat communities applying for and receiving Carnegie Libraries. Some communities with populations less than 1,000 banded together with neighboring communities to achieve the 1,000 mark and applied for township libraries, as in the case of the Peabody and Canton Township libraries. In the case of college libraries this constraint may not have applied, although the four Kansas colleges to receive Carnegie libraries were located in cities which had populations in excess of 1,000 by 1900. Secondly, the applicant had to provide a site for the library. The sites tended to be one or two blocks outside of the community's main business district. Thirdly, the applicant had to provide an annual endowment for the maintenance and improvement of the library which amounted to at least ten percent of the initial grant from the Carnegie Corporation.

This last factor contributed to the ending of the Carnegie Library Building Program in 1917, although grants for books and other improvements continued for several more decades. An inherent problem for second class cities in Kansas was the .4 mill levy restriction for libraries, making it difficult for some communities to meet the annual ten percent maintenance appropriation solely through public dollars. In 1917 the Kansas State legislature increased the library levy to .5 mill for second and third class cities, an amendment which affected most of the communities in the State that had Carnegie Libraries. In 1916, large communities such as Topeka, Wichita, Hutchinson, and Leavenworth had library mill levies of 1.06, 1.2, 1.8, and 3.5 respectively. In Kansas, the average public library grant was \$12,000 and the average college library grant was \$37,000. These monies covered the cost of the building, the necessary furniture and fixtures, and the architects' fees.

Prior to 1910, the Carnegie Corporation did not provide design guidelines for the libraries that it funded and because the library was a relatively new building type, few architects and/or builders had experience with its design. Many of the early libraries were expensive examples of the Beaux Arts style with little focus on floor plan and space

National Register of Historic Places Inventory—Nomination Form

For NPS use only received date entered

Continuation sheet

.

Item number

R

Page 2

efficiency. In 1910, Carnegie's personal secretary James Bertram developed model specifications and floorplans for proposed libraries, entitling his work <u>Notes on Library Buildings</u>. The <u>Notes on Library Buildings</u> provided the first widely circulated guidelines for library design in this country.

Bertram wrote:

Small libraries should be pland (sic) so that one librarian can oversee the entire library from a central position.... The bilding (sic) should be devoted exclusively to: (main floor) housing of books and their issue for home use; comfortable accomodations for reading them by adults and children; (basement) lecture room; necessary accommodation for heating plant; also all conveniences for the library patrons and staff. Experience seems to sho (sic) that the best results for a small general library are obtained by adopting the one-story and basement rectangular type of bilding (sic), with a small vestibule entering into one large room sub-divided as required by means of bookcases.... The rear and side windows may be kept about six feet from the floor, to giv (sic) continuous wall space for shelving. A rear wing can be added for stack-room (when future need demands it) at a minimum expense, and without seriously interfering with the library servis (sic) during its construction. The site chosen should be such as to admit lite (sic) on all sides, and be large enuf (sic) to allow extension, if ever such should become necessary.

The thirty-six Carnegie Libraries built in Kansas after 1910 reflect Bertram's precedents, exhibiting high space utilization, and often including full basements, although the raised basement is a design element employed in the earlier libraries as well. Most of these one-story libraries exhibit a three bay, Neo-Classical facade with a projecting central pedimented entry pavilion and are one bay deep. The use of native limestone is evident in some of the libraries but the most common material combination is brick with a limestone foundation. While there is some tendency toward a vernacular interpretation to the design ornamentation of these libraries, the general approach verges on high style.

Correspondence between the Carnegie Corporation and the library boards from the Kansas communities that received Carnegie Libraries indicates that the designs for these libraries were carefully scrutinized by Bertram and in many cases, were resubmitted several times before meeting his requirements. Upon the completion of a library, the library board was instructed to send a full set of blueprints and elevations of the building to the Corporation. However, recent correspondence between the Kansas State Historical Society and the Carnegie Corporation reveals that the Corporation does not have blueprints of the Kansas libraries. The Corporation does have some library photographs but the collection is not inclusive.

National Register of Historic Places Inventory—Nomination Form

For NPS use only received date entered

Continuation sheet

ેર

Item number

8

Page 3

Three architects were particularly active in the design of Kansas Carnegie Libraries: George P. Washburn of Ottawa, Kansas designed nine, A. T. Simmons of Bloomington, Illinois designed six, and William Warren Rose of Kansas City, Kansas designed four. Washburn's libraries are primarily of the standard three-bay, Neo-Classical variety. His firm is credited with the Carnegie libraries in Burlington, Canton, Cherryvale, Columbus, Eureka, Halstead, Osawatomie, Ottawa, and Sterling. Simmons engaged in a more eclectic approach, designing libraries in Abilene, Chanute, Council Grove, Downs, Hays and Yates Center. Rose is credited with the classically inspired libraries in Argentine, Kansas City, Manhattan, and Newton. In Kansas, many Kansas based architects were commissioned to design Carnegie Libraries as well as architects from Illinois, Missouri, Nebraska, and Texas.

Today, many of the state's Carnegie Libraries are facing serious space shortages. The alternatives of adding on or vacating both present preservation problems. Additions to these libraries must be such that the building's original character is not altered. Vacating the library for a larger facility leaves the problem of an empty building, in some communities county historical societies have inherited the empty Carnegie Library. In any event, when these buildings are no longer recognized from a design standpoint as Carnegie Libraries, their architectural significance ceases.

8. Significance

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 1800–1899 X 1900–	Areas of Significance—C archeology-prehistoric agriculture architecture art commerce communications	heck and justify below community planning conservation economics X education engineering exploration/settlement industry invention	landscape architecture law literature military music philosophy politics/government	religion science sculpture X social/ humanitarian theater transportation other (specify)
Specific dates	c. 1906	A 77 T	and Smith - Architec	ts

The Girard Carnegie Library (c. 1906) is being nominated to the National Register as part of the Carnegie Libraries of Kansas thematic resources nomination (c. 1902-1921) at the local level of significance under criteria A and C for its historical association with the Carnegie Corporation Library Building Program and for its architectural significance as a new building type. A library association was organized in Girard in 1899. The community received their \$8,000.00 Carnegie Library grant in 1905, library construction was completed in 1906. The Girard Carnegie Library is an example of the Neo-Classical style.

Sixty-three Carnegie funded libraries were built in Kansas during the first three decades of the Twentieth Century; four of these libraries were built on college campuses. In most cases, the Carnegie funded library represented the community's first library building although many Kansas communities had book clubs and library organizations well before the Carnegie Corporation Library Building Program was founded. In the case of the four college libraries, the building represented the first structure which was solely devoted to housing the institution's books and providing study space. Carnegie did not solicit interest in the program, with the exception of the Anderson (Carnegie) Memorial Library which was built by Carnegie as a memorial to his friend John Anderson and was the first college library nationally to receive Carnegie funding. Communities initiated contact with the corporation by letter, indicating their desire for a Carnegie funded If the Corporation responded favorably to the request, a firm local commitment to the program's requirements, which generally resulted in a public election in support of the library, followed. Obviously these actions represented a perceived need within the community for a library building and the Carnegie Corporation Library Building Program represented an excellent way to secure the funds to build one. Many of the Carnegie Libraries built in Kansas reflect the high space utilization design guidelines promoted by the Carnegie Corporation after 1910, underscoring the point that before the Carnegie Corporation Library Building Program, few architects and/or builders had experience designing this building type.

Twenty-eight Carnegie Libraries are included in this nomination (see inventory). Twelve Carnegie Libraries have been listed individually on the National Register: Argentine, Case Library (Baker University, Baldwin City), Caldwell, Dodge City, Emporia, Goodland, Lawrence, Leavenworth, Newton, Ottawa, Parsons, and Pittsburg. The Carnegie Library at Arkansas City is included in a downtown historic district. Thirteen Carnegie Libraries have been demolished: Great Bend, Halstead, Hays, Iola, Kansas City, McPherson, Morrison Library (Fairmont College, Wichita), Olathe, Osawatomie, Plainville, Russell, Salina, and Washington. Five Carnegie Libraries have been altered enough to make them ineligible for the National Register: Abilene, Garden City, Hiawatha, Lyons, and Stockton. (The nominations for the Concordia, Eureka, Independence, and Winfield libraries were deferred.) Twenty-two of the nominated libraries retain their original function. All of the buildings are in use or have an active use planned for them. The

9. Major Bibliographical References

See attached sheet.

	Professional Control of the Control		#1. 그들은 맛으면 있다. 그는 이 사기는 반으로 쓰는 것
10. Geographic	al Data		
Acreage of nominated property $\underline{}^{\underline{L}}$ Quadrangle name $\underline{}^{\underline{Girard}}$ UT M References	ess than 1 acre	Quadr	angle scale 1:24,000
A 1,5 33,69,4,0 4,1 Zone Easting Nort	D 12 8 8 10	B Zone Easting	Northing
C		P L L L L L L L L L L L L L L L L L L L	
G L L L L		H L L L L L L L L L L L L L L L L L L L	
Verbal boundary description as Block 14 in Girard, Prairie, to the wes lines.	Kansas. The rectange	ular tract is boun	located on Lots 17, 18; ded to the south by Wes east by adjacent proper
List all states and counties for	properties overlapping st	ate or county boundar	ies
state N/A	code N/A county	y N/A	code N/A
state N/A	code N/A county	v N/A	code N/A
organization Kansas State H street & number 12 West 10th	istorical Society Street	date April 7 telephone 913	, 1987 -296-5264
city or town Topeka		state Kansa	s 66612
	ric Preservat		Certification
The evaluated significance of this p national	stateX local		
national As the designated State Historic Pro 665), I hereby nominate this propert according to the criteria and proced	stateX local eservation Officer for the National ty for inclusion in the National lures set forth by the National	Register and certify that	
national As the designated State Historic Pro 665), I hereby nominate this propert according to the criteria and proced	stateX local eservation Officer for the National ty for inclusion in the National lures set forth by the National	Register and certify that	
national As the designated State Historic Pro 665), I hereby nominate this propert according to the criteria and proced State Historic Preservation Officer s	stateX local eservation Officer for the National ty for inclusion in the National lures set forth by the National signature	Register and certify that I Park Service.	it has been evaluated
national As the designated State Historic Profession of the criteria and procedure according to the criteria and procedure State Historic Preservation Officers title Executive Director, Karangaran State Historic Preservation Officers	state State Secretarion Officer for the National Jures set forth by the National Signature Signature Ansas State Historica	Register and certify that I Park Service. Society date	it has been evaluated
national As the designated State Historic Pre 665), I hereby nominate this propert according to the criteria and proced State Historic Preservation Officer s title Executive Director, Ka For NPS use only I hereby certify that this proper	state State Secretarion Officer for the National Jures set forth by the National Signature Signature Ansas State Historica	Register and certify that I Park Service. Society date Register	e April 7, 1987
national As the designated State Historic Pre 665), I hereby nominate this propert according to the criteria and proced State Historic Preservation Officer s title Executive Director, Ka For NPS use only I hereby certify that this proper Beth Answers	state X local eservation Officer for the National lures set forth by the National signature ansas State Historical erty is included in the National	Register and certify that I Park Service. Society date	e April 7, 1987
national As the designated State Historic Pre 665), I hereby nominate this propert according to the criteria and proced State Historic Preservation Officer s title Executive Director, Ka For NPS use only I hereby certify that this proper	state X local eservation Officer for the National lures set forth by the National signature ansas State Historical erty is included in the National	Register and certify that I Park Service. Society date Register	e 6/35/87

National Register of Historic Places Inventory—Nomination Form

For NPS use only
received
date entered

Continuation sheet

4

Item number

9

Page

1

Carnegie Library Bibliography:

- Anderson, Florence. <u>Carnegie Corporation Library Program, 1911-1961</u>. (New York: Carnegie Corporation, 1963).
- Bertram, James. Notes on Library Building. (New York: Carnegie Corporation, 1910).
- Bobinski, George S. <u>Carnegie Libraries: Their History and Impact on American Public Library Development</u>. (Chicago: American Library Association, 1969).
- Carnegie Corporation. Micro-film reels of correspondence between the Corporation and Kansas Carnegie Library Communities, 1902-1921. Carnegie Corporation of New York.
- Gardiner, Allen. The Carnegie Legacy in Kansas: A Retrospective View of the 59 Public Libraries Built by Andrew Carnegie; A Souvenir Publication to Commemorate the Sequicentennial of Carnegie's Birth. (Topeka: Kansas State Library, 1985).
- . <u>Kansas Public Libraries from Abilene to Zenda</u>. (Topeka: Kansas State Library, 1982).
- Koch, T. W. A Book of Carnegie Libraries. (New York: H. W. Wilson, 1917).
- State of Kansas. Session Laws, 1917. Chapter 113. "Limiting Tax Levies in Cities of the Second and Third Class."
- Topeka Capital Journal, 20 December 1916; 26 December 1916.