United States Department of the Interior National Park Service

National Register of Historic Places Registration Form



OMB No. 10024-0018

512

This form is for use in nominating or requesting determinations for individual prepentes and districts. See instructions in How to Complete the
National Register of Historic Places Registration Form (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box
or by entering the information requested. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions,
architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries
and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

1. Name of Property

•

historic name	Gipple's Quarry Bridge		
	nber		
2. Location			·····
	100 Block V Avenue over 5.8 miles southwest of		
state Iowa	code <u>IA</u> county <u>I</u>		-
3. State/Federal Aç	jency Certification		
nationally X st	ISTOPICAL SOCIETY OF IOWA	eet for additional comments.)	
In my opinion, the comments.)	property meets does not meet the Natio	nal Register criteria. (See conti	inuation sheet for additional
Signature of certify	ing official/Title		Date
State or Federal ag	ency and bureau		
4. Nationai Park So	ervice Certification		
I hereby certify that ↓ entered in the N □ See continua	ational Register	John M.	Beall 5.15.9
_	ble for the National Register		
_	eligible for the National Register		· · · · · · · · · · · · · · · · · · ·
-	e National Register		
□ other, (explain):			

Gipple's Quarry Bridge

Louisa County; Iowa

Ownership of Property (Check as many boxes as apply)				
□ private	🗆 building(s)	Contributing	Noncontributing	
■ public-local		0	0	buildings
public-State	☐ site ■ structure ☐ object	0	0	sites
public-Federal		1	0	structure
		0	0	objects
		1	0	Total
Name of related multiple property listing (Enter 'N/A' if property is not part of a multiple property listing)		Number of con in the National	tributing resources pr Register	reviously liste
Highway Bridges of Iowa		0		
6. Function or Use			··· = · · · · · · · · · · · · · · · · · ·	
Historic Functions (Enter categories from instructions)		Current Functi (Enter categories fr		
TRANSPORTATION/road-related		TRANSPORTATION/road-related		
				·
7. Description				
Architectural Classification (Enter categories from instructions)		Materlais (Enter categories fr	om instructions)	
other: pinned Pratt pony truss		foundation_Ston	e masonry	
			-el	

Narrative Description

(Describe the historic and current condition of the property on one or more continuation sheets)

Located 5.8 miles southwest of Columbus Junction, the Gipple's Quarry Bridge spans Buffington Creek in a rural Louisa County setting that has changed little since the structure's period of significance. A description of the structure follows:

span number:	1	construction date:	1893
span length:	60.0'		\$587.00 (superstructure)
total length:	78.0'	current condition:	fair
roadway wdt.:	15.7'	alterations:	none

superstructure: steel, 4-panel, pin-connected Pratt pony truss, with timber stringer approach span substructure: stone masonry abutments and pier floor/decking: other features: upper chord/inclined endpost: two channels with cover plate and lacing; lower chord: two punched rectangular eyebars (sloped at outer panels); vertical: four angles with lacing; diagonal: two punched rectangular eyebars; counter: square eyebar with turnbuckle; lateral bracing: round eyerod with turnbuckle; floor beam: fishtail plate girder, field-bolted to vertical; guardrail: timber (not original)

Other than maintenance-related repairs, the bridge remains essentially unaltered as it continues to carry vehicular traffic. The Gipple's Quarry Bridge today retains a high degree of integrity of location, design, setting, materials, workmanship, feeling and association.

8. Statement of Significance

Applicable National Register Criteria

(Mark *x* in one or more boxes for the criteria qualifying the property for National Register listing)

- □ A Property is associated with events that have made a significant contribution to the broad patterns of our history.
- **B** Property is associated with the lives of persons significant in our past.
- C Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.
- D Property has yielded, or is likely to yield, information important in prehistory or history.

Criteria Considerations

(Mark "x" in all the boxes that apply)

Property is:

- □ A owned by a religious institution or used for religious purposes.
- **B** removed from its original location.
- C a birthplace or grave.
- D a cemetery.
- E a reconstructed building, object, or structure.
- **F** a commemorative property.
- □ G less than 50 years of age or achieved significance within the past 50 years.

Narrative Statement of Significance (Explain the significance of the property on continuation sheets.)

9. Major Bibliographical References

Bibilography

(Cite the books, articles, and other sources used in preparing this form on one or more continuation sheets.)

Previous documentation on file (NPS):

- preliminary determination of individual listing (36 CFR 67) has been requested
- previously listed in the National Register
- previously determined eligible by the National Register
- designated a National Historic Landmark
- recorded by Historic American Buildings Survey
- recorded by Historic American Engineering Record

Areas of Significance

(Enter categories from instructions)

ENGINEERING

Period of Significance

1893

- (The period of significance is derived
- from the original construction date.)

Significant Dates

1893 (construction date)

Significant Person

(Complete if Criterion B is marked above)

N/A

Cultural Affiliation

N/A

Architect/Builder

designer: Gillette-Herzog Manufacturing Company fabricator: Gillette-Herzog Mfg. Co.; Carnegie Steel Co. builder: Gillette-Herzog Manufacturing Company

Primary location of additional data:

- State Historic Preservation Office
- other State agency
- □ Federal agency
- Local government
- □ University
- other
 - name of repository:

easting

10. Geographical Data

Acreage of Property less than one acre

UTM References

(Place additional UTM references on a continuation sheet)

1 15 633420 4562480 zone easting northing

2 ____

zone

northing

Verbal Boundary Description

(Describe the boundaries of the property)

The nominated property is a rectangular-shaped parcel measuring 18 feet by 78 feet, which is centered on the UTM point(s) listed above. Included within this rectangular parcel are the bridge's superstructure, substructure, approach spans and floor system.

Boundary Justification

(Explain why the boundaries were selected)

The nominated structure includes the bridge's superstructure, substructure, floor system, any approach spans and the property on which they rest. These boundaries encompass, but do not exceed, all of the property that has been historically associated with the bridge.

11. Form Prepared By name/title Clayton B. Fraser organization Fraserdesign date 31 August 1994 street & number 1269 Cleveland Avenue telephone 303-669-7969 city or town Loveland state Colorado zip code 80537

Additional Documentation

Submit the following items with the completed form:

Continuation Sheets

Maps

- A USGS map (7% or 15 minute series) indicating the property's location
- A Sketch map for historic districts and properties having large acreage or numerous resources

Photographs

Representative black and white photographs of the property

Additional items

(Check with the SHPO or FPO for any additional items)

Property Owner							
(Complete this item a	t the request of SHPO or FPO)						
name/title	Louisa County						
street & number	P.O. Box 246		telephone .	319-523-	5271		
city or town	Wapello		state	Iowa	zip code _	52653	

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 470 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief, Administrative Services Division, National Park Service, P.O. Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Projects (1024-0018), Washington, DC 20503.

United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Section Number 8 Page 1 Gipple's Quarry Bridge Louisa County; Iowa

In 1879, the Louisa County Board of Supervisors granted a petition by Thomas Stronach and other local residents to change the location of a county road in Elm Grove Township southwest of Columbus Junction. The changed alignment carried the road over Buffington Creek, necessitating construction of a new bridge in the summer of 1881. With its timber pile construction, the structure was predictably short-lived. Eleven years after its completion, nearby stone quarry owner T.J. Gipple petitioned the county for a new, more substantial bridge at this crossing. In April 1893 the board of supervisors opened bidding for a new iron bridge. A contract to supply the truss superstructure for this crossing - and for a bridge over Long Creek (LOUI11) in Columbus township - was awarded to the Gillette-Herzog Manufacturing Company of Minneapolis, Minnesota. (Cost: \$1174.00 for the two spans.) Using steel components rolled in Pittsburgh by Carnegie, Gillette-Herzog fabricated the medium-span pony trusses and erected them by September 1893. Both spans have since carried county-road traffic in essentially unaltered condition.

With its pin-connected detailing and Pratt design, the pony truss on the Gipple's Quarry Bridge typifies iron bridge construction in Iowa from the early 1890s. What distinguishes this structure from most of its peers is its unusual lower chord configuration, with the end panels sloped downward from the bearing shoes to the center panels. Only a handful of spans employing this Pratt truss variation has been identified by the historic bridge inventory. The Gipple's Quarry Bridge is thus technologically significant as a well-preserved, early, unusually designed example of wagon bridge construction in Iowa.

١

United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Section Number 9 Page 2 Gipple's Quarry Bridge Louisa County; Iowa

Iowa Department of Transportation, Structure Inventory and Appraisal: Structure No. 224310.

Louisa County Board of Supervisors' Minute Book F: page 62 (7 June 1881), page 263 (3 April 1893), pages 265-266 (6 April 1893), page 295 (14 September 1893), located at the Louisa County Courthouse, Columbus Junction IA;

Louisa County Road Minute Book Number 1: pages 176-177 (no date), located at the Louisa County Courthouse, Columbus Junction IA.

Field inspection by Clayton Fraser, 16 August 1991.