United States Department of the InteriorNational Park Service

National Register of Historic Places Continuation Sheet

Section number Page				
SUPPLEMENTARY LISTING RECORD				
NRIS Reference Number: Various	Date Listed:	9/30/88		
Various	Various	Arizona		
Property Name	County	State		
Vehicular Bridges in Arizona Multiple Name				
This property is listed in the Nat Places in accordance with the atta subject to the following exception notwithstanding the National Park in the nomination documentation.	sched nomination do as, exclusions, or	cumentation amendments,		
1, Patrick Andres	9/30 /88			

Amended Items in Nomination:

Signature of the Keeper

There were several nominations included with this multiple property submission which defined and justified periods of significance extending into the less than fifty year old range to correspond with criterion A significance although the resources' dates of construction actually occurred well over fifty years ago. For all of these bridges, the period of significance should be concluded in 1938 to conform with National Register requirements. The following bridges are included in this category:

Date of Action

Petrified Forest, Querino, Hereford, Douglas Underpass, Dead Indian Canyon, Pumphouse Wash, Walnut Canyon, Fossil Creek, Black River, Salt River, Salt River Canyon, Reppy Avenue, Black Gap, Gila River, Park Avenue, Solomonville Road Overpass, Solomonville Road Overpass (Clifton), Gila Bend Overpass, Hassayampa River, Lewis and Pranty Creek, Mormon Flat, Fish Creek, Pine Creek, Sand Hollow Wash, Old Trails, Corduroy, Cedar Canyon, Holbrook, Jack's Canyon, Little Lithodendron Wash, Lithodendron Wash, St. Joseph, Woodruff, Cienega, Fourth Avenue Underpass, Sixth Avenue Underpass, Stone Avenue Underpass, Sixth Avenue Underpass, Stone Avenue Underpass, Alchesay Canyon, Devil's Canyon, Queen Creek (Florence Junction vicinity), Queen Creek (Superior vicinity), Kelvin, Mineral Creek, Sacaton Dam, San Tan Canal, Winkelman, Santa Cruz No. 1, Broadway, Hell Canyon, Little Hell Canyon, Lynx Creek, Verde River, and Walnut Grove. (Period of significance issues discussed with Pat Stein of the AZ SHPO.)

DISTRIBUTION:

HABS/HAER INVENTORY

See "HABS/HAER Inventory Guidelines" before filling out this card.

1. NAME(S) OF STRUCTURE Reppy Avenue Bridge; Cordova Avenue Bridge; Inspiration Avenue Bridge; Keystone Avenue Bridge; Miami Avenue Bridge 2. LOCATION Miami City Streets over Bloody Tanks Wash Miami	ADOT: 8585 8586 8587 8588	3. DATE(8) OF CONSTRUCTION 1920-21 4. USE (ORIGINAL/CURRENT) city street bridges / city street bridges 5. RATING
Gila County, Arizona	8589	NRHF eligible: local significance

6. CONDITION

good; sufficiency ratings: 84.5 owner: City of Miami

span number: 1 superstructure: reinforced concrete Luten arch with cantilever roadway

span length: 50.0' substructure: concrete spread footings

total length: 54.0' floor/decking: asphalt over concrete deck w/ earth fill

roadway wdt.: 34.2' other features: cambered roadway w/ sidewalks on both sides; plain concrete cantilever

brackets; moulded concrete guardrails w/ turned concrete balusters and

paneled bulkheads


In 1919, as the town of Miami undertook the design and construction of townwide water, sewer and electrical systems, the town council contracted for an additional construction project: the channelization of Bloody Tanks Wash through the central business district. In July the council instructed the town engineer to design a bridge to carry Keystone Avenue over the new channel. He ordered plans and specifications in December from the Topeka Bridge and Iron Company of Kansas. Topeka sent a standard short-span Luten arch design, featuring moulded concrete balusters and a cambered roadway cantilevered on both sides over the arch. In May 1920, the town purchased 3500 barrels of cement, on June 5th began construction of the Keystone Avenue Bridge using force account labor, and in July completed the structure. The project proceeded so successfully that the town engineer soon began a bridge on Cordova Avenue using the same design. In 1921, identical bridges were completed over the channels on Reppy, Inspiration and Miami avenues. These five structures remain in place today in essentially unaltered condition.

These five arch bridges marked the culmination of an extensive public works construction program undertaken by the town of Miami in the early 1920s. As such, they are important remnants from this early period in the town's history. Technologically, they are noteworthy examples of an important bridge configuration. All of the thirteen Luten arches identified in Arizona are associated directly - either through engineering or construction - with the Topeka Bridge and Iron Company. The other Luten arches in the state were used at rural crossings with long-span applications. The Miami bridges, on the other hand, were located in an urban setting in which relatively short spans were required: the traditional engineering conditions for concrete slabs. Their design is significant as the only short-span application in the state of this patented bridge type.


10. NAME(S) OF STRUCTURE

Reppy Avenue Bridge et al

11. PHOTOS (W/ FILM ROLL & FRAME NO.) AND SKETCH MAP OF LOCATION







Bridge Record, Arizona City Streets and County Roads: 8585-8589; Structures Section, Arizona Department of Transportation, Phoenix AZ.

Proceedings of the Town Council of Miami, Arizona: 3 July 1919, 4 December 1919, 10 April 1920, 3 June 1920, 1 July 1920, 18 November 1920, 2 March 1921, 4 September 1921.

Advertising circular for National Bridge Company, Indianapolis, Indiana, 1907.

Field inspection by Clayton Fraser, 18 February 1987.

13. INVENTORIED BY:

AFFILIATION

DATE

Clayton B. Fraser

Fraserdesign Loveland Colorado

1 April 1987